



WBE & DBE CERT #D2F8719418
Serving Industry Since 1995



2010 Catalog

EnviroMet

www.spill-kit.com



Mailing Address
PO Box 907
Vancouver, WA 98666

800-590-2436 Toll Free
360-944-6100 Phone
360-896-2456 Fax

Physical Address
1200 W 8th Street
Vancouver, WA 98660

DESCRIPTION	PAGE	DESCRIPTION	PAGE
<u>storm drain defender</u>	<u>1</u>	<u>absorbents (Cont.)</u>	<u>13-16</u>
Storm Drain Defender-Sediment	1	Drip, Rip & Go Tablet	14
Storm Drain Defender-Oil Pillow	1	Industrial Mats	15
Storm Drain Defender-Trash	1	Socks	15
Storm Drain Defender-Curb Inlet	1	Booms	15
<u>spill paks</u>	<u>2</u>	Specialty	16
Economy Spill Pak	2	Pillows	16
Deluxe Spill Pak	2	<u>loose absorbents</u>	<u>17</u>
ForkLift Spill Pak	2	Zimmerlite	17
Plug Kit	2	Amerizorb	17
<u>spill kits</u>	<u>3-5</u>	Ensoorb	17
5 Gallon Spill Kit	3	Moltan	17
6.5 Gallon Spill Kit	3	<u>overpack/salvage drums</u>	<u>18</u>
Dry Box Spill Kit	3	OverPack/Salvage Drum	18
Poly-Edge Spill Kit	3	Wheeled OverPacks	18
20 Gallon Brute Spill Kit	4	<u>dispensing</u>	<u>19-20</u>
20 Gallon OverPack Spill Kit	4	Poly-Dolly	19
32 Gallon Brute Spill Kit	4	Poly-SpillCart	19
30 Gallon OverPack Spill Kit	4	Spill Scooter	19
50 Gallon Wheeled OverPack Kit	5	Universal Poly-Drum Funnel	19
55 Gal drum kit-wa state gen permit	5	The Mini-Racker System	20
55 Gallon Drum Spill Kit	5	Drums-Up	20
95 Gallon OverPack Spill Kit	5	Poly-Tank Cont Unit/275	20
<u>pesticide spill kits</u>	<u>6</u>	<u>containment pallets</u>	<u>21-22</u>
6.5 Gallon Pesticide Kit	6	Poly-SpillPallets	21
20 Gallon Pesticide Kit	6	WorkStations	21
<u>hospitality kits</u>	<u>7</u>	IBC 2000i	22
Food Service Kit	7	Hardcover & Spill Pallet	22
EZ CPR Rescue Pack	7	Ramp & Tarps	22
Public Area Kit	7	<u>portable containment</u>	<u>23-24</u>
<u>hazard kits</u>	<u>8-9</u>	SpillPal	23
Mercsorb Economy Spill Kit	8	Prowler Pool	23
Mercsorb Deluxe Spill Kit	8	HazMat Pool	23
EZ cleans Mercury Spill Kit	8	Drip Sentinel Maint Blanket	24
Formaldehyde Spill Kit	8	Drip Sentinel Hose Bib	24
Chemotherapy Spill Kit	9	DripPillow Berm	24
5 Gallon Caustic Spill Kit	9	<u>berms</u>	<u>25</u>
Dry Box Caustic Spill Kit	9	Stinger Berm	25
<u>neutralizers</u>	<u>10</u>	Stinger Snap Foam Berm	25
Base Neutralizer	10	<u>outdoor containment</u>	<u>26-27</u>
Acid Neutralizer	10	Large & X-Large Totes	26
<u>bio-hazard kits</u>	<u>11</u>	Poly-SafetyPack	26
2 Gallon Haz-Mat Kit	11	Poly-Edge	26
Universal Precaution Kit	11	Hazard Hut	27
EZ CPR Rescue Pack	11	Job Hut	27
Liquid Lock	11	Foam River Containment Boom	27
<u>portable toilets</u>	<u>12</u>	<u>specialty products</u>	<u>28-29</u>
Hassock Toilet	12	Drain Covers	28
Luggable Loo	12	Plug N' Dike	28
Porta Potty Accessories	12	The SpillPro	28
<u>absorbents</u>	<u>13-16</u>	Imbibber Beads	29
Melt-Blown Pads & Rolls	13	Tools	29
Sonic-Bonded Pads	13	<u>cleaners</u>	<u>30</u>
Laminated Pads & Rolls	13	Gojo Hand Cleaner	30
Airlaid Pads	14	Safe Care All Purpose Cleaner	30
Fine Fiber Pads	14	Safe Care SuperSolve	30
Pads In A Box	14	Ensoorb Super Cleaner	30



U.S. Patent No 7,201,843

- Storm water runoff carries with it dirt and hydrocarbons that pollute our downstream supplies. The STORM DRAIN DEFENDER traps these pollutants, reducing and controlling the entrance of contaminants into our water systems.
- The STORM DRAIN DEFENDER is a simple sheet of geotextile fabric supported by a wire frame. Rectangular or round models both adjust to fit a variety of drain sizes. The entire unit is under the grate, no excess fabric extends above the grate, creating a safer environment for pedestrians. No trimming required.
- New CURB INLET DRAIN DEFENDER ideal for Type 1 storm Drains with NO grate opening.



Rectangle Unit



Round Unit



with Oil Pillow

Storm Drain Defender	Sediment Only	With Oil Pillow	Trash Only NEW	Curb Inlet NEW
Product # Rectangle Round	DDSED-REC DDSED-RND	DDREC-WPIL10 DDRND-WPIL10	DDREC-TRSH DDRND-TRSH	DDCI
Weight	2 lbs	5 lbs	2 lbs	3 lbs



Mesh Fabric Trash Unit



Outside View



Inside View

Specifications:

- Size:** **Rectangular**—Adjusts to fit Drains; smallest 16"X20"; largest 28"X36"
Round—Adjusts from 27" to 29" diameter.
 The single fabric sheet is 4'x5'. The depth varies, depending on the size of the drain and how deep the fabric hangs down.
Curb Inlet—Adjusts to Curb Inlet Drain Opening: smallest 22" wide—26" wide. Depth is approx 24"
- Material:** **Standard Fabric**—8 oz Polypropylene, Non-Woven Geotextile Fabric
Trash Units—High Density Polyethylene Tarp Screening
- Flow Rate:** Maximum overflow rate varies depending on the level of debris and sediment that has accumulated in the fabric. Proper maintenance is mandatory to maintain maximum water flow. The STORM DRAIN DEFENDER units have overflow outlets to allow excessive water during heavy rain showers to bypass the system, reducing the chance of flooding or ponding.
- Removes:** Oil, Grease, Sediment, Litter, Debris
- Disposal:** Disposal is dependent on nature of pollutants being collected. Disposal should be in accordance with local, state and federal regulations.
- Weight:** Empty = STORM DRAIN DEFENDER units are approx. 2—3 lbs. Full = Weight of empty unit plus weight of sediment and water trapped in unit. Dry sediment could weigh 30-50 pounds. Fully loaded, wet units can weigh approximately 85-135 pounds.

WHITE OIL ONLY=Absorbs gasoline, diesel, engine oil, hydraulic oil, grease, petroleum based solvents

GRAY UNIVERSAL=Absorbs water, petroleum products, chemicals, cleaners, body fluids, anti-freeze, etc.

economy spill pak

Refillable water resistant yellow plastic bag with top zipper.
Affordable, compact spill kit can easily fit behind the seat of a vehicle.



- Contents
 10 Pads, Heavy Wt.
 3 Socks, 3" x48"
 1 Temp Disposal Bag, 4 mil
 1 Plastic Zip Tie, 12"
 1 Pr Nitrile glove
 1 Instruction Sheet



Part # SP2O	Oil Only
Part #SP2U	Universal
Weight	5 lbs
Measurements	18" Hx16" Wx6" D
Contains	6 gal

deluxe spill pak

Refillable water resistant yellow vinyl coated polyester bag with top zipper and black nylon handles.
Durable bag can be reused again. Spill Kits is easily stored in a vehicle or hung on a wall hook for easy access.



- Contents
 15 Pads, Heavy Wt.
 3 Socks, 3" x48"
 1 Pillow, 9" x9"
 1 Drip Pan, 10" x10"
 1 Temp Disposal Bag, 4 mil
 1 Plastic Zip Tie, 12"
 1 Pr Nitrile glove
 Instruction Sheet



Part # SP1O	Oil Only
Part #SP1OR	Oil Only Refill
Part #SP2U	Universal
Part #SP2UR	Universal Refill
Weight	7 lbs
Measurements	19" Hx20" Wx6" D
Contains	9 gal

forklift spill pak

Refillable water resistant yellow vinyl coated polyester bag with top clips that allow bag to wrap around and hang from any bar.



- Contents
 12 Pads, Heavy Wt.
 2 Socks, 3" x48"
 1 Temp Disposal Bag, 4 mil
 1 Plastic Zip Tie, 12"
 1 Pr Nitrile glove
 Instruction Sheet



Part # KT-SSO	Oil Only
Part #KT-SSOR	Oil Only Refill
Part #KT-SSU	Universal
Part #KT-SSUR	Universal Refill
Weight	5 lbs
Measurements	28" Hx15" Wx6" D
Contains	6 gal

plug kit

Essential addition to any Spill Kit. Use to effectively plug punctured tanks or drums.
Kit includes assorted sizes of Wood Plugs (4) and Plug N' Dike Patty.
Can also be used to temporarily repair slashed or broken hoses.



- Wedge—1.5" X 1.5" X 4"
 Cone—1.5" dia. X 4"
 Cone—1" dia. X 3"
 Cone—.5" dia. X 2"

Part # KT-PLUG	Complete Plug Kit
Part #P2	Plug N' Dike, 10 oz
Part #KWP	Set of 4 Wood Plugs

WHITE OIL ONLY=Absorbs gasoline, diesel, engine oil, hydraulic oil, grease, petroleum based solvents

GRAY UNIVERSAL=Absorbs water, petroleum products, chemicals, cleaners, body fluids, anti-freeze, etc.

5 gallon spill kit

Water Tight 5 Gallon Pail with standard Tear Tab Lid. Optional Screw On/Off Lid available. This kit is most popular for trucks. Steel Mounting Bracket available.



Contents

10 Pads, Light Wt.
2 Socks, 3" x48"
1 Bag Ultrabsorb, 5#
1 Temp Disposal Bag, 4 mil
1 Plastic Zip Tie
1 Pr Nitrile glove
Instruction Sheet

Part # KT-5O	Oil Only
Part #KT-5OR	Oil Only Refill
Part #KT-5U	Universal
Part #KT-5UR	Universal Refill
Part #TYGSL	Screw Top Lid
Part #KT-BRKT	Mounting Bracket
Weight-Kit	12 lbs
Weight-Refill	9 lbs
Weight-Bracket	12 lbs
Measurements	12.25" diamX13.75" H
Contains	8 gal

6.5 gallon spill kit

Water Tight UN approved 6.5 gallon pail. Refillable. Standard Screw On/Off Lid. This is a perfect kit when the 5 gallon pail is not quite large enough. Place one throughout facility wherever a spill may occur. Standard features make it one of the most cost effective spill kits available



Contents

15 Pads, Light Wt.
1 Sock, 3" x48"
1 Sock, 3" x8'
1 Bag Ultrabsorb, 5#
1 Pr Nitrile Gloves
1 Temp Disposal Bag, 4 mi
1 Plastic Tie Wrap
Instruction Sheet

Part # KT-6O	Oil Only
Part #KT-6OR	Oil Only Refill
Part #KT-6U	Universal
Part #KT-6UR	Universal Refill
Weight-Kit	15 lbs
Weight-Refill	11 lbs
Measurements	14.25" top diamX18.25" H 10.5" bottom diam
Contains	10 gal

dry box spill kit

Compact, water tight 3 Gallon Dry Box. Refillable. Gasket, hinged lid. Ideal for tight spaces or outdoor truck placement



Contents

5 Pads, Light Wt.
1 Sock, 3" x48"
1 Bag Ultrabsorb, 5#
1 Pr Nitrile Gloves
1 Temp Disposal Bag, 4 mi
1 Plastic Tie Wrap
Instruction Sheet

Part # KT-DB-O	Oil Only
Part #KT-DB-OR	Oil Only Refill
Part #KT-DB-U	Universal
Part #KT-DB-UR	Universal Refill
Weight-Kit	10 lbs
Weight-Refill	7 lbs
Measurements	14" Lx8" Wx11.5" H
Contains	6 gal

poly-edge spill kit

Container: Poly-Edge Multi Function Storage Unit. Water-tight lid is lockable. Can be used as a truck-mounted carrier or wall-mount unit.



Contents

25 Pads, Medium Wt.
4 Socks, 3" x48"
2 Socks, 3" x8"
2 Pillows, 18" x18"
2 Bags Ultrabsorb, 5 lbs.
3 Temp Disposal Bags
3 Plastic Zip Ties
1 Pr Nitrile Gloves
1 Pr Safety Goggles
Instruction Sheet

Part # KT-POLY-O	Oil Only
Part #KT-POLY-OR	Oil Only Refill
Part #KT-POLY-U	Universal
Part #KT-POLY-UR	Universal Refill
Weight-Kit	39 lbs
Weight-Refill	25 lbs
Measurements	34.75" Lx20" Wx15" H .625" slots
Contains	28 gal

WHITE OIL ONLY=Absorbs gasoline, diesel, engine oil, hydraulic oil, grease, petroleum based solvents

GRAY UNIVERSAL=Absorbs water, petroleum products, chemicals, cleaners, body fluids, anti-freeze, etc.

20 gallon brute spill kit



- Contents**
 20 Pads, Heavy Wt.
 4 Socks, 3" x48"
 1 Sock, 3" x8"
 2 Pillows, 18" x18"
 1 Bag UltraSorb, 5 lbs.
 3 Temp Disposal Bags
 3 Plastic Zip Ties
 1 Pr Nitrile Gloves
 1 Pr Safety Goggles
 Instruction Sheet

Water Tight Yellow Brute Container.
 Snap on/off lid.
 Refillable.
 Dolly Available

Part # KT-20-O	Oil Only
Part #KT-20-OR	Oil Only Refill
Part #KT-20-U	Universal
Part #KT-20-UR	Universal Refill
Part #CHDOLLY	Dolly
Weight-Kit	23 lbs
Weight-Refill	16 lbs
Weight-Dolly	7 lbs
Measurements	23" Top Diam 16" Bottom Diam 24" High
Contains	25 gal

20 gallon overpack spill kit



- Contents**
 20 Pads, Heavy Wt.
 4 Socks, 3" x48"
 1 Sock, 3" x8"
 2 Pillows, 18" x18"
 1 Bag UltraSorb, 5 lbs.
 3 Temp Disposal Bags
 3 Plastic Zip Ties
 1 Pr Nitrile Gloves
 1 Pr Safety Goggles
 Instruction Sheet

Water Tight Yellow Salvage/ OverPack Drum.
 Screw on/off lid.
 Refillable.
 UN Rated.

Part # KT-20O-OP	Oil Only
Part #KT-20-OR	Oil Only Refill
Part #KT-20U-OP	Universal
Part #KT-20-UR	Universal Refill
Part #CHDOLLY	Dolly
Weight-Kit	25 lbs
Weight-Refill	16 lbs
Measurements	23" Top Diam 18" Bottom Diam 19" High
Contains	25 gal

32 gallon brute spill kit



- Contents:**
 50 Pads, Heavy Wt
 8 Socks, 3" x48"
 2 Bags UltraSorb, 5 lbs.
 4 Temp Disposal Bags
 4 Plastic Zip Ties
 2 Pr Nitrile Gloves
 2 Pr Safety Goggles
 Instruction Sheet

Water Tight Yellow Brute Container with snap on/off lid.
 Refillable.
 Dolly Available



Part # KT-32-O	Oil Only
Part #KT-32-OR	Oil Only Refill
Part #KT-32-U	Universal
Part #KT-32-UR	Universal Refill
Part #CHDOLLY	Dolly
Weight-Kit	35 lbs
Weight-Refill	24 lbs
Weight-Dolly	7 lbs
Measurements	24.5" Top Diam 18.25" Bottom Diam 27.5" High
Contains	30 gal

30 gallon overpack spill kit



- Contents:**
 50 Pads, Heavy Wt
 8 Socks, 3" x48"
 2 Bags UltraSorb, 5 lbs.
 4 Temp Disposal Bags
 4 Plastic Zip Ties
 2 Pr Nitrile Gloves
 2 Pr Safety Goggles
 Instruction Sheet

Water Tight Yellow Salvage/ OverPack Drum.
 Screw on/off lid.
 Refillable.
 UN Rated.

Part # KT-30O	Oil Only
Part #KT-32OR	Oil Only Refill
Part #KT-30U	Universal
Part #KT-32UR	Universal Refill
Weight-Kit	37 lbs
Weight-Refill	24 lbs
Measurements	23" Top Diam 18" Bottom Diam 30" High
Contains	30 gal

WHITE OIL ONLY=Absorbs gasoline, diesel, engine oil, hydraulic oil, grease, petroleum based solvents

GRAY UNIVERSAL=Absorbs water, petroleum products, chemicals, cleaners, body fluids, anti-freeze, etc.

50 gallon wheeled overpack spill kit



- Contents
 100 Pads, Light Wt
 10 Socks, 3"x48"
 2 Socks, 3"x8"
 3 Pillows, 18"x18"
 3 Bags UltraSorb, 5 lbs.
 8 Temp Disposal Bags
 8 Plastic Zip Ties
 2 Pr Nitrile Gloves
 2 Pr Safety Goggles
 Instruction Sheet

Yellow Wheeled OverPack Drum.
 Screw on/off lid.
 Water-tight and refillable.
 UN Rated.

Part # KT-50W-O	Oil Only
Part #KT-55OR	Oil Only Refill
Part #KT-50W-U	Universal
Part #KT-55UR	Universal Refill
Weight-Kit	87 lbs
Weight-Refill	52 lbs
Measurements	24.5" Top Diam 18.5" Bottom Diam 39.5" High
Contains	55 gal

55 gallon drum spill kit-wa state general water permit



- Contents
 100 Oil Pads, Light Wt
 1 Oil Boom, 8"x10'
 1 Bag Selectsorb, 25#
 1 Rubber Drain Cover, 3'x4'
 1 Folding Non Sparking Shovel
 5 Temp Disposal Bags
 5 Plastic Zip Ties
 2 Pr Nitrile Gloves
 2 Pr Safety Goggles
 2 Buckets w/lids, 5 Gallon
 Instruction Sheet

Meets content requirements of the Washington State General Storm Water Permit for fueling area spill kit. Blue Poly Drum with Snap Ring Lid. UN Rated. Water-tight. Refillable.

Part # KT-55WA	Oil Only
Weight-Kit	70 lbs
Measurements	23" DiamX37"H
Contains	34 gal

55 gallon drum spill kit



- Contents
 100 Pads, Light Wt
 10 Socks, 3"x48"
 2 Socks, 3"x8"
 3 Pillows, 18"x18"
 3 Bags UltraSorb, 5 lbs.
 8 Temp Disposal Bags
 8 Plastic Zip Ties
 2 Pr Nitrile Gloves
 2 Pr Safety Goggles
 Instruction Sheet

Maximum value spill kit. Blue Poly Drum with Snap Ring Lid. UN Rated. Water-tight. Refillable.

Part # KT-55O	Oil Only
Part #KT-55OR	Oil Only Refill
Part #KT-55U	Universal
Part #KT-55UR	Universal Refill
Weight-Kit	70lbs
Weight-Refill	52 lbs
Measurements	23" DiamX37"H
Contains	55 gal

95 gallon overpack spill kit



- Contents
 100 Pads,
 Heavy Wt.
 18 Socks, 3"x48"
 6 Socks, 3"x8"
 5 Pillows, 18"X18"
 4 Bags Ultrasorb, 5#
 10 Temp Disposal Bags
 10 Plastic Tie Wraps
 2 Pr Nitrile Gloves
 2 Pr Safety Goggles
 Emergency Response Guidebook
 Instruction Sheet

Water Tight Salvage/Overpack 95 Gallon Drum. Packing group I. Twist Down Lid. 100% UV protected Polyethylene. Drum Dolly Available.

Part # KT-95O	Oil Only
Part #KT-95OR	Oil Only Refill
Part #KT-95U	Universal
Part #KT-95UR	Universal Refill
Part #8050-BU	Drum Dolly
Weight-Kit	145lbs
Weight-Refill	95 lbs
Dolly Weight	17.5 lbs
Measurements-kit	31.75" top diam 26" bottom diam 41.5"H
Measurements-dolly	27.5" diamX5.5"H
Contains	100 gal

pesticide spill kit 6.5 gallon

6.5 Gallon Pail. UN Rated. Water-tight. Refill kit available. Screw On/Off Lid.
 Kit provides material to meet regulations for hazardous pesticide spills as required by Dept of Agriculture, DOT, EPA and Board of Health.
 Useful to anyone who uses, transports, or stores pesticides.



Contents

- 10 Pads, Light Wt
- 2 Socks, 3"x48"
- 2 Pillows, 10"x10"
- 1 Enorb, 8 oz Bag
- 1 Pr Nitrile Gloves
- 1 Pr Safety Goggles
- 1 Roll Caution Tape
- 1 Mini Broom/Dust Pan
- 1 Temp Disposal Bag
- 1 Set Labels
- 1 Plastic Zip Tie
- 1 Tyvek Suit, XL
- 1 Permanent Marker
- Instruction Sheet

Part #KT-6PEST	Universal
Part #KT-6PESTR	Refill Kit
Weight-Kit	9 lbs
Weight-Refill	5 lbs
Measurements	14.25" top diam 10.5" bottom diam 18.25"H
Contains	10 gal

pesticide spill kit 20 gallon

20 Gallon Poly OverPack Drum. UN Rated. Water-tight. Refill kit available. Screw On/Off Lid.
 Kit provides material to meet regulations for hazardous pesticide spills as required by Dept of Agriculture, DOT, EPA and Board of Health.
 Useful to anyone who uses, transports, or stores pesticides.



Contents

- 20 Pads, Medium Wt
- 4 Socks, 3"x48"
- 1 Sock, 3"x8'
- 2 Pillows, 18"x18"
- 1 Enorb, 3 lb Jar
- 1 Pr Safety Goggles
- 1 Tyvek Suit, XL
- 1 Pr Nitrile Gloves
- 1 Mini Broom/Dust Pan
- 1 Roll Caution Tape
- 2 Temp Disposal Bags
- 1 Set Labels
- 2 Plastic Zip Ties
- 1 Permanent Marker
- Instruction Sheet

Part #KT-20PEST	Universal Pesticide
Part #KT-20PESTR	Refill Kit
Weight-Kit	16 lbs
Weight-Refill	7 lbs
Measurements	23" Top Diam 18" Bottom Diam 19" High
Contains	16 gal

food service spill kit



Perfect Kit for Food Service areas including kitchens, prep areas, storage area and dish washing stations. Use kit where ever a chemical or grease spill is likely to occur. Container is 5 gallon pail with tear tab lid. Refill kit available. Optional Screw-On/Off Lid available

Contents

15 Pads, Light Wt.
2 Socks, 3"x48"
1 Temp Disposal Bag
1 Plastic Tie Wrap
1 Pr Nitrile Gloves
Instruction Sheet

Part #KT-5FS	Universal Food Service Kit
Part #KT-5FSR	Refill Kit

Part #TYGSL	Screw on/off Lid
-------------	------------------

Weight-Kit	6 lbs
------------	-------

Weight-Refill	3 lbs
---------------	-------

Measurements	12.25" diamX13.75"H
--------------	---------------------

Contains	6 gal
----------	-------

ez cpr rescue pack



Contents:

p.a.w.s.™ Antimicrobial Hand Wipe
Biohazard Red Bag
Vinyl Gloves
PTP II CPR Mask

Allows for the safe use of normal CPR techniques without fear of cross-contamination. Available in convenient nylon pouch.

Part #ST-17157	EZ CPR Rescue Pack
----------------	--------------------

Weight-Kit	.5 lb
------------	-------

Measurements	4.25"Lx3.25"Hx2"W
--------------	-------------------

public area spill kit



Public areas are always at risk of someone being injured or sick. This kit provides an effective way to contain body fluid waste and clean up an affected area.

Ideal for any business with general public areas such as dining areas, pool decks, lobbies, waiting rooms, and cues.

Clean up areas that may be potentially contaminated with any type of body fluid including blood, urine, or vomit. These liquids may contain viruses, bacteria and parasites that can spread to other individuals if not cleaned up immediately.

This kit is contained in a 2 gallon UN approved pail with a screw on/off lid for easy access.

Contents

1 Universal Sock 3"x4'
3 Universal Pads, 17"x19"
1 Liquid Lock 8 oz Bottle
1 Germicidal Solution Spray
1 Bio-Hazard Bag w/zip tie
1 Face Mask w/Eye Shield
2 Hand Sanitizer Hand Wipes
1 Pr. Latex Gloves
1 Broom/Dust Pan
Instruction Sheet

Part #KT-2HM	2 Gal Public Area Kit
--------------	-----------------------

Weight-Kit	5 lbs
------------	-------

Measurements	11.25" diamX10.25"H
--------------	---------------------

Contains	11 gal
----------	--------

MERCURY SPILL KITS The EPA is working to reduce the amount of mercury in the environment (see www.epa.gov/mercury). Use MERCSORB kits as part of Best Management Practices when dealing with mercury spills.

mercsorb® economy & deluxe mercury spill kits



Designed to handle all stages of cleaning up mercury spills. The MERSCORB® Spill Kit is designed for one-time use only. MERSCORB® Kits do not contain any chemicals designed to alter the mercury's toxicity or danger. MERSCORB® Amalgamation Powder is used to convert elemental mercury into an amalgam, which stops dangerous mercury vapors from being emitted. The MERSCORB® Amalgamation Powder absorbs 15g hg/100g carbon. **Recommended for use by trained personnel only.**

Contents deluxe kit

- 270g Amalgamation Powder
- 1# Vapor Suppressor Shaker Bottle
- 1 Waste Collection Bottle
- 1 Chemical Sponge
- 1 Disposal Bag w/Twist Tie
- 250g Indicator Powder
- 1 Aspirator Bottle
- 1 Mixing Tub w/Spatula
- 1 Pr. Nitrile Gloves
- 1 Wisk & Pan
- Step-by-Step Instructions

Contents economy kit

- 500g Amalgamation Powder
- 2 Mercury Sponges
- 1 Containment Jar

Part #MSK-520250	MERCSORB Deluxe Kit
Weight	5 lbs
Measurements	
Part #MSK-520260	MERCSORB Economy Kit
Weight	2 lbs
Measurements	

ez cleans mercury spill™ kit

Contains Green Z™ solidifier to encircle and contain the mercury. Pour Green Z™ around the spill, then activate with water, then scoop contained mercury into the disposal bag and seal.



Contents

- Green Z™ Solidifier
- Wiper Pad
- Absorbent Activator Bottle
- Identification Label
- Zip-Lock Disposal Bag
- Disposal Bag
- Safety Shield
- 2 Scoop/Scrapers
- Nitrile Gloves

Part #ST-19105	EZ Cleans Kit
Weight-Kit	2 lbs
Measurements	8.5" x 5.5" x 3"

formaldehyde spill kit

This kit features FSC-1™ to aid in reducing exposure to formaldehyde gas in the event of a spill. The formalin is transformed into an easily removable semi-solid mass. The resulting mass cools rapidly minimizing formaldehyde off-gassing.



Contents

- 11 oz Bottle of FSC-1™ Solidifier
- Vented Goggles
- Respirator
- Open Backed Gown
- Nitrile Gloves
- 4 Scoop/Scrapers
- Wiper Pads
- 4 Bags-30 Gal.

Part #ST-48630	Formaldehyde Kit
Weight-Kit	5 lbs
Measurements	13.5Lx13"Wx5"H

chemotherapy spill kit

Designed for the clean up of spills involving cytotoxic drugs. This kit features Green Z™ solidifier to solidify and contain hazardous chemical spills for quick and easy clean up and disposal with minimal exposure.



Contents

Green Z™ Solidifier-21 g.
 2 Wiper Pads
 12" X12" Barrier Zorb™ Sheet
 Fluid Impervious Gown
 2 Pr. Nitrile Gloves-Size Large
 Safety Shield
 Sharps Disposal Container
 Scoop & Scraper
 Disposal Bag & Twist Tie
 Identification Tag

Part # ST-48725	Chemotherapy Kit
-----------------	------------------

Weight	2 lbs
--------	-------

Measurements	9"Lx7"Wx3"H
--------------	-------------

5 gallon caustic spill kit

The Acid Spill Kit is designed to clean up spilled acid, including battery acid (electrolyte) or contain leaky batteries. Great for garages and battery storage areas.

The Kit for Bases will neutralize, absorb and contain chemicals with a high Ph. Ideal for high alkaline cleaners.

Water Tight 5 Gallon Pail with standard Tear Tab Lid.

Optional Screw On/Off Lid available. Mounting Bracket available.



Contents

15 Pads, Light Wt
 2 Socks, 3"x48"
 1 Gallon Neutralizer
 1 Temp Disposal Bag
 1 Plastic Zip Tie
 1 Pr Nitrile Gloves
 1 Pr Safety Goggles
 1 Apron

Part #BK-5A	Acid Kit
Part #BK-5AR	Acid Kit Refill

Part #BK-5B	Base Kit
Part #BK-5BR	Base Kit Refill

Part #TYGSL	Screw Top Lid
-------------	---------------

Part #KT-BRKT	Mounting Bracket
---------------	------------------

Weight-Kit	15 lbs
------------	--------

Weight-Refill	12 lbs
---------------	--------

Weight-Bracket	12 lbs
----------------	--------

Measurements	12.25" diamX13.75" H
--------------	----------------------

Contains	7 gal
----------	-------

dry box caustic spill kit

Water Tight 3 Gallon Dry Box. Refillable. Gasket, hinged lid. Bright orange color.

Ideal for tight spaces or outdoor truck placement.



Contents

5 Pads, Light Wt
 1 Sock, 3"x48"
 1 Quart Neutralizer
 1 Temp Disposal Bag
 1 Plastic Zip Tie
 1 Pr Nitrile Gloves
 1 Pr Safety Goggles
 1 Apron

Part #BK-DB-A	Acid Kit
Part #BK-DB-AR	Acid Kit Refill

Part #BK-DB-B	Base Kit
Part #BK-DB-BR	Base Kit Refill

Weight-Kit	8 lbs
------------	-------

Weight-Refill	5 lbs
---------------	-------

Measurements	14"Lx8"Wx11.5" H
--------------	------------------

Contains	4 gal
----------	-------

KOLOR-SAFE® Dry Formula provides a precise method of responding to hazardous spills with a 3-Color change process.

KOLOR-SAFE® Liquid Formula is particulate free and generates less gas and heat during neutralization than dry formulas.

base neutralizer

	Dry-2# Shaker	Liquid-Quart	Liquid-Gallon
Product #	KS-450001	KS-430001	KS-430004
Units/Pkg.	10/Case	12/Case	4/Case
Weight	23 lbs.	35 lbs.	42 lbs.



Chemical	Concentration		Volume (2 lbs Neutralizes)		Approx Amount to handle 1 gal Base Spill	
	% by wt.	Molarity	Pints	Liters	Lbs	Kg
Ammonium Hydroxide (NH4OH)	61.7 (30% NH4)	14.8	2.0	0.95	8.0	3.6
	42.2 (20% NH3)	9.8	3.04	1.44	5.36	2.4
	20.6 (10% NH3)	4.9	6.08	2.88	2.6	1.2
	10.3 (5% NH3)	2.4	12.46	5.90	1.3	0.6
Potassium Hydroxide (KOH)	50	13.4	2.21	1.05	7.2	3.3
	40	10.7	2.78	1.32	5.6	2.6
	20	5.3	5.64	2.67	2.8	1.3
	10	2.6	11.49	5.44	1.4	0.6
Sodium Hydroxide (NaOH)	50	19.2	1.54	0.73	10.40	4.7
	40	15.3	1.94	0.92	8.30	3.8
	30	11.5	2.59	1.23	6.20	2.8
	10	3.8	7.86	3.72	2.0	0.9

Chemical	Concentration		Volume (2 lbs Neutralizes)		Approx Amount to handle 1 gal Base Spill	
	% by wt.	Molarity	Pints	Liters	Gal	Ltrs
Ammonium Hydroxide (NH4OH)	61.7 (30% NH4)	14.8	1.11	0.52	1.8	6.9
	42.2 (20% NH3)	9.8	1.66	0.78	1.2	4.6
	20.6 (10% NH3)	4.9	3.33	1.57	0.6	2.3
	10.3 (5% NH3)	2.4	6.65	3.15	0.3	1.2
Potassium Hydroxide (KOH)	50	13.4	1.24	0.59	1.6	6.1
	40	10.7	1.53	0.72	1.3	5.0
	20	5.3	2.85	1.35	0.7	2.7
	10	2.6	6.65	3.15	0.3	1.2
Sodium Hydroxide (NaOH)	50	19.2	0.86	0.41	2.3	8.8
	40	15.3	1.05	0.49	2.0	7.6
	30	11.5	1.42	0.67	1.5	5.7
	10	3.8	3.99	1.89	0.5	1.9

Caution: Do not use KOLOR-SAFE® Base Neutralizers on metallic nitrates, cyanides, strong oxidizers, or hypochlorite (calcium or sodium) solutions since dangerous gases will be generated.

acid neutralizer

	Dry-2# Shaker	Dry-40# Bulk	Liquid-Quart	Liquid-Gallon
Product #	KS-440001	KS-440040	KS-410001	KS-410004
Units/Pkg.	10/Case	1/Box	12/Case	4/Case
Weight	23 lbs.	40#	35 lbs.	42 lbs.



Chemical	Concentration		Volume (2 lbs. Neutralizes)		Approx Amount to handle 1 gal Acid Spill	
	% by wt.	Molarity	Pints	Liters	Lbs.	Kg.
Sulfuric (H2SO4)	98	18.0	.99	0.47	16.10	7.3
	50	9.2	1.96	.93	8.10	3.7
	10	1.8	10.03	4.75	1.60	.7
Nitric (HNO3)	68	15.8	2.28	1.08	7.00	3.2
	40	9.3	3.88	1.84	4.10	1.9
	10	2.3	15.72	7.44	1.00	.5
Acetic (CH3COOH)	100	17.5	2.04	.97	7.80	3.6
	78	13.7	2.62	1.24	6.10	2.8
	40	7.0	5.15	2.44	3.10	1.4
Phosphoric (H3PO4)	85	14.6	.82	.39	19.40	8.8
	40	6.9	1.73	.82	9.20	4.2
	10	1.7	7.07	3.35	2.30	1.0
Hydrochloric (HCL)	40	12.0	3.00	1.42	5.30	2.4
	20	6.0	6.02	2.85	2.70	1.2
	10	3.0	12.04	5.70	1.30	.6
Hydrofluoric (HF)	KOLOR-SAFE® Dry Acid Neutralizer is available by special order for use with hydrofluoric acid.					

Chemical	Concentration		Volume (1 Qt Neutralizes)		Approx Amount to handle 1 gal Acid Spill	
	% by wt.	Molarity	Pints	Liters	Lbs.	Kg.
Sulfuric (H2SO4)	98	18.0	.29	0.47	7.30	27.7
	50	9.2	0.59	.93	3.70	14.0
	10	1.8	3.00	4.75	0.90	2.8
Nitric (HNO3)	68	15.8	0.69	1.08	3.20	12.2
	40	9.3	1.16	1.84	1.90	7.2
	10	2.3	4.83	7.44	0.50	1.8
Acetic (CH3COOH)	100	17.5	0.61	.97	3.60	13.7
	78	13.7	0.78	1.24	2.80	10.6
	40	7.0	1.59	2.44	1.40	5.3
Phosphoric (H3PO4)	85	14.6	0.25	.39	8.80	33.3
	40	6.9	0.52	.82	4.20	15.9
	10	1.7	2.02	3.35	1.10	4.2
Hydrochloric (HCL)	40	12.0	0.92	1.42	2.40	9.1
	20	6.0	1.85	2.85	1.20	4.6
	10	3.0	3.71	5.70	0.60	2.3
Hydrofluoric (HF)	50	28.7	0.38	0.18	5.80	22.0
	20	11.5	0.95	0.45	2.30	8.7
	10	5.7	1.85	0.88	1.20	4.6

2 gallon haz-mat kit



Ideal for laboratory, medical office, or any place where a hazardous spill may occur. Kit is contained in a 2 gallon UN approved pail with screw on/off lid. Included personal protection products for Bio-Hazard spills. Liquid Lock forms a leak proof gel of any water based liquid. 8 oz bottle absorbs over 9 gallons. Total Spill kit absorbs over 11 gallons. Compact kit is all that is needed for maximum spill protection.

Contents

- 1 Universal Sock 3"x4'
- 3 Universal Pads, Light Wt
- 1 Liquid Lock 8 oz Bottle
- 1 Germicidal Solution Spray
- 1 Bio-Hazard Bag w/zip tie
- 1 Face Mask w/Eye Shield
- 2 Hand Sanitizer Hand Wipes
- 1 Pr. Latex Gloves
- 1 Broom/Dust Pan

Part #KT-2HM	2 Gal Haz-Mat Kit
Weight-Kit	5 lbs
Measurements	11.25" diam X 10.25" H
Contains	11 gal

universal precaution kit



Universal Precaution Kits provide personal protection and are a responsible method for the clean-up of infectious blood and body fluid spills. Contain items mandated by OSHA, CDC and state health departments. Use alone or add to any Spill Kit for complete coverage. Red Z™ Solidifiers provide state-of-the-art response for spill control and clean-up of potentially bio-hazardous fluids. Captures and retains up to 100 times its own weight.

Contents

- Red Z™ Pouch
- Safety shield
- Antimicrobial Wipe
- Vinyl Gloves
- Apron
- Germicidal surface disinfectant w/towel
- Pick-up scoop/scrapper
- Biohazard Waste Bag
- Identification tag
- Instructions

Part #ST-17102	Universal Kit in Plastic Box
Part #ST-17100	Plastic Bag Refill Kit
Weight	2 lbs
Measurements	8.5" L x 5.5" H x 2" D

ez cpr rescue pack



Allows for the safe use of normal CPR techniques without fear of cross-contamination. Available in convenient nylon pouch belt pack.

Contents

- p.a.w.s.™ Antimicrobial Hand Wipe
- Biohazard Red Bag
- Vinyl Gloves
- PTP II CPR Mask

Part #ST-17157	EZ CPR Rescue Pack
Weight-Kit	.5 lb
Measurements	4.25" L x 3.25" H x 2" W

liquid lock



Super Absorbent Aqueous Polymer. Absorbs 300 times its own weight. Solidifies liquids for transportation to disposal site. Absorbs any water based liquid. Absorbs and solidifies body fluids such as blood, urine and vomit. Ideal for lab applications to absorb chemical spills that release vapors.

Part #	Description	Weight Per Case	Units/Pkg
MLLB-8	8 oz bottle	7 lbs.	12/Case
MLLB-12	12 oz bottle	10 lbs.	12/Case
MLL1	1 gallon Pail	8 lbs.	1 Ea

Sanitary facilities are not always available on Jobsite and clean up site. These items will keep you prepared for emergencies.

hassock toilet



**close out
limited quantity**

Lightweight, self-contained toilet is great for remote sites.
Contoured seat for "at-home" comfort
Removable inner bucket for quick, easy disposal
Inner splash cover/toilet paper holder (Toilet paper NOT included)

Part #DK-9844-21	Hassock toilet
Weight	10 lbs
Measurements	15.13" diamX15"H

luggable loo



Lightweight, self-contained toilet is great for remote sites.
Most economical portable toilet
Simple bucket design with snap on lid that fits any standard 5 gallon bucket
Compatible with Double Doodie Bag (See below)

Part #	Description	Weight	Measurements
DK-RD-9880-01	Combo-pail & Seat/Lid	6 lbs.	13"L x 14"W x 15.56"H
DK-9880-01	Seat/Lid only	2 lbs.	13"L x 14"W x 1.5"H

porta-potty accessories

Double Doodie™ Waste Bags—sealable, leak proof outer bag for easy, no mess waste disposal. With or without gel for solidification. 6/Pack

Bio-Cleanse™ Sanitizing Hand Wipes—individual wipes to keep clean and kill bacteria when regular plumbing is not available. 15/Pack

Bio-Blue™ Toilet Deodorant—Dry powder with fresh scent in pre-measured pouches to neutralize and destroy toilet waste odors. 6/Pack

Premium Quality Fold-A-Jug in the one gallon size. Compact and ideal for all drinking or sanitary needs.



Part #	Description	Weight
DK-2683-03	Double Doodie W/Bio Gel 6/Pack	6.4 lbs
DK-2683-13	Double Doodie 6/Pack	2 lbs
DK-2683-15	Bio-Cleanse 15/Pack	1 lb
DK-2642-03	Bio-Blue 12/Pack	1 lb
DK-1505-03	Fold-A-Jug 1 Gallon	1 lb

WHITE OIL ONLY=Absorbs gasoline, diesel, engine oil, hydraulic oil, grease, petroleum based solvents

GRAY UNIVERSAL=Absorbs water, petroleum products, chemicals, cleaners, body fluids, anti-freeze, etc.

melt-blown pads & rolls

The economical industry standard for rapid cleanup of oil on both land and water. Fibrous exterior allows oils to seep into center of matting for quicker absorbency.

Flexible, single-layered design conforms to surface. Available in 4 thicknesses: Heavy, Medium and Single and Economy. Color: White (Oil Only)



Melt Blown	Pads-Heavy	Pads-Medium	Pads-Single	Pads-Single	Pads-Econo	Full Roll	Split Roll
Part #	WP100H	WP100M	WP200S	WP100S	WP100-GL	WR150H	WRS150H
Unit/Bale	100/Bale	100/Bale	200/Bale	100/Bale	100/Bale	1/Bale	2/Bale
Dimensions	15"x19"	15"x19"	15"x19"	15"x19"	15"x18"	30"x150'	15"x150'
Weight/Bale	14.4 lbs	11.3 lbs	15.3 lbs	7.8 lbs	8.6 lbs	28 lbs	28 lbs
Contains	33.4 gal	26.7 gal	33.4 gal	17.9 gal	19.67 gal	63.3 gal	63.3 gal

sonic-bonded pads

Ultrasonically bonded for with lamination on one side for added strength and decreased linting. For general maintenance and wiping applications

Available in 4 thicknesses: Heavy, Medium, Single and Economy.

Perforated for ease of use and versatility.

Color: White (Oil Only) & Gray (Universal)



Sonic Bonded	Oil Pads-Med	Oil Pads-Econo	Gray Pads-Heavy	Gray Pads-Med	Gray Pads-Single	Gray Pads-Econo
Part #	WPB100M	WPB100-GL	GPB100H	GPB100M	GPB200S	GPB100GL
Unit/Bale	100/Bale	100/Bale	100/Bale	100/Bale	200/Bale	100/Bale
Dimensions	15"x19"	15"x18"	15"x19"	15"x19"	15"x19"	15"x18"
Weight/Bale	11.3 lbs.	8.6 lbs	14.4 lbs.	11.3 lbs.	15.3 lbs.	8.6 lbs
Contains	24.7 gal.	19.67 gal.	29.1 gal.	24.7 gal.	31.1 gal.	19.67 gal

laminated pads & rolls

Superior Durability for use around machinery and workstations.

Quality sorbent is ultrasonically bonded between two layers of Lint-free spunbond fabric. Lint free pads and rolls will not contaminate equipment.

Available in Medium thickness. Perforated for ease of use and versatility.

Colors: White (Oil Only), Gray (Universal)



Laminated	Oil Pads-Med	Gray Pads-Med	Oil Full Roll	Oil Split Roll	Gray Full Roll	Gray Split Roll
Product #	WPL100M	GPL100M	WRL150M	WRSL150M	GRL150M	GPLSL150M
Unit/Pkg	100/Bale	100/Bale	1/Bale	1/Bale	1/Bale	2/Bale
Dimensions	15"x19"	15"x19"	30"x150'	15"x150'	30"x150'	15"x150'
Weight	11.3 lbs.	11.3 lbs.	22.3 lbs.	22.3 lbs.	22.3 lbs.	22.3
Contains	23.4 gal.	23.4 gal.	44.3 gal.	44.3 gal.	44.3 gal	44.3

WHITE OIL ONLY=Absorbs gasoline, diesel, engine oil, hydraulic oil, grease, petroleum based solvents

GRAY UNIVERSAL=Absorbs water, petroleum products, chemicals, cleaners, body fluids, anti-freeze, etc.

airlaid pads



The premium low-linting and durable absorbent pad. High wicking action. Versatile; use as an industrial wiper or to absorb leaks and drips. AirLaid is a high loft pad, available in Heavy Weight. Perforated. Colors: White (Oil Only), Gray (Universal)

Airlaid	Oil Pads	Gray Pads
Part #	WPA100H	GPA100H
Unit/Pkg	100/Bale	100/Bale
Dimensions	15"x19"	15"x19"
Weight	15.7 lbs.	15.7 lbs.
Contains	31.1 gal.	31.1 gal.

finefiber pads



High quality pads with high sorbency for speedy clean-up. Perforated. 3-ply construction makes this mat virtually indestructible to foot traffic. Available in Heavy and Light weight. Colors: White (Oil Only), Gray (Universal)

FineFiber	Oil Pads-Heavy	Oil Pads-Single	Gray Pads-Heavy
Part #	WPF100H	WPF200S	GPF100H
Unit/Pkg	100/Bale	200/Bale	100/Bale
Dimensions	15"x19"	15"x19"	15"x19"
Weight	14.4 lbs.	15.3 lbs.	14.4 lbs.
Contains	26.3 gal.	28.1 gal.	26.3 gal.


pads in a box



High quality, fine fiber pads are now available in rugged dispenser box. Box has tear-out side opening for easy access to pads. Available in Heavy weight. Colors: White (Oil Only), Gray (Universal).

Pads In A Box	Boxed Oil Pads-Heavy	Boxed Gray Pads-Heavy
Part #	WPF100H-BX	GPF100H-BX
Unit/Pkg	100/Box	100/Box
Dimensions	15"x19"	15"x19"
Weight	16.3 lbs.	16.3 lbs
Contains	26.3 gal.	26.3 gal.

drip, rip & go tablet



High quality, fine fiber pads on wall mounted tear-off tablet dispenser. Conveniently mounts to wall and easy to take along for remote use. 20 full size pads per tablet. Color & Type: Gray (Universal) Pads are perforated along bound edge, plus across the center .

Drip, Rip & Go	Single Tablet	Full Case
Part #	GPF20S	GPF20S-BX
Unit/Pkg	20/Tablet	9 Tablets/Box
Dimensions	14.25"x19"	14.25"x19"x15"
Weight	2.5 lbs.	23 lbs.
Contains	2.8 gal.	25.2 gal.

WHITE OIL ONLY=Absorbs gasoline, diesel, engine oil, hydraulic oil, grease, petroleum based solvents

GRAY UNIVERSAL=Absorbs water, petroleum products, chemicals, cleaners, body fluids, anti-freeze, etc.

industrial mats

Specifically for high-traffic and workstations. Durable enough to withstand forklift traffic. Available with a poly-backing to keep mat stationary. Keep walkways safe and dry. Reduces risks of slips and falls. Dark color hides soil and oil. Colors: Black/Gray (Universal)



Rag Rug



Needle Punch Rug



Poly-Back Rug

Industrial Mats	Poly Backed Rug	Rag Rug	Needle Punch Rug
Part #	PBR100	RRUG36	NPR300
Unit/Pkg	1/Bale	1/Bale	1/Bale
Dimensions	36" x 100'	36" x 150'	36" x 300'
Weight	23 lbs.	45 lbs.	50 lbs.
Contains	13 gal.	85 gal.	60 gal.

socks

Excellent for both everyday use and emergency spill response. Contain liquids before spreading to floors and walkways. Conforms easily around equipment and between surfaces. Durable sleeve withstands rough handling. Colors: White (Oil Only), Gray (General Purpose)



Socks	Oil-3X4	Oil-3X8	Gray-3X4	Gray-3X8
Part #	WS0430	WS0815	GSO430	GS0815
Unit/Pkg	30/Box	15/Box	30/Box	15/Box
Dimensions	3" x 48"	3" x 8'	3" x 48"	3" x 8'
Weight	30 lbs.	30 lbs.	30 lbs.	30 lbs.
Contains	30 gal.	30 gal.	30 gal.	30 gal.

booms

Designed for rapid cleanup and containment of oil spills on water. Extra durability supported by strong outer mesh, inner rope. Each boom end is outfitted with metal fasteners and washers to connect 10' pieces into longer sections. Can be used on land or water. Color: White (Oil Only)



Mini-Booms



Booms

Booms	5' X 10'	8' X 10'	Mini 8' X 18"	Mini 5' X 15"
Part #	WB510SN	WB810SN	WBB818	WBB515
Unit/Pkg	4/Bale	4/Bale	10/Bale	12/Bale
Dimensions	5' X 10'	8' X 10'	8' X 18"	5' X 15"
Weight	22 lbs.	42 lbs.	18 lbs.	15 lbs.
Contains	30 gal.	48 gal.	18 gal.	15 gal.

WHITE OIL ONLY=Absorbs gasoline, diesel, engine oil, hydraulic oil, grease, petroleum based solvents

GRAY UNIVERSAL=Absorbs water, petroleum products, chemicals, cleaners, body fluids, anti-freeze, etc.

specialty

Specialty products to service every spill and maintenance need. Drum top pads fit perfectly on drums to prevent unsightly messes.

Pom Poms for heavy crude oils. Thousands of thin strands of polypropylene are joined together for maximum surface area. Oils adhere, water is repelled.

Use folded sweep to catch the oily sheen left behind by booms. Nylon straps are securely attached to durable laminated mat.



Drum Top Pads



Pom Poms on Rope



Sweeps

Specialty	Oil Drum Top Pads	Universal Drum Top Pads	Poms Poms	PomPoms on Rope	Folded Sweep
Part #	BTOP	GTOP	APMPM	APMPM-R	WSWL100F
Unit/Pkg	25/Box	25/Box	30/Box	30 on 50' Rope	1/Bale
Dimensions	23" diam	23" diam.	6"Wx18"H	50'Lx6"Wx18"H	19"x100"
Weight	7 lbs.	7 lbs.	18 lbs.	18 lbs	11.5 lbs.
Contains	8.6 gal.	8.6 gal.	49.5 oz/each	49.5 oz/each	16.2 gal.

pillows

One product for multiple uses. Use in place of a sock or absorbent pad. Absorb Large quantities quickly. Ideal for placement under leaky equipment or drums. Tear resistant and durable construction. Quick wicking throughout pillows. Net Bag Pillows are ideal for holding ponds and drains. Colors: White (Oil Only), Gray (General Purpose).



Pillows & Drip Pan



Net Bag Pillows

Pillows	Oil 18"X18"	Oil 8"X18"	Oil 10"X10"	Universal 18"X18"	Universal 8"X18	Universal 10"X10"	Oil Net Bag	Drip Pan
Part #	WPIL1818	WPIL818	WPIL1010	GPIL1818	GPIL818	GPIL1010	WPIL10	DP-12
Unit/Pkg	10/Box	20/Box	40/Box	10/Box	20/Box	40/Box	10/Bale	12/Case
Dimen Ea	18"x18"x2"	8"x18"x2"	10"x10"x1"	18"x18"x2"	8"x18"x2"	10"x10"x1"	21"x16"x6"	10"x10"x2"
Weight	12 lbs.	12 lbs.	15 lbs	12 lbs.	12 lbs.	15 lbs.	20 lbs.	12 lbs.
Contains	23 gal.	20 gal.	34.5 gal.	23 gal.	20 gal.	34.5 gal	37 gal.	N/A

zimmerlite

Fine granular absorbent that pulls most liquids to itself, quickly creating a safe work environment. Keep floors clean, dry, and safe. Small granules provide traction for people and machinery on slick, wet, and icy surfaces.

Works like a sponge, pulling liquid from the pores of rough or smooth surfaces.

superior wicking action allows it to work quickly and efficiently, absorbing 150%-200% of its own weight.



Zimmerlite	50# Bag	2000# Tote
Part #	ZI265	ZI270
Weight	50 lbs.	2000 lbs.
Contains	10 gal.	400 gal.
Qty/Pallet	40 bags	1 tote


amerizorb

The Natural organic answer to industrial clean-up. Porous peat moss captures and holds contaminants for easy clean-up.

FIRE RETARDANT to reduce or eliminate the chance of gasoline igniting. Even extinguishes burning gasoline when the fire is covered with AMERIZORB.

Non-Toxic. Non-Abrasive. Clean, efficient & odorless. Environmentally friendly. Universally adaptive to dry land or water clean-up.

Targets spills containing oils, diesel, gasoline, PCB's, organic solvents, antifreeze, and other chemicals. Ideal for body fluids.



Amerizorb	15 lbs Bag
Part #	AMERIZ
Weight	15 lbs.
Bag Size	.75 cu. ft.
Contains	15 gal.
Qty/Pallet	60 bags

enzorb

Super Absorbent has virtually unlimited uses. (Product replaces Stardust) Immediately absorbs liquids of any viscosity, leaving surfaces clean and dry. Fine powder is a superior replacement for rice hull ash absorbent.



Enzorb	1.5 Cu Ft Bag	3# Jar 6/Case	Broom w/Telescoping Handle
Part #	ENP-D225	ENP-D503	ENP-D501-2
Weight	20 lbs.	19 lbs.	
Contains	15 gal.	10 gal.	N/A
Qty/Pallet	50 bags	N/A	N/A

moltan

100% Diatomaceous Earth premium all-purpose absorbents. Quickly cleans up water, oil and grease. Provides more absorption for the money. Creates a cleaner environment in garages, warehouses, workshops and machine shops.



Moltan	Optisorb 33# Bag	Ultrasorb 5# Bag	Selectorb 25# Bag
Part #	OP8933	UL8805	S8893
Weight	33 lbs.	20 lbs.	25 lbs.
Units/Pkg	1 bag	4/Case	1 bag
Contains	4 gal.	2.67 gal.	3 gal.
Qty/Pallet	60 bags	N/A	80 bags

overpack/salvage drums

Twist-down lid for safe closure. Closed cell gasket in lid help seal closure. Patented castellations in lid allow for easy closing with pole or wooden two-by-four. Molded area allows for easy gripping and pick-up by material handling equipment. Patented ribbed design provides extra strength. 100% UV-protected polyethylene provides protection over a wide range of chemicals.



Drum Dolly



a size to meet all needs

Drums	95 Gallon		65 Gallon		30 Gallon		20 Gallon		Drum Dolly	
Part #	1237-YE		1065-YE		1230-YE		1220-YE		8050-BU	
Dimensions	Exterior	Interior	Exterior	Interior	Exterior	Interior	Exterior	Interior	Exterior	Interior
Top Diameter	31.75"	27"	28.25"	23.5"	23"	21.5"	23"	21.5"	27.5"	27.125"
Bottom Diameter	26"	24.75"	23"	21.5"	18"	17"	18"	17"	N/A	
Height	41.5"	37"	37.37"	33.5"	30"	28.5"	19"	17.5"	5.5"	1.56"
Weight	48 lbs.		45 lbs.		13 lbs.		10 lbs.		17.5 lbs.	
Handling Capacity	650 lbs.		440 lbs.		221 lbs.		166 lbs.			
Sump Capacity	95 gal		65 gal		30 gal.		20 gal.		N/A	
Regulations	UN 1H2/X295/S. UN 1H2T/Y295/S DOT 49 CFR 173.3 (c)		UN 1H2/X200/S DOT 49 CFR 173.3 (c)		UN/1H2/X100/S DOT 49 CFR 173.3 (c)		UN/1H2/X75/S DOT 49 CFR 173.3 (c)			

wheeled overpack/salvage drums

Mobile one-piece Overpack on wheels for easy transport. Built in handles and 6" Polyolefin wheels. Easy to maneuver through doorways and around obstacles. This drum is the perfect container for mobile spill kits.



Wheeled Overpacks	95 Gallon		50 Gallon	
Part #	1299-YE		1259-YE	
Dimensions	Exterior	Interior	Exterior	Interior
Top Diameter	31.38"	27.25"	24.5"	20"
Bottom Diameter	25.75"	24.75"	18.5"	17.75"
Height	47.5"	38.5"	39.5"	34.5"
Weight	56 lbs.		38 lbs.	
Handling Capacity	250 lbs.		275 lbs.	
Sump Capacity	95 gal.		50 gal	
Regulations	UN 1H2/X113/S DOT 49 CFR 173.3 (c)		UN 1H2/Y125/S DOT 49 CFR 173.3 (c)	

**If it's not an
ENPAC
SALVAGE
DRUM,
it's probably
just a trash can.**



poly-dolly

Multi-functional , two-wheel dispensing station that acts as its own secondary containment. Tough polyethylene construction cannot rust or corrode. Integrally-molded handles for extra strength and easy lifting. Forkliftable from rear. Transports and dispenses 55 gallon drums.



Part #	Poly-Dolly	5300-YE
Dimensions		69" L X 32.5" W X 26.5" H
Weight		98 lbs.
Load Bearing Capacity UDL		600 lbs.
Sump Capacity		80 gal
Regulations		EPA 49 CFR 264.175 SPCC and NPDES

poly-spill cart

Eliminates the risk of spills during transport. Grate removes for easy cleaning. Ergonomically-designed handle ensures maneuverability. Built-in tool tray keeps tools and other small objects clean and handy.



Part #	Poly-Spill Cart	5200-YE
Dimensions		w/handle—66.5" L X 29" W X 43.88" H w/o handle—66.5" L X 29" W X 16" H
Weight		101 lbs.
Load Bearing Capacity UDL		500 lbs.
Sump Capacity		57 gal
Regulations		EPA 40 CFR 264.175 SPCC and NPDES

spill scooter

Inexpensive mobile dispensing with optional handle. Incidental spills and drips are contained in the well, with a spout for easy draining. Will not rust or corrode.



Spill Scooter	Scooter Only	T-Handle
Part #	5205-YE	5206-BK
Dimensions-Exterior	34.62" diam X 8.82" H	36.62" L X 10" W
Dimensions-Interior	26" diam X 6" H	
Weight	22.5 lbs.	3.7 lbs.
Load Bearing Capacity UDL	500 lbs.	
Sump Capacity	11 gal	
Regulations	EPA, SPCC and NPDES	

universal poly-drum funnel

Funnel fits both closed-head and open-head 55 gallon drums and other containers. Funnel features include patented scalloped design, high side wall and bung fitting holders.



Part #	funnel	3004-YE
Exterior Dimensions		26" diam, 5.5" high
Interior Dimensions		22" diam, 4" high
Weight		3 lbs.

the mini-racker™ system

The Mini-Racker™ System will build in spill protection and patented enclosed sump is ideal for storage and dispensing small containers. The MOBILE UNIT option has wheels and a pull handle to make movement in the plant environment safe and easy. The Mini-Racker™ System helps save liquids that are routinely lost during the dispensing process and helps protect worker safety by keeping the dispensing area neat and clean. Mini-Racker™ System comes with a base unit that will hold 2 five or six and a half gallon pails or 2 five gallon "jerry cans." The Mini-Stacker™ module can be used in conjunction with the racker system to add an extra level of storage.



Mini-Racker System	Mini-Racker™	Mini-Racker™ Mobile Unit	Mini-Stacker™
Part #	6010-YE	6011-YE-M	6012-YE
Dimensions	31" L X 29" W X 15" H	31" L X 29" W X 15.75" H	31.5" X 19.5" W X 18" H
Weight	12.5 lbs.	15 lbs.	10 lbs.
Load Bearing Capacity UDL	200 lbs.	200 lbs.	100 lbs.
Sump Capacity	8 gal	8 gal	N/A
Regulations	EPA 40 CFR 264.175, SPCC AND NPDES	EPA 40 CFR 264.175, SPCC AND NPDE	

drums-up

Ideal for use as a drum pumping station. Temporary protection against incidental spills and drips. Catches liquid before it reaches the floor, reducing the risk of slip and fall injuries.



Part #	Drums-Up	8091-YE
Dimensions		34" dia.x7.25"h
Weight		12 lbs.
Sump Capacity		19.5 gal.
Regulations		EPA, SPCC and NPDES

poly-tank containment unit/275

Designed for widely used 275-gallon obround tank. Protect against hazardous and costly spills. Provides easy access to tank and pumps. Add Bulk Head fitting for outside drainage. Also available in 550 gallon model.



Part #	5275-BK 5276	Poly-Tank Cont Unit Bulk Head Fitting
Dimensions	82.25" L X 45" W X 35.75" H	
Interior Dim	65" L x 27" W	
Weight	98 lbs.	
Sump Capacity	275 gal.	
Regulations	EPA 40 CFR 264.175 SPCC and NPDES	

poly-spillpallets™

The secondary containment system engineered to meet the rigors of today's regulatory environment. 100% polyethylene provides excellent chemical resistance. Non-skid removable grates for easy cleaning. Forkliftable. Optional tarp for outdoor storage and drain hole with plug available.



Poly-SpillPallet™ 2000



In-Line Poly-SpillPallet™ 3000



Poly-SlimLine™ 6000



Poly-SpillPallet™ 6000

	Poly-SpillPallet™ 2000 2 Drum	In-Line Poly-SpillPallet™ 3000 4 Drum	Poly-SlimLine™ 6000 4 Drum	Poly-SpillPallet™ 6000 4 Drum
Part #	5253-YE 5253-YE-D with drain	5102-YE 5102-YE-D with drain	5400-YE 5400-YE-D with drain	5001-YE 5001-YE-D with drain
Dimensions	53.5" L x 29" W x 17" H	98" L x 25.25" W x 12" H	54" L x 50" W x 12" H	50" L x 50" W x 17" H
Weight	63 lbs.	80 lbs.	91 lbs.	88 lbs.
Load Bearing Capacity UDL	2000 lbs.	3000 lbs.	6000 lbs.	6000 lbs.
Sump Capacity	58 gal.	66 gal.	66 gal.	83 gal.
Regulations	EPA 40 CFR 264.175 SPCC and NPDES	EPA 40 CFR 264.175 SPCC and NPDES	EPA 40 CFR 264.175 SPCC and NPDES	EPA 40 CFR 264.175 SPCC and NPDES

workstations™



Low-profile Workstations actually become part of the factory floor, optimizing space for increased safety and efficiency. Large sump capacity catches incidental spills. Multi-Purpose Work Ramp hooks onto any Workstation for easy loading. Heavy-duty removable structural foam grates for easy cleaning. NOT Forkliftable.

Workstations	8-Drum	6-Drum	4-Drum	2-Drum	Multi-Purpose Work Ramp
Part #	5110-YE	5115-YE	5116-YE	5117-YE	5111-CG
Dimensions	100" L x 53.25" W x 6" H	76.5" L x 53" W x 6" H	52.5" L x 53" W x 6" H	53" L x 28.5" W x 6" H	25.5" L x 48" W x 6.25" H
Weight	139 lbs.	104 lbs.	73 lbs.	40 lbs.	30 lbs.
Load Bearing Capacity UDL	8000 lbs.	7000 lbs.	6000 lbs.	2400 lbs.	1000 lbs.
Sump Capacity	77 gal.	61 gal.	43 gal.	22 gal.	
Regulations	EPA 40 CFR 264.175 SPCC and NPDES	EPA 40 CFR 264.175 SPCC and NPDES	EPA 40 CFR 264.175 SPCC and NPDES	EPA 40 CFR 264.175 SPCC and NPDES	

ibc 2000i™

Intermediate bulk containment made easy. Fits more than 99% of all IBC dispensing units. Large sump capacity of 385 gallons, exceeding EPA 40 CFR 264-175 regulations. The unit comes with an integrated 5-gallon pail holder for quick and easy dispensing. One-piece, lightweight, 100% polyethylene unit. Forkliftable and nestable for convenient shipment and storage. Will not rust or corrode or have adverse reactions with chemicals.



Part #	IBC 2000i	5469-YE 5469-YE-D with drain
Exterior Dimensions	72" L X 80" W X 29" H	
Pedestal Dimensions	55" L X 55.5" W X 29" H	
Weight	308 lbs.	
Max Load Rating	8000 lbs.	
Sump Capacity	385 gal.	
Regulations	EPA 40 CFR 264.175SPCC and NPDES	

hardcover & spillpallet

Ideal for indoor/outdoor storage of 55 gallon drums. Roll-top design allows for use in limited space or next to buildings where swing-open doors would be a problem. Top or front/rear loadable. Lockable door. Allows ample room for drum pumps.



Hardcover & SpillPallet	2-Drum	4-Drum
Part #	4062-YE 4062-YE-D with drain	4064-YE 4064-YE-D with drain
Exterior Dimensions	60" L X 36" W X 72" H	65" L X 58" W X 69" H
Interior Dimensions	50" L X 29" W X 51" H	49" L X 54" W X 53.5" H
Weight	210 lbs.	269 lbs.
Load Bearing Capacity UDL	2000 lbs.	6000 lbs.
Sump Capacity	58 gal.	66 gal.
Regulations	EPA 40 CFR 264.175, SPCC and NPDES	EPA 40 CFR 264.175, SPCC and NPDES

ramp & tarps

Poly Ramp works with 12" high Enpac pallets. Poly Ramp has a ribbed, non-skid surface for safe walk-ups. Ramp Extender works with the Poly-Ramp to accommodate 17" high pallets and 2-Drum Hardcover. Tarps are ideal for covering drums on Poly-Spill Pallets that are store outdoors.



Poly-Ramp™



Ramp Extender



Tarps

	Poly-Ramp™	Ramp Extender	Tarps
Product No.	5039-BK	5038-BK	#5400-TARP for use with 5400-YE #5102-TARP for use with 5102-YE #5253-TARP for use with 5253-YE #5001-TARP for use with 5001-YE #5469-TARP for use with 5469-YE
Dimensions	67" L X 30.5" W X 12.75" H	29.5" L X 8.5" W X 5.5" H	
Weight	65 lbs.	6 lbs.	
Load Bearing Capacity UDL	1000 lbs.	1000 lbs.	

spillpal™



The most affordable, convenient temporary storage. Provides incidental spill control during temporary storage of drums, machine parts, tanks, generators and can also be used as a wash down pad or pumping station. Features 4" flexible foam sidewalls that spring back to form-allowing easy drive in and out of hand trucks and forklifts. Reusable! Fold up and store on a shelf when not in use, freeing up valuable floor space. Optional grates available.

Spillpals	1-Drum	2-Drum	4-Drum	4-Drum In-Line	6-Drum	8-Drum
Part #	5750-YE	5755-YE	5760-YE	5765-YE	5770-YE	5775-YE
With Grate/s	5750-YE-G	5755-YE-G	5760-YE-G	5765-YE-G	5770-YE-G	5775-YE-G
Dimensions	2'L X 2'W X 4"H	2'Lx4'Wx4"H	4'Lx4'Wx4"H	2'Lx8'Wx4"H	4'Lx6'Wx4"H	4'L X 8'W X 4"H
Weight	2 lbs.	3 lbs.	4.5 lbs.	5.5 lbs	6.5 lbs.	7.5 lbs.
Sump Capacity	10 gal.	20 gal.	40 gal.	40 gal.	60 gal.	80 gal.
Regulations	EPA, SPCC and NPDES	EPA, SPCC and NPDES	EPA, SPCC and NPDES	EPA, SPCC and NPDES	EPA 40 CFR 264.175 SPCC and NPDES	EPA 40 CFR 264.175 SPCC and NPDES

prowler™ pool



Portable pool quickly unfolds to become a self-supporting unit. Resistant to a wide range of chemicals, acids, fuels and other hazardous materials. Also resistant to cold temperatures to -65°F, abrasion, punctures and UV rays. Lightweight and compact for easy storage. Fits easily into Spill Response Kits.

Prowler Pools	20 GALLON	66 GALLON	100 GALLON	150 GALLON
Part #	5920-YE	5966-YE	5900-YE	5950-YE
Dimensions	28" base X 13"H X 18" top	48" base X 14"H x 36" top	48" base X 18"H X 32" top	60" base X 18"H X 44" top
Sump Capacity	20 gal.	66 gal.	100 gal.	150 gal.
Regulations	EPA, SPCC and NPDES	EPA, SPCC and NPDES	EPA, SPCC and NPDES	EPA, SPCC and NPDES

hazmat pool™



An inexpensive, quick deployment pool that takes only seconds to set up. Small enough to be stowed on any truck or emergency response vehicle. Also resistant to cold temperatures to -65°F, abrasion, punctures and UV rays. Reusable after decontamination.

Part #	Hazmat Pool	5901-YE
Dimensions	74" base X 8"H X 67" top	
Sump Capacity	100 gal.	

drip sentinel™ maintenance blanket™



Designed to be used under vehicles or leaking equipment. Made of 8 oz, non-woven geo-textile material that is 100 mils thick, backed by 1 layer of 20-mil fuel/chemical resistant polyethylene. Blanket provides a protective sorbent pad between the maintenance item and the placement area. Fabric backing provides an extra barrier to stop any hydrocarbon from getting on the ground. Roll or Fold for easy storage between uses.

Maint Blankets	3'X12'	12'X6'	10'X9'	12'X12'
Product No.	4720-BK	4725-BK	4730-BK	4735-BK
Dimensions	12' L X 3' W X 120 mil	12' L X 6' W X 120 mil	10' L X 9' W X 120 mil	12' L X 12' W X 120 mil
Weight	6 lbs.	7 lbs.	9 lbs.	10 lbs.
Regulations	EPA, SPCC & NPDES	EPA, SPCC & NPDES	EPA, SPCC & NPDES	EPA, SPCC & NPDES

drip sentinel™ hose bib™



Safely wrap quick-disconnect fitting or other hose attachment ends to absorb small leaks when disconnecting hoses from industrial equipment. Internal absorbent allows for containment up to 1 pint of Oil, Hydraulic, or other Hydrocarbons. Tether closure system hold the unit around the hose and fitting. The bright yellow unit is rugged, chemically resistant and highly visible.

Part #	Hose Bib™	4701-YE
Packaging		5/Case
Size		.75" quick-disconnect fitting
Max Opening		2.5"
Holding Capacity		1 Pt
Regulations		EPA, SPCC and NPDES

dripillow berm™



Available in four sizes to capture small leaks and drips. Weighted base prevents tipping or splashing in windy conditions up to 40 mph winds. Use with all fuels and hydrocarbons. Replacement UV protected pad available. Folds for easy carrying and storage.

Dripillow Berm™	Small	Medium	Large	X-Large
Part #	5650-YE	5660-YE	5670-YE	5680-YE
Dimensions	22" L X 22" W X 3" H	24" L X 36" W X 3" H	24" L X 54" W X 3" H	38" L X 42" W X 3" H
Weight	7 lbs.	8 lbs.	9 lbs.	10 lbs.
Sump Capacity	1 gal.	2 gal.	3 gal	4 gal

stinger berm™



ENPAC's STINGER BERM™ leads the industry with its wide range of sizes and capacities for large-scale spill containment. Excellent rip, tear and puncture resistance for the most demanding application or terrain. Easy to assemble snap-up design for immediate response. Compact storage and transport. Lap joint welds for maximum strength. Individual serial numbers for quality tracking. CAD designed and cut components. Fuel/Chemical resistant containment area. Optional Ground Pad and TrackMat provide additional protection.

Stinger Berm™	4' X 4'	6' X 6'	10' X 10'	12' X 12'	10' X 26'
Product No.	4802-BK-SU	4806-BK-SU	4810-BK-SU	4812-BK-SU	4820-BK-SU
Dimensions	4'L X 4'W X 1'H	6'L X 6'W X 1'H	10'L X 10'W X 1'H	12'L X 12'W X 1'H	10'L X 16'W X 1'H
Weight	11 lbs.	33 lbs.	57 lbs.	80 lbs.	122 lbs.
Sump Capacity	119 gal.	269 gal.	748 gal.	1077 gal.	1944 gal.
Ground Pad #	4804-GP	4806-GP	4810-GP	4812-GP	4820-GP
TracMat™ #	4804-TM	4806-TM	4810-TM	4812-TM	4820-TM
Regulations	EPA, SPCC and NPDES				

berm accessories



GROUND PAD—Protect berms from truck wheels or rough terrain. Super tough Ground Pad goes under the berm, directly on the ground and prevents underside punctures from sharp objects.

TRACMAT™ - Place inside the berm, allowing trucks to drive in and out while protecting berm from punctures and tears.

stinger snap-foam berm™



Shown with TracMat

All the features of the Singer Berm, BUT with true drive in/ out capability without ever having to set down the end sidewalls. The Foam Sidewall system consists of urethane (fed. Spec. PPP-C-1752D, Type 1, Class 1, Grade A) encased in a fuel/chemical resistant membrane cover. Foam end caps from 2-say air-relief system to snap end sidewalls back automatically to their upright position.

Snap Foam	10' X 26'	12' X 36'	14' X 54'	12' X 60'
Part #	4820-BK-SF	4836-BK-SF	4854-BK-SF	4860-BK-SF
Dimensions	10'L X 26'W X 1'H	12'L X 36'W X 1'H	14'L X 54'W X 1'H	12'L X 60'W X 1'H
Weight	117 lbs.	170 lbs.	252 lbs.	245 lbs.
Sump Capacity	1944 gal.	2231 gal.	5654 gal.	5385 gal.
Ground Pad #	4820-GP	4836-GP	4854-GP	4860-GP
TracMat™ #	4820-TM	4836-TM	4854-TM	4860-TM
Regulations	EPA, SPCC and NPDES			

large totes & extra large totes



These totes are stackable, nestable and forkliftable. Water Resistant. Lids have handles for easy removal. Both Large and Extra large have 500 lb. load bearing capacity. Ideal for large spill kits.

Totes	Large Tote & Lid Combo 4" Polyurethane Wheels	Extra Large Tote & Lid Combo W/8" Solid Rubber Wheels
Part #	1510-YE	1531-YE
Exterior Dimensions	45" L X 35.5" W X 36" H	51.5" L X 47.5" W X 41.5" H
Weight	55.5 lbs.	104 lbs.
Load Bearing Capacity UDL	500 lbs.	500 LBS
Sump Capacity	123 gal.	223 gal.

poly-safetypack®

Tough indoor or outdoor performer protects two 55-gallon drums while containing leaks with a 135-gallon sump capacity. Drum access and removal is easy with unique gull-wing covers. Items inside are protected from weather with slide lid design. Security locks are included to secure covers and contents. POLY SAFETYPACK is easily handled by forklift or pallet jack from two sides.



Part #	Poly-SafetyPack®	2038-YE 2038-YE-D with drain
Exterior Dimensions		60.25" L X 36.5" W X 45.75" H
Interior Dimensions		52.37" L X 26.25" W X 37" H
Weight		115 lbs.
Load Bearing Capacity UDL		1200 lbs.
Sump Capacity		135 gal.
Regulations		EPA 40 CFR 264.175, SPCC and NPDES

poly-edge™

Multi-functional storage unit offers transportable convenience. POLY-EDGE™ can be used as truck-mounted carrier, spill response unit or wall-mounted unit in applications as manufacturing, laboratories and hospitals. POLY-EDGE™ has a special weather and water resistant gasket seal that keeps stored items dry. Ideal for spill kit, absorbents, Stinger Berms and Prowler Pools. Constructed of lightweight 100% polyethylene. Will not rust or corrode. Slotted footprint makes mounting easy.



Part #	Poly-Edge™	1601-YE
Exterior Dimensions		34.75" L x 20" W x 15" H .625" slots
Weight		14 lbs.

hazard hut®



Free up indoor storage and take hazardous materials outside with the HAZARD HUT®. One-piece 100% polyethylene construction with UV protection makes it durable with no joints or seams to leak. Side vents reduce fumes. Big double doors provide security and easy access for up to four 55 gallon drums. 4-way forkliftable design make the HAZARD HUT® easy to handle. Massive sump has removable structural foam grates for easy cleaning.

Part #	4000-YE Hazard Hut®	4001-BK Hazard Hut® Poly Ramp
Exterior Dimensions	63.38"L X 67"W X 71.38"H	115"L X 31.13"W X 16.62"H
Interior Dimensions	53.75"L X 53.75W X 52.25"H	N/A
Weight	225 lbs.	155 lbs.
Load Bearing Capacity UDL	4000 lbs.	1000 lbs.
Sump Capacity	72 gal.	N/A
Regulations	EPA 40 CFR 264.175, SPCC and NPDES	

job hut™

Cost effective, extra Large storage area for up to eight 55 gallon drums. Low Profile design allows for easy access. Forkliftable from all sides. Tough polyethylene construction means it won't rust or corrode, while UV inhibitors make it extra durable for outdoor use. Molded-in vents reduce fumes and condensation inside. Heavy duty hinges and lock keep contents secure. Built-in 75-gallon sump capacity with removable foam grates for easy cleaning.



	Job Hut™	Multi-Purpose Work Ramp
Part #	4010-YE	5111-BK
Exterior Dimensions	90"L X 62.57"W X 93"H	25.5"L X 48"W X 6.25"H
Interior Dimensions	70"L X 51W X 82"H	N/A
Weight	512 lbs.	30 lbs.
Load Bearing Capacity UDL	8000 lbs.	1000 lbs.
Sump Capacity	72 gal.	N/A
Regulations	EPA 40 CFR 264.175, SPCC and NPDES	

foam river containment boom



Boom floats above the water surface to contain and identify the spill location; skirt goes below the surface to contain oil and keep it from escaping. Features semi-flexible internal foam floatation with flexible fabric skirt; extra-heavy hinge points provide stability, float integrity and durability in wave conditions.

Part #	Containment Boom	C-BOOM
Size	6" Diameter Float over 12" Skirt	
Section Weight	2 lbs/ft	
Section Length	Sold per linear foot	

drain covers

100% Chemically Resistant Polyurethane—these tough but easy to handle Drain Covers are made of solid polyurethane. Reversible—they are tacky on both sides, so either side can be used to form a tight seal blocking contaminants. Drain Covers stand up to a wide range of chemicals, solvents and oils and are more chemical resistant than rubber or plastic. Reusable—can be washed and stored in the original handy, portable cardboard box. Helps Comply—40 CFR 112.7(c)(1) and 40 CFR 263.30(a)



ADC36-R



DM3X4

The Neoprene Drain cover is an affordable option for quickly covering a drain to protect against accidental spills.

Drain covers	36" X36"	42" X42"	Neoprene 36" X48"
Part #	ADC36-R	ADC42-R	DM3X4
Dimensions	36" X36" X.25"	42" X42" X.25"	36" X48" X3/8"
Weight	15 lbs.	20 lbs.	12 lbs.

plug n' dike

PLUG N'DIKE is a non-toxic material which forms an immediate seal to control flammable and/or hazardous leaks and spills due to a punctured storage or transport container. Available in Pre-Mix, Dry Granular, Plug Rugs.



Plug N' Dike	PreMix Patty	PreMix Jar	PreMix Jug	PlugRug 24x16	PlugRug 16x16	PlugRug 8x8	DryGranular Jug	DryGranular Pail
Part #	P2	1-PMP	8-PMP	PD24R	PD16R	PD8R	10P	48P
Size	10 oz.	14 oz.	1 gal.	24"x16"	16"x16"	8"x8"	1 gal.	5 gal.
Weight	3/4 lb.	1 lb.	10 lbs.	18 lbs.	12 lbs	8 lbs.	10 lbs.	45 lbs.

the spillpro

Simply plug in the hose to an air compressor and pick up spills like: OIL—ANTIFREEZE—TRANSMISSION FLUID—BRAKE FLUID—GREASE—WATER—POWDERS—PAINT—CNC MILLINGS—AND MUCH MORE! Fast & affordable. Maintenance free, no moving parts. Powerful, runs on air supply, no electricity required. Recycle, reuse, or dispose of liquids.

PRO7 SPECS

- Capacity: 7 gallons
- Overall height: 40 inches
- Wand length: Standard 42 inches
- Weight: 30 pounds (empty)
- Fill Time: 37 seconds (water)
- Discharge Time: 27 seconds (water)
- Suction: Draws at 12 inches of mercury (3-4 times more powerful than traditional wet vacuums)
- Material: Polished aluminum cylinder with galvanized fittings and brass valves
- Power: Air powered. No electricity needed. 90 psi: 30 cfm
- Suction hose: 7' standard. Static & corrosive free. 1.25" dia
- Disposal hose: 5' standard. Static & corrosive free. 1.25" dia
- Warranty: Limited, lifetime warranty



The SpillPro	7 Gal
Part #	PRO7
Weight	30 lbs.

imbiber beads

Imbiber Beads® capture and contain a broad range of liquid organics including gasoline, diesel/jet fuels, transformer oils, chlorinated solvents and many more hazardous chemicals. Eliminate free liquids, which means up to 99% vapor reduction. The vapors support combustion and the vapors are toxic when inhaled. Organic liquids are absorbed into the beads, causing them to swell and pick up many, many times their own volume of liquid. The beads change color from white to pink to red as saturation of organic liquid increases. They are unaffected by water.



Imbiber Beads®	Packets	Mini Booms	Pillows	Loose w/sand
Product #	ENP IE0077	ENP IE0742	ENP IE4121	ENP-IEBS505000
Size	7" X 7"	7" X 42"	14" X 21"	20 lb. jug
Qty/Case	30/box	5/box	5/box	1 pail

tools

These tools are all non-sparking, chemical and corrosion resistant, lightweight and rugged.

Non-Sparking Folding Shovel

Sturdy polypropylene with metal sleeve. Conveniently folds for compact and easy storage at spill station or in spill kit.

A must for roadside emergencies, commercial trucks and vehicles, highway authorities.

Scoops

Available in two sizes, small and large.

Ideal for scooping loose absorbents.

Use as a mini-shovel in spill kits.

Broom

Broom has stiff bristles for sweeping toughest debris.

Solid block polypropylene construction

Ideal for sweeping up loose absorbents.

Squeegee

- Double blade squeegee.
- Durable, Solid and hygienic. The best on the market.

Fiberglass Handle

- Strong honeycomb core for rigid, crush resistant handle
- Compact size with European thread for use with broom and squeegee.



Tools	Shovel	Small Scoop	Large Scoop	Broom Head	Squeegee	Handle
Part #	WI12150	RE-6400SC-SM	RE-6500SC-LG	RE-2920	RE-70806-SQG	RE-6036-HDL
Size	Blade: 12.5"x12" Length 42" folds to 21.5"	6"x5"x3.5"	9"x6"x3.5"	2.5"X18.5"	4.2"x18"	36" long
Weight	2 lbs.	1 lb.	1 lb.	3 lbs.	2 lbs.	2 lbs.

gojo hand cleaner



**close out
limited quantity**

GOJO NATURAL ORANGE Lotion Formula hand cleaner is available in a one gallon jug with pump dispenser. Provides effective soil removal with a petroleum free citrus ingredient. Ideal for vehicle repair facilities.

Gojo hand cleaner	Smooth
Part #	GJ-0945
Weight	8 lbs.

safe care all purpose cleaner



All SAFE CARE products do not include

- Petroleum distillates
- Glycol ethers
- Terpenes
- Synthetics
- Builders and reagents
- Volatile organic compound (VOC's)
- Caustics
- Ozone depleting substances

All SAFE CARE are

- Readily biodegradable
- Non-Toxic
- Non-flammable
- Non-carcinogenic
- Derives from renewable fruit and vegetable sources
- Safe to use, store and dispose of

Environmentally friendly low sudsing cleaner and degreasers. Safe for Oil/Water separators.

All Purpose Cleaner	1 Gal Jug	5 Gal Pail
Part #	C2000-4	C2000-5
Weight	8 lbs.	41 lbs.

safe care supersolve



All SAFE CARE products do not include

- Petroleum distillates
- Glycol ethers
- Terpenes
- Synthetics
- Builders and reagents
- Volatile organic compound (VOC's)
- Caustics
- Ozone depleting substances

All SAFE CARE are

- Readily biodegradable
- Non-Toxic
- Non-flammable
- Non-carcinogenic
- Derives from renewable fruit and vegetable sources
- Safe to use, store and dispose of

Alternative to traditional solvents that is friendly to people, plants and the environment. Safely removes synthetic soils such as silicones, adhesives, pitch, polymers, synthetic lubricants, dyes, cutting oils, resins, inks, fluxes, photo resistant and paints from almost any surface.

Supersolve	1 GAL JUG
Part #	C-SS-4
Weight	8 lbs.

ensorb™ super cleaner/degreaser



Ensorb**™ Will Clean**

- Blood
- Carbon Black
- Floor Wax Build-up
- Graffiti
- Grease & Oil
- Hard Water Deposits
- Ink Stains
- Mildew
- Old Oil Stains
- Oxidation
- Paint (Oil or Water Based)
- Petroleum Products
- Rust Stains
- Soot or Exhaust
- Tar

Enso**rb**™ (replaces Star Power) Super Cleaner/Degreaser is a versatile multiple use concentrate. Water-based is environmentally friendly. Excellent for removing deposits of rust oxidation, scale and sooty matter and can actually reduce the recurrence of oxidation. Ensorb™ has great rust and corrosion inhibiting properties. Free of surfactants and emulsifiers making it safe for use with an oil/water separator. Safe to use.

Enso rb Cleaner	1 Gal Jug
Part #	ENP-D312CS
Qty/Pkg	4/Case
Weight	34 lbs.