

EnviroMet



We've Got It!

Product Catalog


www.spill-kit.com



800-590-2436 Toll Free
360-944-6100 Phone
360-896-2456 Fax

Mailing Address
PO Box 907
Vancouver, WA 98666

Physical Address
1200 W 8th Street
Vancouver, WA 98660



WBE & DBE CERT #W2F0019418
Serving Industry Since 1995

CONTENTS



DESCRIPTION	PAGE
Storm Drain Defender	1
Storm Drain Defender-Sediment	1
Storm Drain Defender-Oil Pillow	1
Storm Drain Defender-Trash	1
Storm Drain Defender-Curb Inlet	1
Eco Containment	2
Eco Poly-SpillPallets	2
Eco 95 Gallon Overpack Drum	2
Eco Pads	3
Airlaid Pad Wipers	3
Rag Rug Industrial Mat	3
Spill Paks	4
Economy Spill Pak	4
Deluxe Spill Pak	4
Plug Kit	4
Spill Kits	5-8
5 Gallon Spill Kit	5
6.5 Gallon Spill Kit	5
Dry Box Spill Kit	5
Poly-Edge Spill Kit	6
20 Gallon Brute Spill Kit	6
20 Gallon OverPack Spill Kit	6
32 Gallon Brute Spill Kit	7
30 Gallon OverPack Spill Kit	7
50 Gallon Wheeled OverPack Kit	7
55 Gal drum kit-wa state gen permit	8
55 Gallon Drum Spill Kit	8
95 Gallon OverPack Spill Kit	8
Specialty Spill Kits	9
Food Service Spill Kit	9
6.5 Gallon Pesticide Kit	9
20 Gallon Pesticide Kit	9
Hazard Spill Kits	10-11
Mercsorb Economy Spill Kit	10
Mercsorb Deluxe Spill Kit	10
EZ cleans Mercury Spill Kit	10
Formaldehyde Spill Kit	10
Chemotherapy Spill Kit	11
5 Gallon Caustic Spill Kit	11
Dry Box Caustic Spill Kit	11
Bio-Hazard Spill Kits	12
2 Gallon Haz-Mat Kit	12
Universal Precaution Kit	12
Liquid Lock	12
Absorbents	13-16
High-Loft Economy Pads	13
Melt-Blown Pads & Rolls	13
Sonic-Bonded Pads	14
Laminated Pads & Rolls	14
Drip, Rip & Go Tablet	15
Industrial Mats	15

DESCRIPTION	PAGE
Absorbents (Cont.)	13-16
Socks	16
Booms	16
Drum Top Pads	17
Pillows	17
Loose Absorbents	18
Optisorb	18
Selectorb	18
That Stuff	18
Ensorb	18
Overpack/Salvage Drums	19
OverPack/Salvage Drum	19
Wheeled OverPacks	19
Dispensing	20-21
Poly-Dolly	20
Poly-SpillCart	20
Spill Scooter	20
Drums-Up	21
Poly-Tank Cont Unit/275	21
Universal Poly-Drum Funnel	21
Containment Pallets	22-23
Poly-SpillPallets	22
Ramp & Tarps	22
IBC 2000i	23
Hardcover & Spill Pallet	23
Workstations	24
WorkStations	24
Link-Lock	24
Grates	24
Multi-purpose Work Ramp	24
Portable Containment	25-26
SpillPal	25
Prowler Pool	25
HazMat Pool	25
Drip Sentinel Maint Blanket	26
Drip Sentinel Hose Bib	26
DripPillow Berm	26
Berms	27
Stinger Snap-Up Berm	27
Stinger Snap Foam Berm	27
Berm Accessories	28
Trackmat	28
Ground pad	28
Storage & Transport Bag	28
Berm Repair Kits	28
Specialty Products	29
Containment Boom	29
Plug N'Dike	29
Drain Covers	29

The pictures in this catalog display the beautiful Northwest where we live and work. Most pictures were taken by Carol Hawley. You can see more of her work at www.agalleryvisit.com.



- Storm water runoff carries with it dirt and hydrocarbons that pollute our downstream supplies. The STORM DRAIN DEFENDER traps these pollutants, reducing and controlling the entrance of contaminants into our water systems.
- The STORM DRAIN DEFENDER is a simple sheet of geotextile fabric supported by a wire frame. Rectangle or round models both adjust to fit a variety of drain sizes. The entire unit is under the grate, no excess fabric extends above the grate, creating a safer environment for pedestrians. No trimming required.
- New CURB INLET DRAIN DEFENDER ideal for Type 1 storm Drains with NO grate opening.



Rectangle Unit



Round Unit



with Oil Pillow



U.S. Patent No 7,201,843

Storm Drain Defender	Sediment Only	With Oil Pillow	Trash Only	Curb Inlet
Product #				
Rectangle	DDSED-REC	DDREC-WPIL10	DDREC-TD	DDCI
Round	DDSED-RND	DDRND-WPIL10	DDRND-TD	
Weight	2 lbs	5 lbs	2 lbs	3 lbs



Mesh Fabric Trash Unit

COMPLIANCE
Helps you comply with
40 CFR 122.26



Outside View
Curb Inlet Unit



Patent Pending

Inside View
Curb Inlet Unit

Size

Rectangular—Adjusts to fit Drains; smallest 16"X20"; largest 28"X36"

Round—Adjusts from 27" to 29" diameter.

The single fabric sheet is 4'x5'. The depth varies, depending on the size of the drain and how deep the fabric hangs down.

Curb Inlet—Adjusts to Curb Inlet Drain Opening; smallest 22" wide—26"wide. Depth is approx 24"

Material

Standard Fabric—8 oz Polypropylene, Non-Woven Geotextile Fabric

Trash Units—High Density Polyethylene Tarp Screening

Flow Rate

Maximum overflow rate varies depending on the level of debris and sediment that has accumulated in the fabric. Proper maintenance is mandatory to maintain maximum water flow.

The STORM DRAIN DEFENDER units have overflow outlets to allow excessive water during heavy rain showers to bypass the system, reducing the chance of flooding or ponding.

Removes

Oil, Grease, Sediment, Litter, Debris

Disposal

Disposal is dependent on nature of pollutants being collected. Disposal should be in accordance with local, state and federal regulations.

Weight

Empty = STORM DRAIN DEFENDER units are approx. 2—3 lbs. Full = Weight of empty unit plus weight of sediment and water trapped in unit. Dry sediment could weigh 30-50 pounds. Fully loaded, wet units can weigh approximately 85-135 pounds.

eco containment


NEW!
100%
Recyclable!

- It's easy being green! Save the earth and your wallet.
- Meet regulations and exceed your expectations of earth friendly containment.
- This new line by ENPAC® is the newest, greenest and most economical product line ever.
- Made from up to 100% recycled and 100% recyclable material, making them no-waste products.
- Available in spill pallets, workstations and a 95 gallon overpack!

SpillPallets	2 Drum ECO Poly-SpillPallet™	4 Drum ECO In-Line Poly-SpillPallet™	4 Drum ECO Poly-Slim-Line™
Part #	5253-ECO 5253-ECO-D with drain	5102-ECO 5102-ECO-D with drain	5400-ECO 5400-ECO-D with drain
Dimensions	53.5"Lx29"Wx17"H	98"Lx25.25"Wx12"H	54"L X 54"W X 12"H
Weight	52 lbs.	83.7 lbs.	73 lbs.
Load Bearing Capacity UDL	1500 lbs.	3000 lbs.	3000 lbs.
Sump Capacity	58 gal.	66 gal.	66 gal.



COMPLIANCE
Helps you comply with
40 CFR 264.175
*Does not apply to 2 & 4
drum workstations



Workstations	8-Drum	6-Drum	4-Drum	2-Drum
Part #	5110-ECO	5115-ECO	5116-ECO	5117-ECO
Dimensions	100"L X 53.25"W X 6"H	77"Lx53"Wx6"H	53"Lx53"Wx6"H	53"Lx28.5"Wx5.63"H
Weight	146 lbs.	85 lbs.	62 lbs.	36 lbs.
Load Bearing Capacity UDL	6000 lbs.	4500 lbs.	3000 lbs.	1500 lbs.
Sump Capacity	77 gal.	61 gal.	41 gal.	22 gal.

ECO-95 Gallon Overpack



95 Gallon Eco Overpack®

Part #	Top Diameter		Bottom Diam		Height		Weight	Handling Capacity	Sump Capacity	Regulations:
	Ext	Int	Ext	Int	Ext	Int				
1237-ECO	31.38"	27"	25.75"	24.75"	41.5"	37"	48 lbs.	662 lbs.	95 gal	UN 1H2/Y300/S



eco pads

- If you are switching over to green products in your facility, these are the perfect pads for you.
- Manufactured using highly absorbent, natural renewable-resource fibers.
- Pads are made from 25% recycled material and are 95% natural.
- These ECO pads are manufactured with virtually no dependency on domestic or foreign oil,
- Based on ASTM test standard 726-these pads absorb on average 40% more than competing polypropylene counterparts.
- Available in Heavy Weight. Choose White (Oil Only) or Gray (Universal).

Eco Pads	Oil Pads	Universal Pads
Part #	NOPB100H	NUPB100H
Unit/Bale	100/Bale	100/Bale
Dimensions	15"x18"	15"x18"
Weight/Bale	14 lbs.	14 lbs.
Contains	25 gal.	25 gal.




COMPLIANCE

Helps you comply with
29 CFR 1910.22(a)(2)
29 CFR 1910-120(j)(1)
29 CFR 1910-1450(e)

airlaid pad wipers

- Create a greener facility by using this premium low-linting and durable absorbent pad made from recycled material.
- You can use pad an industrial wiper or to absorb leaks and drips. Crumples, fits or wraps to any job.
- Recycled polypropylene fibers are "airlaid" between two layers of tough spunbond polypropylene.
- AirLaid is a high loft pad, available in Heavy Weight. Perforated. Choose White (Oil Only) or Gray (Universal).



Airlaid	Oil Pads	Gray Pads
Part #	WPA100H	GPA100H
Unit/Pkg	100/Bale	100/Bale
Dimensions	15"x19"	15"x19"
Weight	15.7 lbs.	15.7 lbs.
Contains	31.1 gal.	31.1 gal.

WHITE OIL ONLY
Absorbs gasoline, diesel, engine oil, hydraulic oil, grease, petroleum based solvents

GRAY UNIVERSAL
Absorbs water, petroleum products, chemicals, cleaners, body fluids, anti-freeze, etc.

rag rug industrial mat

COMPLIANCE

Helps you comply with
29 CFR 1910.22(a)(2)
29 CFR 1910-107(b)(3)
29 CFR 1910-107(g)(2)

- Rag Rug is made from recycled polypropylene and acrylic fibers making it an environmentally responsible product.
- Dark color hides the grunge from oil, solvents, coolants and water without looking dirty
- Save money with a mat that holds up to heavy foot traffic even when fully saturated.
- Huge sorbent capacity.

	Rag Rug
Part #	RRUG36
Unit/Pkg	1/Bale
Dimensions	36"x150'
Weight	45 lbs.
Contains	85 gal.





WHITE OIL ONLY
Absorbs gasoline, diesel, engine oil, hydraulic oil, grease, petroleum based solvents

GRAY UNIVERSAL
Absorbs water, petroleum products, chemicals, cleaners, body fluids, anti-freeze, etc.

economy spill pak

- When you need an affordable spill kit that you can stash anywhere a spill is likely to occur, this Economy Spill Pak is the perfect choice.
- Refillable water resistant yellow plastic bag with top zipper is highly visible.
- Affordable, compact spill kit can easily fit behind the seat of a vehicle.

Contents
10 Pads, Heavy Wt.
3 Socks, 3"x48"
1 Temp Disposal Bag, 4 mil
1 Plastic Zip Tie, 12"
1 Pr Nitrile glove
1 Instruction Sheet



Part # SP2O	Oil Only
Part #SP2U	Universal
Weight	5 lbs
Measurements	18"Hx16"Wx6"D
Contains	6 gal

deluxe spill pak

- Sometimes you need a larger spill kit that is still small enough to stuff into a storage bin, or hang on the wall.
- This deluxe Spill Pak is packaged in a durable refillable water resistant yellow vinyl coated polyester bag with top zipper and black nylon handles.
- The deluxe Spill Pak is highly visible, convenient and equipped to handle many small nuisance spills.

Contents
15 Pads, Heavy Wt.
3 Socks, 3"x48"
1 Pillow, 9"x9"
1 Drip Pan, 10"x10"
1 Temp Disposal Bag, 4 mil
1 Plastic Zip Tie, 12"
1 Pr Nitrile glove
Instruction Sheet

Part # SP1O	Oil Only
Part #SP1OR	Oil Only Refill
Part #SP1U	Universal
Part #SP1UR	Universal Refill
Weight	7 lbs
Measurements	19"Hx20"Wx6"D
Contains	9 gal



plug kit

- Stop the leak at its source.
- Reduce your clean up costs when you plug a damaged tank, drum or broken hose before the liquid has a chance to spread.
- This plug kit is an essential addition to any Spill Kit.
- Kit includes assorted sizes of Wood Plugs (4) and Plug N'Dike Patty.



Wedge—1.5" X 1.5" X 4"
Cone—1.5" dia. X 4"
Cone—1" dia. X 3"
Cone—.5" dia. X 2"

Part # KT-PLUG	Complete Plug Kit
Part #P2	Plug N'Dike, 10 oz
Part #KWP	Set of 4 Wood Plugs

COMPLIANCE
Helps you comply with
29 CFR 1910-120 (j)(1)
29 CFR 1910-1450(e)
*33 CFR 154.1047(c)(2)
40 CFR 263.30(a)
40 CFR 263.31
49 CFR 173.3(c)(1).
***Applies to Oil-Only Spill Kits Only**



WHITE OIL ONLY
Absorbs gasoline, diesel, engine oil, hydraulic oil, grease, petroleum based solvents

GRAY UNIVERSAL
Absorbs water, petroleum products, chemicals, cleaners, body fluids, anti-freeze, etc.

5 gallon spill kit

- Our most popular kit for truckers. Carry inside vehicle or mount outside on the frame.
- Water Tight 5 Gallon Pail in high visibility yellow with standard Tear Tab Lid. Optional Screw On/Off Lid available.

Contents
10 Pads, Light Wt.
2 Socks, 3"x48"
1 Bag Ultrasorb, 5#
1 Temp Disposal Bag, 4 mil
1 Plastic Zip Tie
1 Pr Nitrile glove
Instruction Sheet

Part # KT-5O	Oil Only
Part #KT-5OR	Oil Only Refill
Part #KT-5U	Universal
Part #KT-5UR	Universal Refill
Part #TYGSL	Screw Top Lid
Part #KT-BRKT	Mounting Bracket
Weight-Kit	12 lbs
Weight-Refill	9 lbs
Weight-Bracket	2 lbs
Measurements	12.25" diamX13.75"H
Contains	8 gal



6.5 gallon spill kit

- If you need a DOT approved overpack container for transporting liquids, this is the perfect kit. The water -tight UN approved 6.5 gallon pail is refillable with a Standard Screw On/Off Lid.
- A bit larger with more absorbents than the 5 gallon kit, yet still small enough to place throughout your facility wherever a spill may occur.
- Standard features make it one of the most cost effective spill kits on the market.



Contents
15 Pads, Light Wt.
1 Sock, 3"x48"
1 Sock, 3"x8"
1 Bag Ultrasorb, 5#
1 Pr Nitrile Gloves
1 Temp Disposal Bag, 4 mi
1 Plastic Tie Wrap
Instruction Sheet

Part # KT-6O	Oil Only
Part #KT-6OR	Oil Only Refill
Part #KT-6U	Universal
Part #KT-6UR	Universal Refill
Weight-Kit	15 lbs
Weight-Refill	11 lbs
Measurements	14.25" top diamX18.25"H 10.5" bottom diam
Contains	10 gal

COMPLIANCE
Helps you comply with
29 CFR 1910-120 (j)(1)
29 CFR 1910-1450(e)
*33 CFR 154.1047(c)(2)
40 CFR 263.30(a)
40 CFR 263.31
49 CFR 173.3(c)(1).

*Applies to Oil-Only Spill Kits Only

dry box spill kit

- If storage space is limited, this is our most compact, water tight spill kit available.
- Packaged in a 3 gallon bright orange dry box.
- The box is refillable and offers a gasket, hinged lid.

Contents
8 Pads, Light Wt.
2 Socks, 3"x48"
1 Pr Nitrile Gloves
1 Temp Disposal Bag, 4 mi
1 Plastic Tie Wrap
Instruction Sheet

Part # KT-DB-O	Oil Only
Part #KT-DB-OR	Oil Only Refill
Part #KT-DB-U	Universal
Part #KT-DB-UR	Universal Refill
Weight-Kit	10 lbs
Weight-Refill	7 lbs
Measurements	14"Lx8"Wx11.5"H
Contains	6 gal





poly-edge mountable spill kit

- This spill kit is designed to be mounted under a tanker or trailer.
- Expand your storage space with the Poly-Edge Spill Kit.
- The container is a multi function storage unit. Water-tight lid is lockable.
- Perfect as a truck-mounted carrier or used as a wall-mount unit.

Contents

25 Pads, Medium Wt.
 4 Socks, 3"x48"
 2 Socks, 3"x8'
 2 Pillows, 18"x18"
 2 Bags Ultrasorb, 5 lbs.
 3 Temp Disposal Bags
 3 Plastic Zip Ties
 1 Pr Nitrile Gloves
 1 Pr Safety Goggles
 Instruction Sheet

Part # KT-POLY-O	Oil Only
Part #KT-POLY-OR	Oil Only Refill
Part #KT-POLY-U	Universal
Part #KT-POLY-UR	Universal Refill
Weight-Kit	39 lbs
Weight-Refill	25 lbs
Measurements	34.75"Lx20"Wx15"H .625" slots
Contains	28 gal



WHITE OIL ONLY
 Absorbs gasoline, diesel,
 engine oil, hydraulic oil,
 grease, petroleum
 based solvents

GRAY UNIVERSAL
 Absorbs water, petroleum
 products, chemicals,
 cleaners, body fluids,
 anti-freeze, etc.

20 gallon spill kit

- Need a spill kit for your shop truck or facility? This 20 Gallon Brute Spill Kit holds a variety of absorbents to clean up many types of spills, leaks, or drips.
- Place this kit anywhere a spill is likely to occur.
- Choose from two quality, durable containers.

Rubbermaid® Brute is high visibility yellow with a snap on/off lid.

ENPAC Salvage/Overpack drum in high visibility yellow with a screw on/off lid, and is a UN approved shipping container.

- Refillable.
- Dolly Available

COMPLIANCE
 Helps you comply with
 29 CFR 1910-120 (j)(1)
 29 CFR 1910-1450(e)
 *33 CFR 154.1047(c)(2)
 40 CFR 263.30(a)
 40 CFR 263.31
 49 CFR 173.3(c)(1).
 *Applies to Oil-Only
 Spill Kits Only

Contents

20 Pads, Heavy Wt.
 4 Socks, 3"x48"
 1 Sock, 3"x8'
 2 Pillows, 18"x18"
 1 Bag Ultrasorb, 5 lbs.
 3 Temp Disposal Bags
 3 Plastic Zip Ties
 1 Pr Nitrile Gloves
 1 Pr Safety Goggles
 Instruction Sheet

	BRUTE SPILL KIT	ENPAC SPILL KIT
Oil Only Part #	KT-20-O	KT-20O-OP
Refill Oil Only Part #	KT-20-OR	KT-20-OR
Universal Part #	KT-20-U	KT-20U-OP
Refill Universal Part #	KT-20-UR	KT-20-UR
Dolly Part #	CHDOLLY	8050-BU
Weight-Kit	23 lbs	25 lbs
Weight-Refill	16 lbs	16 lbs
Weight-Dolly	7 lbs	17.5 lbs
Measurements	23"Top Diam 16" Bottom Diam 24"High	22.25"Top Diam 18" Bottom Diam 19"High
Contains	20 gal	20 gal



32 gallon brute spill kit

- A spill can happen any time or any where. Be prepared with a Spill Kit large enough to cover your clean up needs.
- The 32 Gallon Spill Kit is perfect for placing around your facility in storage areas, loading docks, fueling stations or around machinery.
- Container is durable, high visibility yellow Rubbermaid® Brute with a snap on/off lid.
- Refillable.
- Dolly Available

WHITE OIL ONLY
Absorbs gasoline, diesel, engine oil, hydraulic oil, grease, petroleum based solvents

GRAY UNIVERSAL
Absorbs water, petroleum products, chemicals, cleaners, body fluids, anti-freeze, etc.



Contents
50 Pads, Heavy Wt
8 Socks, 3"x48"
2 Bags UltraSorb, 5 lbs.
4 Temp Disposal Bags
4 Plastic Zip Ties
2 Pr Nitrile Gloves
2 Pr Safety Goggles
Instruction Sheet

Part # KT-32-O	Oil Only
Part #KT-32-OR	Oil Only Refill
Part #KT-32-U	Universal
Part #KT-32-UR	Universal Refill
Part #CHDOLLY	Dolly
Weight-Kit	35 lbs
Weight-Refill	24 lbs
Weight-Dolly	7 lbs
Measurements	24.5"Top Diam 18.25" Bottom Diam 27.5"High
Contains	30 gal



30 gallon overpack spill kit

- Use the 30 Gallon Spill Kit exactly as you would the 32 Gallon Spill kit, but this kit is packaged in a X-rated DOT approved shipping container (UN 1H2/X200/S).
- Drum is an ENPAC salvage/overpack drum in high visibility yellow with a screw on/off lid.
- Refillable.



Contents
50 Pads, Heavy Wt
8 Socks, 3"x48"
2 Bags UltraSorb, 5 lbs.
4 Temp Disposal Bags
2 Pr Nitrile Gloves
2 Pr Safety Goggles
4 Plastic Zip Ties
Instruction Sheet

Part # KT-30O	Oil Only
Part #KT-32OR	Oil Only Refill
Part #KT-30U	Universal
Part #KT-32UR	Universal Refill
Weight-Kit	37 lbs
Weight-Refill	24 lbs
Measurements	22.25"Top Diam 18" Bottom Diam 30"High
Contains	30 gal

50 gallon wheeled overpack spill kit

- For your convenience and easy maneuvering, this kit is housed in a container with built in wheels and a handle. No dolly required.
- A perfect kit for fueling areas.
- Spill Kit is prepackaged in a X-rated DOT approved shipping container (UN 1H2/X125/S).
- Drum is an ENPAC overpack drum in high visibility yellow with a water tight screw on/off lid
- Refillable.




Contents
100 Pads, Light Wt
10 Socks, 3"x48"
2 Socks, 3"x8"
3 Pillows, 18"x18"
3 Bags UltraSorb, 5 lbs.
8 Temp Disposal Bags
8 Plastic Zip Ties
2 Pr Nitrile Gloves
2 Pr Safety Goggles
Instruction Sheet

Part # KT-50W-O	Oil Only
Part #KT-55OR	Oil Only Refill
Part #KT-50W-U	Universal
Part #KT-55UR	Universal Refill
Weight-Kit	87 lbs
Weight-Refill	52 lbs
Measurements	23"Top Diam 18.38" Bottom Diam 45.38"High
Contains	55 gal

COMPLIANCE
Helps you comply with
29 CFR 1910-120 (j)(1)
29 CFR 1910-1450(e)
*33 CFR 154.1047(c)(2)
40 CFR 263.30(a)
40 CFR 263.31
49 CFR 173.3(c)(1).

*Applies to Oil-Only Spill Kits Only



SPILL KITS

55 gallon drum spill kit general water permit



WHITE OIL ONLY
Absorbs gasoline, diesel, engine oil, hydraulic oil, grease, petroleum based solvents

GRAY UNIVERSAL
Absorbs water, petroleum products, chemicals, cleaners, body fluids, anti-freeze, etc.

- If you need a spill kit to meet the requirements of your General Storm Water Permit for fueling area, this is the spill kit for you.
- This kit is configured to meet the content requirements stated in Washington State's general storm water permit for fueling stations.
- Spill kit is packaged in a UN rated poly drum with a lockable snap ring lid.
- Water-tight. Refillable.



Contents	
100 Oil Pads, Light Wt	5 Plastic Zip Ties
1 Oil Boom, 8"x10'	2 Pr Nitrile Gloves
1 Bag Selectsorb, 25#	2 Pr Safety Goggles
1 Rubber Drain Cover, 3'x4'	2 Buckets w/lids, 5 Gallon
1 Folding Non Sparking Shovel	Instruction Sheet
5 Temp Disposal Bags	

Part # KT-55WA	Oil Only
Weight-Kit	70 lbs
Measurements	23.75" Top"Diam 39.13" Height 19.38" Bottom Diam
Contains	34 gal



55 gallon drum spill kit

- This large Spill Kit offers maximum value for your plant, construction site, fueling island or storage area.
- Poly Drum with Snap Ring Lid is UN rated, lockable, water-tight and refillable.
- *Be prepared for spills with the variety of absorbent materials within this spill kit.*

Contents	
100 Pads, Light Wt	8 Temp Disposal Bags
10 Socks, 3"x48"	8 Plastic Zip Ties
2 Socks, 3"x8"	2 Pr Nitrile Gloves
3 Pillows, 18"x18"	2 Pr Safety Goggles
3 Bags UltraSorb, 5 lbs.	Instruction Sheet

Part # KT-55O	Oil Only
Part #KT-55OR	Oil Only Refill
Part #KT-55U	Universal
Part #KT-55UR	Universal Refill
Weight-Kit	70lbs
Weight-Refill	52 lbs
Measurements	23.75" Top"Diam 39.13" Height 19.38" Bottom Diam
Contains	55 gal



95 gallon overpack spill kit


- Quick response is essential to reducing the expense of a spill.
- The 95 Gallon Spill Kit is large enough to respond to most spills.
- Spill kit is prepackaged in an X-rated DOT approved 95-Gallon OverPack (UN 1H2/ X295/S or Wheeled—UN 1H2/X113/S)
- Water tight—Twist Down Lid.
- Drum Dolly Available for non-wheeled overpack spill kit.
- For your convenience and easy

maneuvering, this kit is also available in a wheeled overpack drum. With built in wheels and a handle—no dolly is required.

Contents	
100 Pads, Heavy Wt.	10 Temp Disposal Bags
18 Socks, 3"x48"	10 Plastic Tie Wraps
6 Socks, 3"x8"	2 Pr Nitrile Gloves
5 Pillows, 18"x18"	2 Pr Safety Goggles
4 Bags UltraSorb, 5#	Instruction Sheet
Emergency Response Guidebook	

Part # KT-95O	Oil Only
Part # KT-95O-W	Wheeled Oil Only
Part #KT-95OR	Oil Only Refill
Part #KT-95U	Universal
Part # KT-95U-W	Wheeled Universal
Part #KT-95UR	Universal Refill
Part #8050-BU	Drum Dolly
Weight-Kit	145lbs
Weight-Refill	95 lbs
Dolly Weight	17.5 lbs
Measurements-kit	31.38" top diam 25.75" bottom diam 47.5"H
Measurements-dolly	27.5"diamX5.5"H
Contains	100 gal

COMPLIANCE
Helps you comply with
29 CFR 1910-120 (j)(1)
29 CFR 1910-1450(e)
*33 CFR 154.1047(c)(2)
40 CFR 263.30(a)
40 CFR 263.31
49 CFR 173.3(c)(1).
*Applies to Oil-Only Spill Kits Only




food service spill kit

- Perfect Kit for Food Service areas and Grocery Stores—including kitchens, prep areas, storage area and dish washing stations.
- Use kit where ever a liquid, chemical, or grease spill is likely to occur.
- Container is 5 gallon pail with tear tab lid. Refill kit available.
- Optional Screw-On/Off Lid available.

Contents
 15 Pads, Light Wt.
 2 Socks, 3"x48"
 1 Temp Disposal Bag
 1 Plastic Tie Wrap
 1 Pr Nitrile Gloves
 Instruction Sheet

Part #KT-5FS	Universal Food Service Kit
Part #KT-5FSR	Refill Kit
Part #TYGSL	Screw on/off Lid
Weight-Kit	6 lbs
Weight-Refill	3 lbs
Measurements	12.25"diamX13.75"H
Contains	6 gal



pesticide spill kit 6.5 gallon

- Be prepared for a spill if you use, transport or store pesticides or herbicides.
- This Spill Kit provides materials to help comply with regulations for hazardous pesticide spills as required by Dept of Agriculture, DOT, EPA and Board of Health.
- The container is a UN rated 6.5 Gallon Pail. The gasket sealed Screw On/Off Lid is water tight.
- A refill kit is available.

Part #KT-6PEST	Universal
Part #KT-6PESTR	Refill Kit
Weight-Kit	9 lbs
Weight-Refill	5 lbs
Measurements	14.25" top diam 10.5" bottom diam 18.25"H
Contains	10 gal

Contents
 10 Pads, Light Wt
 2 Socks, 3"x48"
 2 Pillows, 10"x10"
 1 Ensorb, 8 oz Bag
 1 Pr Nitrile Gloves
 1 Pr Safety Goggles
 Instruction Sheet

1 Mini Broom/Dust Pan
 1 Temp Disposal Bag
 1 Set Labels
 1 Plastic Zip Tie
 1 Tyvek Suit, XL
 1 Roll Caution Tape



pesticide spill kit 20 gallon

- Be prepared for a spill if you use, transport or store pesticides or herbicides
- This larger Pesticide kit is housed in a 20 Gallon Poly OverPack/Salvage Drum. UN Rated. The screw on/off lid is water tight.
- Kit provides material to meet regulations for hazardous pesticide spills as required by Dept of Agriculture, DOT, EPA and Board of Health.
- A refill kit is available.

Part #KT-20PEST	Universal Pesticide
Part #KT-20PESTR	Refill Kit
Weight-Kit	16 lbs
Weight-Refill	7 lbs
Measurements	22.25"Top Diam 18" Bottom Diam 19"High
Contains	16 gal

Contents
 20 Pads, Medium Wt
 4 Socks, 3"x48"
 1 Sock, 3"x8"
 2 Pillows, 18"x18"
 1 Ensorb, 3 lb Jar
 1 Pr Safety Goggles
 1 Tyvek Suit, XL
 1 Pr Nitrile Gloves
 1 Mini Broom/Dust Pan
 1 Roll Caution Tape
 2 Temp Disposal Bags
 1 Set Labels
 2 Plastic Zip Ties
 Instruction Sheet



mercsorb® economy & deluxe mercury spill kits



MSK-520260

- Designed to handle all stages of cleaning up mercury spills.
- The MERCSORB® Spill Kit is designed for one-time use only.
- MERCSORB® Kits do not contain any chemicals designed to alter the mercury's toxicity or danger.
- MERCSORB® Amalgamation Powder is used to convert elemental mercury into an amalgam, which stops dangerous mercury vapors from being emitted.
- The MERCSORB® Amalgamation Powder absorbs 15g hg/100g carbon.
- ****Recommended for use by trained personnel only****

Contents Standard Kit

270g Amalgamation Powder
 1# Vapor Suppressor Shaker Bottle
 1 Waste Collection Bottle
 1 Chemical Sponge
 1 Disposal Bag w/Twist Tie
 250g Indicator Powder
 1 Aspirator Bottle
 1 Mixing Tub w/Spatula
 1 Pr. Nitrile Gloves
 1 Wisk & Pan
 Step-by-Step Instructions

Contents Economy Kit

500g Amalgamation Powder
 2 Mercury Sponges
 1 Containment Jar

Part #MSK-520250	MERCSORB Standard Kit
Weight	5 lbs
Measurements	14.25"x4.5"x13"

Part #MSK-520260	MERCSORB Economy Kit
Weight	2 lbs
Measurements	6.25"x6"x6.5"

ez cleans mercury spill™ kit

- Contains Green Z™ solidifier to encircle and contain the mercury.
- Pour Green Z™ around the spill, then activate with water, then scoop contained mercury into the disposal bag and seal



ST-19105

Contents

Green Z™ Solidifier	Disposal Bag
Wiper Pad	Safety Sheild
Absorbent Activator Bottle	2 Scoop/Scrapers
Identification Label	Nitrile Gloves
Zip-Lock Disposal Bag	

Part #ST-19105	EZ Cleans Kit
Weight-Kit	2 lbs
Measurements	8.5"x5.5"x3"

The EPA is working to reduce the amount of mercury in the environment. Go to: www.epa.gov/mercury to learn Best Management Practices when dealing with mercury spills.

formaldehyde spill kit

- This kit features FSC-1™ to aid in reducing exposure to formaldehyde gas in the event of a spill.
- The formalin is transformed into an easily removable semi-solid mass.
- The resulting mass cools rapidly minimizing formaldehyde off-gassing.



Part #ST-48630	Formaldehyde Kit
Weight-Kit	5 lbs
Measurements	13.5Lx13"Wx5"H

Contents

11 oz Bottle of FSC-1™ Solidifier
 Vented Goggles
 Respirator
 Open Backed Gown
 Nitrile Gloves
 4 Scoop/Scrapers
 Wiper Pads
 4 Bags-30 Gal.



chemotherapy spill kit

- Designed for the clean up of spills involving cytotoxic drugs.
- Chemotherapy Kit features Green Z™ solidifier to solidify and contain hazardous chemical spills for quick and easy clean up and disposal with minimal exposure.



Contents
Green Z™ Solidifier-21 g.
2 Wiper Pads
12"X12" Barrier Zorb™ Sheet
Fluid Impervious Gown
2 Pr. Nitrile Gloves-Size Large
Safety Shield
Sharps Disposal Container
Scoop & Scraper
Disposal Bag & Twist Tie
Identification Tag

Part # ST-48725	Chemotherapy Kit
Weight	2 lbs
Measurements	9"Lx7"Wx3"H

5 gallon caustic spill kit

- The Acid Spill Kit is designed to clean up spilled acid, including battery acid (electrolyte) or contain leaky batteries.
- Great for garages and battery storage areas.
- The Kit for Bases will neutralize, absorb and contain chemicals with a high Ph. Ideal for high alkaline cleaners.
- Water Tight 5 Gallon Pail with standard Tear Tab Lid.
- Optional Screw On/Off Lid available. Mounting Bracket available.



COMPLIANCE
Helps you comply with
29 CFR 1910-.22(a)(2)
29 CFR 1910-120(j)(1)
29 CFR 1910.1450(e)

Contents
15 Pads, Light Wt
2 Socks, 3"x48"
2 Qt Neutralizer
1 Temp Disposal Bag
1 Plastic Zip Tie
1 Pr Nitrile Gloves
1 Pr Safety Goggles
1 Apron

Part #BK-5A	Acid Kit
Part #BK-5AR	Acid Kit Refill
Part #BK-5B	Base Kit
Part #BK-5BR	Base Kit Refill
Part #TYGSL	Screw Top Lid
Part #KT-BRKT	Mounting Bracket
Weight-Kit	15 lbs
Weight-Refill	12 lbs
Weight-Bracket	12 lbs
Measurements	12.25"diamX13.75"H
Contains	7 gal

dry box caustic spill kit

- Water Tight 3 Gallon Dry Box. Refillable. Gasket, hinged lid. Bright orange color.
- Ideal for tight spaces or outdoor truck placement.



Contents
5 Pads, Light Wt
1 Sock, 3"x48"
1 Quart Neutralizer
1 Temp Disposal Bag
1 Plastic Zip Tie
1 Pr Nitrile Gloves
1 Pr Safety Goggles
1 Apron

Part #BK-DB-A	Acid Kit
Part #BK-DB-AR	Acid Kit Refill
Part #BK-DB-B	Base Kit
Part #BK-DB-BR	Base Kit Refill
Weight-Kit	8 lbs
Weight-Refill	5 lbs
Measurements	14"Lx8"Wx11.5"H
Contains	4 gal

2 gallon haz-mat kit

- Ideal for laboratory, medical office, or any place where a hazardous spill may occur.
- Kit is contained in a 2 gallon UN approved pail with screw on/off lid.
- Included personal protection products for Bio-Hazard spills.
- Liquid Lock forms a leak proof gel of any water based liquid. 8 oz bottle absorbs over 9 gallons. Total Spill kit absorbs over 11 gallons. Compact kit is all that is needed for maximum spill protection.



Part #KT-2HM	2 Gal Haz-Mat Kit
Weight-Kit	5 lbs
Measurements	11.25" diam X 10.25" H
Contains	11 gal

Contents	
1 Universal Sock 3"x4'	1 Face Mask w/Eye Shield
3 Universal Pads, Light Wt	2 Hand Sanitizer Wipes
1 Liquid Lock 8 oz Bottle	1 Pr. Latex Gloves
1 Germicidal Solution Spray	1 Scraper/Pan
1 Bio-Hazard Bag w/zip tie	

universal precaution kit



- Universal Precaution Kits provide personal protection and are a responsible method for the clean-up of infectious blood and body fluid spills. Contain items mandated by OSHA, CDC and state health departments.
- Use alone or add to any Spill Kit for complete coverage.
- Red Z™ Solidifiers provide state-of-the-art response for spill control and clean-up of potentially bio-hazardous fluids. Captures and retains up to 100 times its own weight.

Contents	
Red Z™ Pouch	Germicidal surface disinfectant w/towel
Safety shield	Pick-up scoop/scraper
Antimicrobial Wipe	Biohazard Waste Bag
Vinyl Gloves	Identification tag
Apron	Instructions

Part #ST-17102	Universal Kit in Plastic Box
Part #ST-17100	Plastic Bag Refill Kit
Weight	2 lbs
Measurements	8.5"Lx5.5"Hx2"D

liquid lock



- Super Absorbent Aqueous Polymer.
- Absorbs 300 times its own weight.
- Solidifies liquids for transportation to disposal site.
- Absorbs any water based liquid.
- Absorbs and solidifies body fluids such as blood, urine and vomit.
- Ideal for lab applications to absorb chemical spills that release vapors.

Part #	Description-Liquid Lock
MLLB-8	8 oz bottle
MLLB-12	12 oz bottle
MLL1	1 gallon Pail (8 lbs)



high-loft economy pads

WHITE OIL ONLY
Absorbs gasoline, diesel, engine oil, hydraulic oil, grease, petroleum based solvents

GRAY UNIVERSAL
Absorbs water, petroleum products, chemicals, cleaners, body fluids, anti-freeze, etc.

- This is the perfect choice for economical everyday cleanups.
- Greater economy without compromising sorbency.
- High loft/Bonded—One (1) layer of high loft polypropylene sorbent with ultrasonic bond point (dimples) to fuse layers of fibers together even when completely saturated. Colors: White (Oil Only), Gray (Universal)
- High loft/Meltblown—One (1) layer of high loft hydrophobic (oil-only) polypropylene sorbent that absorbs high volumes of liquid fast.
- Between a single weight and medium weight pad, but able to take in 30 time its own weight in liquids.

	Econo Bonded Universal Pads	Econo Bonded Oil Only Pads	Econo Melt Blown Oil Only Pads
Part #	GPB100GL	WPB100GL	WP100GL
Unit/Bale	100/Bale	100/Bale	100/Bale
Dimensions	15"x18"	15"x18"	15"x18"
Weight/Bale	8.9 lbs	8.9 lbs	8.6 lbs
Contains	19.5 gal	19.5 gal	19.7 gal



COMPLIANCE
Helps you comply with
29 CFR 1910.22(a)(2)
29 CFR 1910.107(b)(3)
29 CFR 1910-107(g)(2)
29 CFR 1910-120(j)(1)
29 CFR 1910-1450(e)

melt-blown pads & rolls

COMPLIANCE
Helps you comply with
29 CFR 1910.22(a)(2)
29 CFR 1910-120(j)(1)
29 CFR 1910-1450(e)
40 CFR 263.30(a)
40 CFR 263.31

- The industry standard for rapid cleanup of oil on both land and water.
- Fibrous design increases surface area on spill
- Repel water while only absorbing oils and other hydrocarbons.
- Floats when fully saturated.
- Flexible, single-layered design conforms to surface.
- Available in 3 thicknesses: Heavy, Medium and Single.
- Color: White (Oil Only)



Melt Blown	Pads-Heavy	Pads-Medium	Pads-Single	Pads-Single	Full Roll	Split Roll
Part #	WP100H	WP100M	WP200S	WP100S	WR150H	WRS150H
Unit/Bale	100/Bale	100/Bale	200/Bale	100/Bale	1/Bale	2/Bale
Dimensions	15"x19"	15"x19"	15"x19"	15"x19"	30"x150'	15"x150'
Weight/Bale	14.4 lbs	11.3 lbs	15.3 lbs	7.8 lbs	28 lbs	28 lbs
Contains	33.4 gal	26.7 gal	33.4 gal	17.9 gal	63.3 gal	63.3 gal



ABSORBENTS



sonic-bonded pads

- Ultrasonically bonded for with lamination on one side for added strength and decreased linting. For general maintenance and wiping applications.
- Keeps its shape even when completely saturated.
- Available in 3 thicknesses: Heavy, Medium, Single. Perforated for ease of use, versatility and cost savings. Color: White (Oil Only) & Gray (Universal)

COMPLIANCE
 Helps you comply with
 29 CFR 1910.22(a)(2)
 29 CFR 1910-107(b)(3)
 29 CFR 1910-107(g)(2)
 29 CFR 1910-120(j)(1)
 29 CFR 1910-1450(e)

Sonic Bonded	Oil Pads-Med	Gray Pads-Heavy	Gray Pads-Med	Gray Pads-Single
Part #	WPB100M	GPB100H	GPB100M	GPB200S
Unit/Bale	100/Bale	100/Bale	100/Bale	200/Bale
Dimensions	15"x19"	15"x19"	15"x19"	15"x19"
Weight/Bale	11.3 lbs.	14.4 lbs.	11.3 lbs.	15.3 lbs.
Contains	24.7 gal.	29.1 gal.	24.7 gal.	31.1 gal.



WHITE OIL ONLY
 Absorbs gasoline, diesel, engine oil, hydraulic oil, grease, petroleum based solvents

GRAY UNIVERSAL
 Absorbs water, petroleum products, chemicals, cleaners, body fluids, anti-freeze, etc.

laminated pads & rolls

- Superior Durability for use around machinery and workstations. **Resists abrasions and tears.**
- Quality sorbent is ultrasonically bonded between two layers of Lint-free spunbond fabric. Lint free pads and rolls will not contaminate equipment.



- Available in Medium thickness. Perforated for ease of use and versatility.
- Colors: White (Oil Only), Gray (Universal)
- Rolls are perforated 7.5" vertically and every 17" horizontally.




Laminated	Oil Pads-Med	Gray Pads-Med	Oil Full Roll	Oil Split Roll	Gray Full Roll	Gray Split Roll
Product #	WPL100M	GPL100M	WRL150M	WRSL150M	GRL150M	GRSL150M
Unit/Pkg	100/Bale	100/Bale	1/Bale	1/Bale	1/Bale	2/Bale
Dimensions	15"x19"	15"x19"	30"x150'	15"x150'	30"x150'	15"x150'
Weight	11.3 lbs.	11.3 lbs.	22.3 lbs.	22.3 lbs.	22.3 lbs.	22.3 lbs.
Contains	23.4 gal.	23.4 gal.	44.3 gal.	44.3 gal.	44.3 gal	44.3 gal

1-800-590-2436
 www.spill-kit.com
 Page 14

drip, rip & go tablet

- High quality, fine fiber pads on wall mounted tear-off tablet dispenser.
- Conveniently mounts to wall and easy to take along for remote use.
- 20 full size pads per tablet. Color: Gray (Universal)
- Pads are perforated along bound edge, plus across the center .



Drip, Rip & Go	Single Tablet	Full Case
Part #	GPF20S	GPF20S-BX
Unit/Pkg	20/Tablet	9 Tablets/Box
Dimensions	14.25"x19"	14.25"x19"x15"
Weight	2.5 lbs.	23 lbs.
Contains	2.8 gal.	25.2 gal.

GRAY UNIVERSAL
Absorbs water,
petroleum products,
chemicals,
cleaners, body fluids,
anti-freeze, etc.

COMPLIANCE
Helps you comply with
29 CFR 1910.22(a)(2)
29 CFR 1910-107(b)(3)
29 CFR 1910-107(g)(2)

industrial mats

- Durable enough for high-traffic areas and workstations. Keep walkways safe and dry.
Reduce risk of slips and falls. Dark color hides soil and oil. Colors: Black/ Gray (Universal)
- **Poly-Backed Rug** has a top layer of high-strength needle punched polypropylene and is backed with a liquid barrier to keep fluids from seeping through. Also provides non-skid for safety.
- **Needle Punch Rug** is durable enough to withstand forklift traffic. Made with rugged 8 oz polypropylene.



Industrial Mats	Poly Backed Rug	Needle Punch Rug
Part #	PBR100	NPR300
Unit/Pkg	1/Bale	1/Bale
Dimensions	36"x100'	36"x300'
Weight	23 lbs.	50 lbs.
Contains	13 gal.	60 gal.



ABSORBENTS



WHITE OIL ONLY
Absorbs gasoline, diesel, engine oil, hydraulic oil, grease, petroleum based solvents

GRAY UNIVERSAL
Absorbs water, petroleum products, chemicals, cleaners, body fluids, anti-freeze, etc.

socks

- Excellent for both everyday use and emergency spill response.
 - Contain liquids before spreading to floors and walkways.
 - Conforms easily around equipment and between surfaces.
 - Durable sleeve withstands rough handling.
 - Colors: White (Oil Only), Gray (Universal)
- **Gray Universal socks and pillows are NOT compatible with sulfuric acid.*



Socks	Oil-3X4	Oil-3X8	Gray-3X4	Gray-3X8
Part #	WS0430	WS0815	GSO430	GS0815
Unit/Pkg	30/Box	15/Box	30/Box	15/Box
Dimensions	3"x48"	3"x8'	3"x48"	3"x8'
Weight	30 lbs.	30 lbs.	30 lbs.	30 lbs.
Contains	30 gal.	30 gal.	30 gal.	30 gal.



COMPLIANCE
Helps you comply with
29 CFR 1910.120(j)(1)
40 CFR 112.7(c)(1)
40 CFR 263.30(a)
40 CFR 263.31

booms



- Designed for rapid cleanup and containment of oil spills on water.
- Extra durability supported by strong outer mesh, inner rope.
- Each boom end is outfitted with metal fasteners and washers to connect 10' pieces into longer sections.
- Filler won't shed and Booms won't sink, even when saturated with oil.
- Mini booms are perfect for sumps, drains, bilges and tanks.
- Can be used on land or water. Color: White (Oil Only)

Booms	5"X10'	8"X10'	Mini 8"X18"	Mini 5"X15"
Part #	WB510SN	WB810SN	WBB818	WBB515
Unit/Pkg	4/Bale	4/Bale	10/Bale	12/Bale
Dimensions	5"X10'	8"X10'	8"X18"	5"X15"
Weight	22 lbs.	42 lbs.	18 lbs.	15 lbs.
Contains	30 gal.	48 gal.	18 gal.	15 gal.



Mini-Booms


COMPLIANCE
Helps you comply with
33 CFR 154.1047(c)(2)
40 CFR 112.7(c)(1)
40 CFR 122.26
40 CFR 263.31

drum top pads

BLUE & WHITE OIL ONLY
Absorbs gasoline, diesel, engine oil, hydraulic oil, grease, petroleum based solvents

GRAY UNIVERSAL
Absorbs water, petroleum products, chemicals, cleaners, body fluids, anti-freeze, etc.

- Specialty products to service every spill and maintenance need.
- Absorb drips from leaking pumps to keep top of drum and work space clean and safe.
- Drum top pads fit perfectly on drums with pre-cut bung holes.
- Made from top quality fine fiber mats.
- Colors: Blue (Oil Only), Gray (Universal)



Specialty	Oil Drum Top Pads	Universal Drum Top Pads
Part #	BTOP	GTOP
Unit/Pkg	25/Box	25/Box
Dimensions	23" diam	23" diam.
Weight	7 lbs.	7 lbs.
Contains	8.6 gal.	8.6 gal.



pillows

COMPLIANCE

Helps you comply with
29 CFR 1910.120(j)(1)
33 CFR 154.1047(c)(2)
40 CFR 112.7(c)(1)
40 CFR 263.30(a)
40 CFR 263.31

- One product for multiple uses. Use in place of a sock or absorbent pad.
- Absorb Large quantities quickly. Ideal for placement under leaky equipment or drums.
- Tear resistant and durable construction. Quick wicking throughout pillows.
- Net Bag Pillows are ideal for holding ponds, drains, and sumps.
- Colors: White (Oil Only), Gray (Universal).

***Gray Universal socks and pillows are NOT compatible with sulfuric acid.*



Pillows & Drip Pan



Net Bag Pillows

Pillows	Oil 18"X18"	Oil 10"X10"	Universal 18"X18"	Universal 10"X10"	Oil Net Bag	Drip Pan Only
Part #	WPIL1818	WPIL1010	GPIL1818	GPIL1010	WPIL10	DP-12
Unit/Pkg	10/Box	40/Box	10/Box	40/Box	10/Bale	12/Case
Dimen Ea	18"x18"x2"	10"x10"x1"	18"x18"x2"	10"x10"x1"	21"x16"x6"	10"x10"x2"
Weight	12 lbs.	15 lbs	12 lbs.	15 lbs.	20 lbs.	12 lbs.
Contains	23 gal.	34.5 gal.	23 gal.	34.5 gal	37 gal.	N/A

LOOSE ABSORBENTS



optisorb

- The industry standard for spill clean up, **Optisorb** is a 100% Diatomaceous Earth premium all-purpose absorbent.
- Course granules quickly clean up water, oil and grease.
- You get optimum value for the money.
- Create a clean and safe environment in garages, warehouses, workshops and machine shops.

Optisorb	33# Bag
Part #	OP8933
Weight	33.3 lbs.
Contains	4 gal.
Qty/Pallet	60 bags

selectsorb

Selectsorb	25# Bag
Part #	S8893
Weight	25 lbs.
Units/Pkg	1 bag
Contains	3 gal.
Qty/Pallet	80 bags

- Selectsorb is a fine granular, 100% Diatomaceous Earth premium all-purpose absorbent.
- A bit more course than sand, the additional surface space allows it to quickly clean up water, oil and grease and provide gritty traction for slick surfaces.
- Provides more absorption for the money.
- Create a clean and safe environment in garages, warehouses, workshops and machine shops.



throw & go



- When you are looking for a natural organic answer to industrial clean-up—**Throw & Go**, made with American peat—is your answer.
- Simple to use—throw it down, let it soak, pick it up. Porous peat moss captures and holds contaminants.
- Organic Pumice is added to **Throw & Go** to add traction to slick surfaces. The pumice also helps hold the peat moss absorbent down in windy conditions.
- Contains no chemicals that are harmful to the environment, people or animals.
- Targets spills containing oils, diesel, gasoline, solvents, anti-freeze, paint, etc.

Throw & Go	.75 cu ft bag (about 25 lbs)
Part #	AM-TS.75BAG
Weight Bag Size	25 lbs. .75 cu. ft.
Contains	5 gal.
Qty/Pallet	60 bags

ensorb®



- Immediately absorb liquids of any viscosity and leave surfaces clean and dry with Ensorb® Super Absorbent.
- Turns the spilled liquid into a solid that can be disposed of easily.
- Safe to use—contains no reactive chemicals, is not toxic or flammable.
- Permanently encapsulates absorbed materials, including all animal, vegetable, mineral, petroleum and chemical liquids.
- Dramatically reduce clean up costs as well as the increasing costs of disposal

Enсорb	1.5 Cu Ft Bag	3# Jar 6/Case
Part #	ENP-D225	ENP-D503
Weight	20 lbs.	19 lbs.
Contains	15 gal.	10 gal.
Qty/Pallet	50 bags	N/A



overpack/salvage drums



Protective Poly-Top Tarp available for all sizes.



Drum Dolly



a size to meet all needs

- Twist-down lid for safe closure.
- Closed cell gasket in lid help seal closure.
- Patented castellations in lid allow for easy closing with pole or wooden two-by-four.
- Molded area allows for easy gripping and pick-up by material handling equipment.
- Patented ribbed design provides extra strength.
- 100% UV-protected polyethylene provides protection over a wide range of chemicals.
- Poly-Top Tarp protects against weathering and long-term UV degradation.

Drums	95 Gallon		65 Gallon		30 Gallon		20 Gallon		Drum Dolly
Part # - Drum	1237-YE		1065-YE		1230-YE		1220-YE		8050-BU
Part # - Tarp	6595-TARP		6595-TARP		2030-TARP		2030-TARP		
Dimensions	Exterior	Interior	Exterior	Interior	Exterior	Interior	Exterior	Interior	Exterior
Top Diameter	31.38"	27"	27.75"	23.5"	22.25"	21.5"	22.25"	21.5"	27.5"
Bottom Diameter	25.75"	24.75"	23"	22"	18"	17"	18"	17"	N/A
Height	41.5"	37"	37.5"	34.25"	30"	28.13"	19"	17.5"	5.5"
Weight	48 lbs.		47 lbs.		13 lbs.		10 lbs.		17.5 lbs.
Handling Capacity	650 lbs.		440 lbs.		221 lbs.		166 lbs.		
Sump Capacity	95 gal		65 gal		30 gal.		20 gal.		N/A
Regulations:	UN 1H2/X295/S UN 1H2T/Y295/S		UN 1H2/X200/S		UN 1H2/X100/S		UN 1H2/Y100/S UN 1H2/X75/S		

COMPLIANCE
 Helps you comply with
 49 CFR 173.3(c)(1)
 49 CFR 173.12(b)
 49 CFR 173.12(b)(2)(iv)
 EPA, SPCC and NPDES

wheeled overpack/salvage drums

- Mobile one-piece Overpack on wheels for easy transport.
- Built in handles and 6" Polyolefin wheels.
- Easy to maneuver through doorways and around obstacles.
- This drum is the perfect container for mobile spill kits.

Wheeled Overpacks	95 Gallon		50 Gallon	
Part # - Drum	1299-YE		1259-YE	
Part # - Tarp	1299-TARP		1259-TARP	
Dimensions	Exterior	Interior	Exterior	Interior
Top Diameter	31.38"	27.25"	23"	20"
Bottom Diameter	25.75"	24.75"	18.38"	17.75"
Height	47.5"	38.5"	45.38"	36"
Weight	56 lbs.		47 lbs.	
Handling Capacity	250 lbs.		275 lbs.	
Sump Capacity	95 gal.		50 gal	
Regulations	UN 1H2/X113/S		UN 1H2/X113/S	



poly-dolly

- Multi-functional, two-wheel dispensing station that acts as its own secondary containment.
- Transports and dispenses 55 gallon drums.
- Tough polyethylene construction cannot rust or corrode.
- Integrally-molded handles for extra strength and easy lifting.
- Forkliftable from rear.
- Tarp is designed to fit Poly-Dolly to resist the effect of weathering and provide UV-inhibitors. Constructed of High Density Polyethylene fabric with a document pouch for MSDS.



Part # Poly-Dolly	5300-YE
Part # Tarp	5300-TARP
Dimensions	69"L X 31.75"W X 26.5"H
Weight	98 lbs.
Load Bearing Capacity UDL	600 lbs.
Sump Capacity	80 gal

COMPLIANCE
 Helps you comply with
 40 CFR 264.175
 SPCC & NPDES

poly-spill cart

- Easy to transport drums, pails or cans around your plant.
- Eliminates the risk of spills during transport.
- Grate removes for easy cleaning.
- Ergonomically-designed handle ensures maneuverability.
- Built-in tool tray keeps tools and other small objects clean and handy.



Part # Poly-Spill Cart	5200-YE
Dimensions	w/handle—66.5"L X 29"W X 43.88"H w/o handle—62.75"L X 29"W X 13.13"H
Weight	120 lbs.
Load Bearing Capacity UDL	500 lbs.
Sump Capacity	57 gal

spill scooter

- Inexpensive mobile dispensing with optional handle.
- Incidental spills and drips are contained in the well, with a spout for easy draining.
- Will not rust or corrode.

Spill Scooter	Scooter Only	T-Handle
Part #	5205-YE	5206-BK
Dimensions-Exterior	35" diam X 8.75"H	36.62"L X 10"W
Dimensions-Interior	27.25" diam X 5.5"H	
Weight	23 lbs.	4 lbs.
Load Bearing Capacity UDL	450 lbs.	
Sump Capacity	11 gal	





drums-up



- Ideal for use as a drum pumping station.
- Temporary protection against incidental spills and drips.
- Catches liquid before it reaches the floor, reducing the risk of slip and fall injuries.

Part #	Drums-Up	8091-YE
Dimensions		34" dia.x7.25"h
Weight		12 lbs.
Sump Capacity		19.5 gal.

poly-tank containment unit/275

- Designed for widely used 275-gallon obround tank. Protect against hazardous and costly spills. Provides easy access to tank and pumps.
- Add Bulk Head fitting for outside drainage.
- Optional Fitted Tarp.
- Also available in 550 gallon model.
- Tarp is designed to fit Poly-Tank Containment Unit to resist the effect of weathering and provide UV-inhibitors. Constructed of High Density Polyethylene fabric with a document pouch for MSDS.



Part #	5275-BK	Poly-Tank Cont Unit
	5276	Bulk Head Fitting
	5275-TARP	Tarp for Poly-Tank 275
Dimensions	82.38"L X 45"W X 35.38"H	
Weight	98 lbs.	
Sump Capacity	275 gal.	

COMPLIANCE
Helps you comply with
40 CFR 264.175
SPCC & NPDES



universal poly-drum funnel

- Funnel fits both closed-head and open-head 55 gallon and 30 gallon drums and other containers.
- Funnel features include patented scalloped design, high side wall and bung fitting holders.



Part #	funnel	3004-YE
Exterior Dimensions		26" diam, 5.25" high
Interior Dimensions		22" diam, 4" high
Weight		3 lbs.

CONTAINMENT PALLETS



poly-spillpallets™

- The secondary containment system engineered to meet the rigors of today's regulatory environment.
- 100% polyethylene provides excellent chemical resistance.
- Non-skid removable grates for easy cleaning.
- Forkliftable when empty.
- Drain hole with plug available.

COMPLIANCE
Helps you comply with
40 CFR 264.175
SPCC & NPDES



Poly-SpillPallet™ 2000



In-Line Poly-SpillPallet™ 3000



Poly-SlimLine™ 6000



Poly-SpillPallet™ 6000

	Poly-SpillPallet™ 2000 2 Drum	In-Line Poly-SpillPallet™ 3000 4 Drum	Poly-SlimLine™ 6000 4 Drum	Poly-SpillPallet™ 6000 4 Drum
Part #	5253-YE 5253-YE-D with drain	5102-YE 5102-YE-D with drain	5400-YE 5400-YE-D with drain	5001-YE 5001-YE-D with drain
Dimensions	53.5"Lx29"Wx17"H	98"Lx25.25"Wx12"H	54"L X 54"W X 12"H	50"Lx50"Wx17"H
Weight	63 lbs.	80 lbs.	91 lbs.	88 lbs.
Load Bearing Capacity UDL	2000 lbs.	3000 lbs.	6000 lbs.	6000 lbs.
Sump Capacity	58 gal.	66 gal.	66 gal.	83 gal.

ramp & tarps

- Poly Ramp works with 12" high Enpac pallets. Poly Ramp has a ribbed, non-skid surface for safe walk-ups.
- Ramp Extender works with the Poly-Ramp to accommodate 17" high pallets and 2-Drum Hardcover.
- Tarps are designed to fit Pallets for outdoor storage to resist the effect of weathering and provide UV-inhibitors.
- Tarps are constructed of High Density Polyethylene fabric with a document pouch for MSDS.



Poly-Ramp™

Ramp Extender



Tarps

	Poly-Ramp™	Ramp Extender	Tarps
Part No.	5039-BK	5038-BK	
Dimensions	68"L X 30.75"W X 12.5"H	29.5"L X 8.5"W X 5.5"H	# 5253-TARP for use with 5253-YE # 5102-TARP for use with 5102-YE # 5400-TARP for use with 5400-YE # 5001-TARP for use with 5001-YE
Weight	65 lbs.	6 lbs.	
Load Bearing Capacity UDL	1000 lbs.	1000 lbs.	



ibc 2000i™

- ENPAC's® integrated IBC 2000i™ fits more than 99% of all IBC dispensing units and makes spill containment versatile for intermediate bulk containers.
- A large sump capacity of 385 gallons, exceeds EPA 40 CFR 264-175 regulations.
- Dispensing is quick and easy with the integrated 5-gallon pail holder.
- For convenient shipment and storage, the one-piece and lightweight unit is forkliftable (when empty) and nestable.
- The 100% polyethylene unit will not rust or corrode or have adverse reactions with chemicals.
- For outside use and easy cleaning, an optional drain is available.



COMPLIANCE
Helps you comply with
40 CFR 264.175
SPCC & NPDES
& UFC

Part #	IBC 2000i	5469-YE 5469-YE-D with drain
Part #	Tarp	5469-TARP
Exterior Dimensions	73"L X 80.5"W X 29"H	
Pedestal Dimensions	56.75"L X 56.75"W X 29.5"H	
Weight	308 lbs.	
Max Load Rating	8000 lbs.	
Sump Capacity	385 gal.	

hardcover & spillpallet

- Drum storage a problem? This unit is ideal for indoor/outdoor storage of two or four 55 gallon drums.
- Roll-top design allows for use in limited space or next to buildings where swing-open doors would be a problem.
- Dual sided lockable door. Load from the front or back.
- Allows ample room for drum pumps.
- Grates are removable for easy cleaning.
- Easy drum loading and unloading with optional Ramp—shown in picture. (See page 24)
- Some assembly is required.



Hardcover & SpillPallet	2-Drum	4-Drum
Part #	4062-YE 4062-YE-D with drain	4064-YE 4064-YE-D with drain
Exterior Dimensions	60"L X 37.25"W X 72.63"H	65"L X 58"W X 69"H
Interior Dimensions	51"L X 30"W X 52"H	49"L X 54"W X 53.5"H
Weight	210 lbs.	269 lbs.
Load Bearing Capacity UDL	2000 lbs.	6000 lbs.
Sump Capacity	58 gal.	66 gal.

COMPLIANCE
Helps you comply with
40 CFR 264.175
SPCC & NPDES

WORKSTATIONS



workstations™



- Optimize warehouse space with these Low-profile Workstations that actually become part of the factory floor, for increased safety and efficiency.
- Catch incidental spills with large sump capacity.
- Easy cleaning with heavy-duty removable structural foam grates.
- Forkliftable when empty.

Workstations	8-Drum	6-Drum	4-Drum	2-Drum
Part #	5110-YE	5115-YE	5116-YE	5117-YE
Dimensions	100"L X 53.25"W X 6"H	77"Lx53"Wx6"H	52.5"Lx53"Wx6"H	53"Lx28.5"Wx5.63"H
Weight	179 lbs.	100 lbs.	83 lbs.	42 lbs.
Load Bearing Capacity UDL	8000 lbs.	7000 lbs.	6000 lbs.	2400 lbs.
Sump Capacity	77 gal.	61 gal.	43 gal.	22 gal.

COMPLIANCE
Helps you comply with
40 CFR 264.175
SPCC & NPDES
& UFC

link-lock™

- Securely hold multiple Workstations™ together with Link-Locks™.
- Join Workstations™ together for a variety of configurations to fit any space.
- Available in pairs.



Link-Lock™	2/Set
Part #	5112-BK
Dimensions	9.5"L X 7"W X 3.5"H
Weight	3 lbs./1.3 kg

grates

- New replacement grates are available when contamination or loss occurs.

Grates	
Part #	7006-BK
Dimensions	48" L X 23" W X 2" H
Weight	18 lbs./8 kg



multi-purpose work ramp™




- Make the job even easier.
- Load drums and equipment easily with a Multi-Purpose Work Ramp™ that hooks onto any Workstation™.
- The work ramp is small enough to stay out of the way.

Multi-Purpose Work Ramp™	
Part #	5111-BK
Dimensions	46"Lx25.38"Wx6.13"H
Weight	29.8 lbs
Handling Capacity	1000 lbs

spillpal™

- The most affordable, convenient temporary storage.
- Provides incidental spill control during temporary storage of drums, machine parts, tanks, generators
- can also be used as a wash down pad or pumping station.
- Features 4" flexible foam sidewalls that spring back to form allowing easy drive in and out of hand trucks and forklifts.



COMPLIANCE
Helps you comply with
40 CFR 264.175
40 CFR 263.30(a)
SPCC & NPDES

- Reusable! Fold up and store on a shelf when not in use, freeing up valuable floor space.
- Optional grates available.

Spillpals™	1-Drum	2-Drum	4-Drum	4-Drum In-Line	6-Drum	8-Drum
Part #	5750-YE	5755-YE	5760-YE	5765-YE	5770-YE	5775-YE
With Grate/s	5750-YE-G	5755-YE-G	5760-YE-G	5765-YE-G	5770-YE-G	5775-YE-G
Dimensions	2'L X 2'W X 3"H	2'Lx4'Wx3"H	4'Lx4'Wx3"H	2'Lx8'Wx3"H	4'Lx6'Wx3"H	4'L X 8'W X 3"H
Weight	2 lbs.	4 lbs.	5 lbs.	6 lbs.	7 lbs.	9 lbs.
Sump Capacity	10 gal.	15 gal.	30 gal.	30 gal.	45 gal.	60 gal.

proowler pool™




- The easiest, lightest spill containment pool available.
- Ideal for incident response vehicles, trucks, and job sites
- Portable pool quickly unfolds to become a self-supporting unit.
- Resistant to a wide range of chemicals, acids, fuels and other hazardous materials.
- Also resistant to cold temperatures to -65°F, abrasion, punctures and UV rays.
- Compact for easy storage and easily fits in Spill Response Kits.

Prowler Pools™	20 GALLON	66 GALLON	100 GALLON	150 GALLON
Part #	5920-YE	5966-YE	5900-YE	5950-YE
Dimensions	28" base X 13"H X 18"top	48" base X 14"H x 36" top	48" base X 18"H X 32" top	60" base X 18"H X 44" top
Weight	2 lbs	3 lbs	5 lbs	5 lbs
Sump Capacity	20 gal.	66 gal.	100 gal.	150 gal.

hazmat pool™

- An inexpensive, quick deployment pool that takes only seconds to set up.
- Small enough to be stowed on any truck or emergency response vehicle.
- Tough for most climates and jobs—resistant to cold temperatures to -65°F, abrasion, punctures and UV rays.
- Reusable after decontamination or discard according to regulations.



Hazmat Pool™	
Part #	5901-YE
Dimensions	74" base X 8"H X 67"top
Weight	5 lbs
Sump Capacity	100 gal.



drip sentinel™ maintenance blanket™

- Use this when you need something under vehicles or leaking equipment to protect the ground from contamination.
- Perfect for job sites that require equipment “diapers” and for field maintenance or repair.
- Made of 8 oz, non-woven geo-textile material that is 100 mils thick, backed by 1 layer of 20-mil fuel/chemical resistant polyethylene.
- Fabric backing provides an extra barrier to stop hydrocarbons from getting on the ground.
- Roll or Fold for easy storage between uses.



Maint Blankets	3'X12'	12'X6'	12'X9'	12'X12'
Product No.	4720-BK	4725-BK	4730-BK	4735-BK
Dimensions	12'L X 3'W X 120 mil	12'L X 6'W X 120 mil	12'L X 9'W X 120 mil	12'L X 12'W X 120 mil
Capacity	6 gal	7 gal	8 gal	9 gal
Weight	6 lbs.	7 lbs.	9 lbs.	10 lbs.

drip sentinel™ hose bibb™

- Safely wrap quick-disconnect fitting or other hose attachment ends to absorb small leaks when disconnecting hoses from industrial equipment.
- Internal absorbent allows for containment up to 1 pint of Oil, Hydraulic, or other Hydrocarbons.
- Tether closure system holds the unit around the hose and fitting.
- The bright yellow unit is rugged, chemically resistant and highly visible.

Part #	Hose Bibb™	4701-YE-BX
Packaging		5/Case
Size		.75" quick-disconnect fitting
Max Opening		2.5"
Holding Capacity		1 Pt Each



dripillow berm™

- Have a small leak or spill? Eliminate nuisance drip under vehicles, hydraulic lines, or equipment.
- The Dripillow Berm™ comes in four sizes to capture small leaks and drips.
- The weighted base prevents flipping or splashing in windy conditions or harsh weather.
- A portable drip pan that works with all fuels and hydrocarbons.
- Replacement UV protected pad available.
- Folds for easy carrying and storage.



Dripillow Berm™	Small	Medium	Large	X-Large
Part #	5650-YE	5660-YE	5670-YE	5680-YE
Replacement pads 5/Box	5655-WH	5665-WH	5675-WH	5685-WH
Dimensions	22"L X 22"W X 3"H	24"L X 36"W X 3"H	24"L X 54"W X 3"H	38"L X 42"W X 3"H
Weight	7 lbs.	8 lbs.	9 lbs.	10 lbs.
Capacity	1 gal.	2 gal.	3 gal	4 gal

stinger snap-up berm™

COMPLIANCE
 Helps you comply with
 40 CFR 264.175
 40 CFR 263.30(a)
 SPCC & NPDES

- Get immediate spill response with ENPAC's STINGER BERM™.
- Its wide range of sizes and capacities allows for large-scale spill containment.
- Excellent rip, tear and puncture resistance for the most demanding application or terrain.
- Easy to assemble snap-up design that allows for quick assembly when the situation demands immediate response.
- Compact for storage and transport.
- Unit has lap joint welds for maximum strength.
- Fuel/Chemical resistant containment area.
- Optional Ground Pad and TrackMat provide additional protection.



Stinger Snap-Up Berm™

**MORE SIZES AVAILABLE

	4' X 4'	6' X 6'	10' X 10'	12' X 12'	10' X 26'
Part #	4802-BK-SU	4806-BK-SU	4810-BK-SU	4812-BK-SU	4820-BK-SU
Dimensions	4'L X 4'W X 1'H	6'L X 6'W X 1'H	10'L X 10'W X 1'H	12'L X 12'W X 1'H	10'L X 16'W X 1'H
Weight	25 lbs.	36 lbs.	60 lbs.	80 lbs.	122 lbs.
Sump Capacity	119 gal.	269 gal.	748 gal.	1077 gal.	1944 gal.
Ground Pad #	4804-GP	4806-GP	4810-GP	4812-GP	4820-GP
TracMat™ #	4804-TM	4806-TM	4810-TM	4812-TM	4820-TM

stinger snap-foam berm™

- Drive trucks in and out without ever having to set down end sidewalls. Plus all the features of the Singer Berm.
- Get immediate containment for tankers and other heavy equipment and machinery.
- Tanker trucks can move at will because the end sidewall design incorporates high strength connectors and a system that facilitates automatic entry and exit without assistance.
- The Snap-Foam Berm™ is made of the highest quality material in the industry and manufactured and tested with stringent quality controls.


Snap Foam Berm	10' X 26'	12' X 36'	14' X 54'	12' X 60'
**MORE SIZES AVAILABLE				
Part #	4820-BK-SF	4836-BK-SF	4854-BK-SF	4860-BK-SF
Dimensions	10'L X 26'W X 1'H	12'L X 36'W X 1'H	14'L X 54'W X 1'H	12'L X 60'W X 1'H
Weight	142 lbs.	170 lbs.	252 lbs.	293 lbs.
Sump Capacity	1944 gal.	2231 gal.	5654 gal.	5385 gal.
Ground Pad #	4820-GP	4836-GP	4854-GP	4860-GP
TracMat™ #	4820-TM	4836-TM	4854-TM	4860-TM



BERM ACCESSORIES



trackmat™



- Use the Trackmat™ when you need to drive in and out of the berm and protect it from punctures and tears.
- Available in sizes to match any style berm.

Part #	Description	Size
4804-TM	For 4'x4' Berm & 4'x6' Berm	2—3'x6'
4806-TM	For 6'x6' Berm	2—3'x6'
4810-TM	For 10'x10' Berm	2—3'x10'
4812-TM	For 12'x12' Berm	2—3'x12'
4820-TM	For 10'x26' Berm	2—3'x26'
4836-TM	For 12'x36' Berm	2—3'x36'
4854-TM	For 14'x54' Berm	2—3'x54'
4860-TM	For 12'x60' Berm	2—3'x60'

ground pad

Part #	Description	Size
4804-GP	For 4'x4' Berm & 4'x6' Berm	4'x6'
4806-GP	For 6'x6' Berm	6'x6'
4810-GP	For 10'x10' Berm	10'x10'
4812-GP	For 12'x12' Berm	12'x12'
4820-GP	For 10'x26' Berm	10'x26'
4836-GP	For 12'x36' Berm	12'x36'
4854-GP	For 14'x54' Berm	14'x54'
4860-GP	For 12'x60' Berm	12'x60'

- When the ground is rough, protect your berm. With the super tough Ground Pad.
- The Ground Pad goes under the berm, directly on the ground and prevents underside punctures from sharp objects and damage from tires.
- Available in sizes to match any style berm.



storage & transport bag



- When not in use, store your berm in this heavy duty, chemically resistant bag.
- A variety of sizes available.

Part #	Description
4810-BAG	For 4810-BK-SU
4820-BAG	For 4820-BK-SU & SF
4836-BAG	For 4836-BK-SU & SF
4854-BAG	For 4854-BK-SU & SF

berm repair kits™



Standard Berm Repair Kit™

- Occasionally a berm needs repair and its not a problem with two Berm Repair Kits™.
- The Standard Berm Repair Kit™ provides a peel & stick, quick and easy fix for incidental tears or punctures.
- The Deluxe Berm Repair Kit™ contains everything you need for extensive repairs.

Part #	Description
48-BRK	Standard Berm Repair Kit
48-BRK-DLX-12	Deluxe Berm Repair Kit for 12" Sides
48-BRK-DLX-8	Deluxe Berm Repair Kit for 8" Sides

Deluxe Berm Repair Kit™



Contents

- 1 Leister Professional Heat Gun
- XR Material 1 sq. yd. (black)
- PVC Material 1 sq. yd. (yellow)
- 4 Replacement Berm Stays
- 5 Peel & Stick Berm Patches
- 1 Rubber Brayer Roller
- 1 Cutting Knife
- 1 Locking Tool Box



containment boom



- Protect the shoreline or contain a spill on the water.
- Non-Absorbent boom contains spill and debris above and below the water.
- Boom floats above the water to contain and mark the spill area. Skirt goes below the surface to contain oil and keep it from escaping.
- Heavy duty PVC fabric and hinge points provide stability, float integrity and durability in wave conditions.
- The Anchor System keep a deployed boom in place for optimum containment. Comes pre-assembled for easy deployment.

Anchor System Includes:

- 22 pound Danforth-type anchor
- 3/8" chain leader with 3/8" shackles
- 80' poly rope (yellow) with thimble eyes and 1/2" shackle
- Orange A2 Polyform Anchor Buoy with 1/2" shackle
- 6' poly rope (yellow) painter line with thimble eyes and 1/2" shackle.

Part #	50' Section #C-BOOM18-50	100' Section #C-BOOM18-100	Anchor System #C-ANCHOR
Size	50'Lx18"H (6" Float, 12" Skirt)	100'Lx18"H (6" Float, 12" Skirt)	22 lb Anchor

COMPLIANCE
 Helps you comply with
 35 CFR 154.1047(c)(2)
 40 CFR 112.7(c)(1)

plug n' dike

- Are You prepared to immediately plug and control a vehicle or truck fuel tank leak?
- Reduce the cost of cleaning up a spill by stopping it immediately at its source.
- PLUG N'DIKE is a non-toxic material which forms an immediate seal to control flammable and/or hazardous leaks and spills due to a punctured storage or transport container.
- Seals off gasoline, diesel, solvents and other chemicals. Not recommended for some biofuels and some chemicals.
- Available in Pre-Mix, Dry Granular, Plug Rugs.




Plug N'Dike	PreMix Patty	PreMix Jar	PreMix Jug	PlugRug 24x16	PlugRug 16x16	PlugRug 8x8	DryGranular Jug	DryGranular Pail
Part #	P2	1-PMP	8-PMP	PD24R	PD16R	PD8R	10P	48P
Size	10 oz.	14 oz.	1 gal.	24"x16"	16"x16"	8"x8"	1 gal.	5 gal.
Weight	3/4 lb.	1 lb.	10 lbs.	18 lbs.	12 lbs	8 lbs.	10 lbs.	45 lbs.

drain covers

- Block a drain immediately in the event of a spill to reduce the cost of clean up and contamination.
- 100% Chemically Resistant Polyurethane—these tough but easy to handle Drain Covers are made of solid polyurethane.
- Reversible—they are tacky on both sides, so either side can be used to form a tight seal blocking contaminants.
- Reusable—wash after use with mild soap and water.
- The Neoprene Drain cover is an affordable option for quickly covering a drain to protect against accidental spills.

COMPLIANCE
 Helps you comply with
 40 CFR 112.7(c)(1)
 40 CFR 263.30(a)

Drain covers	36"X36"	42"X42"	Neoprene 36"X48"
Part #	ADC36-R	ADC42-R	DM3X4
Dimensions	36"X36"X.25"	42"X42"X.25"	35"X48"X3/8"
Weight	15 lbs.	20 lbs.	12 lbs.



1-800-590-2436
www.spill-kit.com
 Page 29

Below you will find brief summaries of the regulations that most often relate to the products offered by EnviroMet. For full information on specific compliance requirements, please refer to the Code Of Federal Regulations at: www.gpoaccess.gov/cfr/index.html

[29 CFR—OSHA \(Occupational Health & Safety Administration\)](#)

29 CFR 1910.22 (a)(2)

Summary : Floors in your workplace should be "maintained in a clean and, so far as possible, a dry condition."

29 CFR 1910.107(b)(3)

Summary: Combustible floors in a spray booth or work area "shall be covered with noncombustible material to facilitate the safe cleaning and removal of residues."

29 CFR 1910.107(g)(2)

Summary: OSHA requires spraying areas to be "kept as free from the accumulation of deposits of combustible residues as practical."

29 CFR 1910.120(j)(1)

Summary: Commonly known as HAZWOPER, requires DOT containers and proper absorbents to be kept available and used wherever spills, leaks, or ruptures may occur.

29 CFR 1910.1450(e)

Summary: OSHA requires containment and cleanup materials for spills in laboratories to reduce occupational exposure to hazardous chemicals.

29 CFR 1910.1030(d)(4)(ii)

Summary: All equipment and environmental and working surfaces shall be cleaned and decontaminated after contact with blood or other potentially infectious materials.

29 CFR 1910.1030(d)(1)

Summary: General-Universal precautions shall be observed to prevent contact with blood or other potentially infectious materials. Under circumstances in which differentiation between body fluid types is difficult or impossible, all body fluids shall be considered potentially infectious materials.

[40 CFR—EPA \(Environmental Protection Agency\)](#)

40 CFR 112.7(c)(1)

Spill Prevention, Control and Countermeasure (SPCC)

Summary: Facilities must have "appropriate containment and/or diversionary structures to prevent discharge oil from reaching a navigable water course."

The purpose of the SPCC regulation is prevention of oil discharge into navigable waters and related areas, rather than cleanup after a spill has occurred. The regulation generally affects all facilities with at least 1320 gallons above ground storage capacity, or 42,000+ gallons underground storage capacity. The SPCC requires affected facilities to prepare and file an action plan (the SPCC Plan)

40 CFR 264.175 Containment

Summary: A hazardous waste container must not sit in its own spill, and it must be able to hold 10% of total volume of liquid or 100% of largest container, whichever is greater.

40 CFR 122.26

Storm water Regulations,

National Pollutant Discharge Elimination System (NPDES)

Summary: The NPDES permit program control water pollution by regulating point sources and non-point sources that discharge pollutants into United States waters. These regulations are a key component of EPA's Clean Water Act. The goal is to protect the quality of waterways by reducing the discharge of sediment, oil and chemicals into storm drains, surface and ground waters.

40 CFR 263.30(a)

Summary: Requires immediate action, such as diking the discharge area, by transporter if hazardous waste is accidentally discharged during transportation.

[49 CFR—DOT \(Department of Transportation\)](#)

49 CFR 173.3(c)(1)

Summary: Packages of hazardous materials that are damaged, defective, or found leaking and hazardous materials that have spilled or leaked may be placed in a compatible salvage drum that meets UN criteria for shipping by air, highway, rail or water. Packaging must be marked "SALVAGE" or "SALVAGE DRUM."

9 CFR 173.12(b)(2)(iv)

Summary: When labpacking, "Inner packagings...must be surrounded by a chemically compatible absorbent material in sufficient quantity to absorb the total liquid contents." Each drum shall be provided when necessary with sufficient cushioning and absorption material to prevent excessive movement of the damaged package and to eliminate the presence of any free liquid at the time the salvage drum is closed.

[UFC 79.406 \(Universal Fire Code\)](#)

Summary: When used as a substitute for spill and damage control and secondary containment, pallets shall comply with: liquid-tight sump; sump capacity of at least 66 gallons; compatible substance; provide sump protection from rain water.

[33 CFR—USCG \(United States Coast Guard\)](#)

33 CFR 154.1047(c)(2)

Summary: Concerning navigation and navigable water, a facility which handles, stores or transports Group V petroleum oils must identify response plan resources such as containment booms or other methods.