SAFETY DATA SHEET

May be used to comply with OSHA's Hazard Communication Standard 29 CFR 1910.1200. Standard must be consulted for specific requirements.	HMIS HAZARD RATING					
	HEALTH	1	0 = INSIGNIFICANT	3 = HIGH		
	FLAMMABILITY	1	1 = SLIGHT	4 = EXTREME		
CAFETEC OF ANAEDICA	REACTIVITY	0	2= MODERATE			
SAFETEC OF AMERICA						

SAFETEC OF AIVIERICA							
SECTION 1 - PRODUCT / COMPAN	Y IDENTIFICATION	1					
IDENTITY (AS USED ON LABEL AND LIST)					Page 1 of 2		
Formalin Spill Control (FSC) MANUFACTURER'S NAME		EMERGENCY TELEPI	HONE NUMBER (24 Hours)				
Safetec of America, Inc.		(800) 255-3924	IONE NOWBER (24 Hours)				
ADDRESS (NUMBER, STREET, P.O. BOX)	TELEPHONE NUMBER FOR INFORMATION						
887 Kensington Ave.		(716) 895-1822					
(CITY, STATE AND ZIP CODE) Buffalo, NY 14215	DATE PREPARED April 2, 2014 SUPERSEDES November 6, 2013						
SECTION 2 - HAZARDS IDENTIFICA	TION	SUPERSEDES	<u> </u>	November 6, 2013			
ROUTES OF ENTRY - SIGNS AND SYMPTOMS OF EXPOSURE							
INHALATION: Breathing of dust may cause throat and upper respirat							
EYES: May cause slight irritation.							
INGESTION: Ingested in quantity, material may cause gastrointestina							
SKIN: Prolonged contact with skin may cause irritation associated with HEALTH HAZARDS (ACUTE):	th reddening, itching and inflammatic Acute effects are possible irritation						
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPO	,		ecome aggravated through expo	osure.			
SECTION 3 - COMPOSITION/INFO							
HAZARDOUS COMPONENTS	The state of the s	% (wt.)	OSHA PE	I /STFI	ACGIH TI \	//TWA/STEL	
	CAS#			•		ä	
(SPECIFIC CHEMICAL IDENTITY; COMMON NAME(S)		(OPTIONAL)	PPM	MG/M ³	PPM	MG/M³	
Carbamidic Compound; CAS proprietary		45 - 65	None Esta			stablished	
Superabsorbent polymer; CAS proprietary This product is not known to contain a substance subject to Section :	212 of Title III of the Superfund Amer	45 - 65	5 (PE	•		TLV)	
SECTION 4 - FIRST AID MEASURES	<u> </u>	idilients and Readthoriza	tion Act of 1980 (SANA) and 40	CTR 372 at OF above Hilling	aniounts.		
EMERGENCY AND FIRST AID PROCEDURES							
INHALATION: Remove victim to fresh air; seek medical attention if re	equired.						
EYES: Flush eyes with clear running water for a minimum of 15 minu	tes while holding eyelids open; if irrit	ation persists seek medic	al attention.				
INGESTION: Drink large amounts of water. DO NOT induce vomiting;							
SKIN: Wash contaminated skin with soap and water; if irritation pers							
SECTION 5 - FIRE FIGHTING MEAS							
FLASH POINT (METHOD USED)	FLAMMABLE LIMITS (% Volun				LIEL . Net Assissble		
Not Applicable EXTINGUISHING MEDIA			LEL: Not Applicable		UEL: Not Applicable		
Water, dry chemicals, foam, CO ₂							
SPECIAL FIRE FIGHTING PROCEDURES							
Wear NIOSH/MSHA approved self contained breathing apparatus.							
UNUSUAL FIRE AND EXPLOSIVE HAZARDS Spilled material swells and becomes extremely slippery when wet. N	lay form explosive mixtures subject to	o spontaneous detonatio	n when contaminated with stro	ong acids (nitric or perchloric	c) or nitrate fertilizers. Use st	andard safety precautions for	
finely divided powders. Thermal decomposition may emit toxic and i		o spontaneous detonatio	The whole containing to a will street	ong delas (mene or peremone	or merate renamens. Ose se	and districtly precodulous for	
SECTION 6 - ACCIDENTAL RELEASE	MEASURES						
STEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED							
In case of accidental spills, provide adequate ventilation; avoid general hazard. Place spilled material into a clean, dry container for disposal.		r equipped system) if po	ssible to avoid generating airbo	rne dust. Avoid contamination	on with other materials that	may produce an explosion	
SECTION 7 - HANDLING AND STOR							
Handling: Keep container(s) tightly closed when not in use. Storage:		other chemicals out of re	each of children.				
SECTION 8 - EXPOSURE CONTROL							
RESPIRATORY PROTECTION	,, , <u> </u>	VENTILATION		LOCAL EXHAUST:	Recommended		
Use NIOSH/MSHA approved or equivalent with high efficiency filter to	for hulk quantities or for particulate						
levels above 0.05mg/m3. For retail or professional package quantities			М	ECHANICAL (GENERAL):	As appropriate		
PROTECTIVE GLOVES		EYE PROTECTION				_	
Impervious/chemical resistant		Safety goggles					
OTHER PROTECTIVE CLOTHING OR EQUIPMENT		WORK/HYGIENIC PRACTICES					
Ordinary, none required	DDODEDTIES	Practice safe work habi	s. Use according to label instru	ictions.			
SECTION 9 - PHYSICAL/CHEMICAL	PROPERTIES						
BOILING POINT Not Applicable		BULK DENSITY					
Not Applicable VAPOR PRESSURE (mm Hg)		49.0 - 53.0 lb./cu.ft. MELTING POINT					
Not Applicable		271 - 275°F (partial to f	ull decomposition)				
VAPOR DENSITY (AIR = 1)		рН					
Not Applicable		Not available					
SOLUBILITY IN WATER Slight		EVAPORATION RATI Not applicable	(n-BUTYL ACETATE=1)				
APPEARANCE AND ODOR		% VOLATILES (BY VO	DLUME)				
Off-white, granular powder; slight ammoniacal odor.		Not applicable					
		-					

MATERIAL SAFETY DATA SHEET					T	
IDENTITY (AS USED ON LABEL AND LIST)					Page 2 of 2	
Formalin Spill Control (FSC)					Date: April 2, 2014	
SECTION 10 - STABILITY	AND REACTIV	/ITY				
STABILITY	UNSTABLE:		CONDITIONS TO	AVOID		
	STABLE:	XXX	High humidity, extr	eme temperatures		
INCOMPATIBILITIES (MATERIALS TO AVO	D)					
Strong oxidizers; strong acids; strong bases						
HAZARDOUS DECOMPOSITION OR BYPRODUCTS						
Decomposition will not occur if handled / stored	properly. Thermal decomp	osition may emit typical p	roducts of combustion.			
HAZARDOUS POLYMERIZATION	MAY OCCUR:		CONDITIONS TO	AVOID		
	WILL NOT OCCUR:	XXX	None known			
			None known			
SECTION 11 - TOXICOLO	GICAL INFOR	VIATION				
Component analysis - LC50: N/A						
Component analysis - LD50: N/A						
Effects of acute exposure: Possible irritation and						
Sensitization: Non-hazardous by WHMIS/OSHA o					1:11 1:11	
Chronic Effects: Chronic exposure to large amou Carcinogenity: Non-hazardous by WHMIS/OSHA		een characterized and tr	ne irritating properties of	tne compound make	such an exposure nignly unlikely.	
Mutagenity: Non-hazardous by WHMIS/OSHA cr						
Reproductive Effects: Non-hazardous by WHMIS						
Teratogenity: Non-hazardous by WHMIS/OSHA o						
		TION!				
SECTION 12 - ECOLOGIC	AL INFURIVIA	IION				
Component analysis - LC50: N/A						
Component analysis - LD50: N/A						
Ecotoxicity: N/A						
Environmental Effects: N/A Aquatic Toxicity: N/A						
Persistence / degradability: N/A						
Bioaccumulation / accumulation: N/A						
Partition coefficient: N/A						
Mobility in environmental media: N/A						
Chemical fate information: N/A						
Other adverse effects: N/A						
SECTION 13 - DISPOSAL	CONSIDERAT	IONS				
			ous may hecome hazard	ous waste unon conta	ct with other products. Refer to "40 CFR Protection	of Environment Parts 260-299" for complete
waste disposal regulations. Consult your Local, S					te man other products, here to no en a rotection	or Environment Lates 200 233 Toll complete
Waste from residues/unused product: N/A						
Contaminated Packaging: N/A						
SECTION 14 - TRANSPO	RTATION INFO	RMATION				
PROPER SHIPPING NAME			Not Regulated			
HAZARD CLASS/PKG. GRP.			None/None	REF.	Not Applicable	
IDENTIFICATION NUMBER			None	LABEL	None Required	
SECTION 15 - REGULATO	DRY INFORMA	TION				
Canadian Federal Regulation: N/A		11011				
US Federal Regulation: This product is a "Hazard	nus Chemical" as defined h	the OSHA Hazard Comm	unication Standard 29 C	FR 1910 1200 All com	inonents are on the LLS_EPA_TSCA Inventory List	
Occupational Safety and Health Administration		the OSHATHazara comm	amedian standard, 25 c		posicino di e on die o o. Erri roca vintenco i y Est.	
29 CFR 1910.1200 hazardous chemical- Yes	()					
CERCLA (Superfound) reportable quantity - N/A						
Superfound Amendments and Reauthorization A	ct of 1986 (SARA) - N/A					
Clean Air Act (CAA) - N/A						
Clean Water Act (CWA) - N/A						
Safe Drinking Water Act (SDWA) - N/A						
Drug Enforcement Agency (DEA) - N/A						
Food and Drug Administration (FDA) - N/A						
WHMIS classification - N/A						
State regulations - N/A						
Inventory Name - N/A						
SECTION 16 - OTHER INI	FORMATION					
responsibility for injury to vendee or third perso	ns proximately caused by th	e material if reasonable s			ormation is current, applicable and suited to the circ ted in the data sheet. Furthermore, vendor assume	
abnormal use of this material even if reasonable Date Prepared: April 2, 2014	salety procedures are follo	weu.				
2010 - repared. April 2, 2014						