Product Catalog

www.spill-kit.com



Serving Industry Since 1995



DESCRIPTION	PAGE
Catch Basin Inserts	3
Spill Kits	4-9
Absorbents	10-13
Granular Absorbents	14
Secondary Containment	15-17
Specialty Products	18
Regulations	19



Roni founded EnviroMet in 1995 as a resource for heavy equipment operators that need to clean up spills. The company now offers a full line of affordable spill solutions and drain protection products to a wide variety of businesses.

Welcome to EnviroMet.

If you operate heavy equipment or machinery, I know you occasionally have a messy spill to clean up. EnviroMet has all you need to clean up your oil or chemical spill and protect your facility or drains from pollutants. We've even got what you need to clean up bio-hazard spills.

Take it from me, Mrs. Clean! EnviroMet makes your clean up easier and more affordable. From Spill Kits to Absorbents to Drain Protectors, "We've Got It!"

Clean it up!

Roni Sasaki, Founder and CEO

Mrs. Clean

Mail: Plant: Plant: 1200 W 8th St Vancouver, WA 98660



Can't find what you're looking for? Call for more products or information.

Page 2 www.spill-kit.com 1-800-590-2436 contact@spill-kit.com



Storm Drain Defender

Storm water runoff carries with it dirt and hydrocarbons that pollute our downstream supplies. The Storm Drain Defender traps these pollutants, reducing and controlling the entrance of contaminants into our water systems.

The Storm Drain Defender is a simple sheet of geotextile fabric supported by a wire frame. Rectangle or round models both adjust to fit a variety of drain sizes. The entire unit is under the grate, no excess fabric extends above the grate, creating a safer environment for pedestrians. Add a Pillow for oil absorption.







With WPIL10 Pillow

Storm Drain Defender

Sediment Only
DD300REC**

With Oil Pillow

Rectangle Part No. DD300REC** DDSED-REC

DDREC-WPIL10

Rectangle adjusts from 16"x20"up to 28"x36"

Round Part No. DDSED-RND

DDRND-WPIL10

Round adjusts from 27" Diam to 29" Diam

U.S. Patent No. 7,201,843

**Washington QPL-3101 Oregon QPL-5102

Drain Web

The Drain Web is a simple device designed to fit most catch basins. Available with or without an adjustable wire frame Either style effectively reduces coarse sediments, oil, grease, litter and debris from stormwater.

The patented wire frame makes installation and removal a breeze. The wireless unit is held in place by the grate. Add a Mini-Boom for oil absorption.

Drain Web Wireless Rectangle-Wire Frame Round-Wire Frame Mini-Oil Boom DW4000REC** Product # DD-W100 (DW100)* DW4020RND **WBB515** 36"x45" Adjusts to fit drains Adjusts to fit drains 5"x15' Measurements Bag-22" Deep 16"x20" up to 32"x41" 27" - 29" Diam Opening-10" Diam



*Washington QPL-3101 Oregon QPL-5114

**Oregon QPL-5103

Curb Inlet Storm Drain Defender

The new Storm Drain Defender for Curb Inlet Drains is a temporary solution for basins with a manhole cover and no grate.

The insert hangs from a wire frame that is held in place in the opening by a simple support bar.

Trap leaves, debris, sediment and pollutants that are carried by storm water into the drainage system, reducing the amount of pollutants that enter the waterway.

U.S. Patent No. 8,475,655

Curb Inlet Storm Drain Defender

Part No. DDCI

Adjusts from 22" - 26" Wide Depth is approx 24"





Outside View Curb Inlet Unit

Inside View Curb Inlet Unit



Economy Spill Pak

When you need an affordable spill kit that you can stash anywhere, this Economy Spill Pak is the perfect choice to handle small spills.

Refillable water resistant yellow plastic bag with top zipper is highly visible.



Contents
10 Pads Heavy Wt.
3 Socks 3"x48"
1 Temp Disposal Bag
1 Plastic Zip Tie

1 Pr Nitrile gloves1 Instruction Sheet

Part #SP2O	Oil Only
Part #SP2U	Universal
Weight	5 Lbs
Measurements	18"Hx16"Wx6"D
Absorbs Up To	6 Gal



Deluxe Spill Pak

Sometimes you need a larger spill kit that is still small enough to stuff into a storage bin, or hang on the wall.

This deluxe Spill Pak is packaged in a durable refillable water resistant yellow vinyl coated polyester bag with top zipper and black nylon handle.

The deluxe Spill Pak is highly visible, convenient and equipped to handle many small nuisance spills.

Part #SP10 Part #SP10R	Oil Only Oil Only Refill
Part #SP1U Part #SP1UR	Universal Universal Refill
Weight	7 Lbs
Measurements	20"Hx19"Wx6"D
Absorbs Up To	8 Gal

Contents
15 Pads Heavy Wt.
3 Socks 3"x48"
1 Pillow 18"x18"
1 Temp Disposal Bag
1 Plastic Zip Tie
1 Pr Nitrile gloves
Instruction Sheet



SP1U

Plug Kit

This plug kit is an essential addition to any Spill Kit. Stop the leak at its source.

Reduce your clean up costs when you plug a damaged tank, drum or broken hose before the liquid has a chance to spread.

Complete Plug Kit includes assorted sizes of Wood Plugs (4) and Plug N'Dike Patty.

Part #KT-PLUG	Complete Plug Kit
Part #P2	Plug N'Dike 10 Ounce
Part #KWP	Set of 4 Wood Plugs



Wedge–1.5"x1.5"x4" Cone–1.5" Diam x 4" Cone–1" Diam x 3" Cone–.5" Diam x 2"

<u>WHITE OIL ONLY:</u> Absorbs gasoline, diesel, ethanol, engine oil, hydraulic oil, grease, petroleum based solvents <u>GRAY UNIVERSAL:</u> Absorbs water, petroleum products, chemicals, cleaners, body fluids, anti-freeze, etc.

Can't find what you're looking for? Call for more products or information.

Page 4 www.spill-kit.com 1-800-590-2436 contact@spill-kit.com



5 Gallon Spill Kit

Our most popular kit for truckers. Carry inside vehicle or mount outside on the frame.

Water Tight 5 Gallon Pail in high visibility yellow with standard Tear Tab Lid.

Convenient Steel Mounting Bracket available.



<u>Contents</u>
10 Pads Light Wt.
2 Socks 3"x48"
1 Bag Floor Dry
1 Temp Disposal Bag
1 Plastic Zip Tie
1 Pr Nitrile gloves
Instruction Sheet

Part #KT-5O	Oil Only
Part #KT-5OR	Oil Only Refill
Part #KT-5U	Universal
Part #KT-5UR	Universal Refill
Part #KT-BRKT	Mounting Bracket
Weight-Kit	12 lbs
Weight-Refill	9 lbs
Weight-Bracket	2 lbs
Measurements	12.25"Diam x 15.75"H
Absorbs Up To	8 Gal

5 Gallon Spill Kit-With Screw Top Lid

If you need a DOT approved container, this is the perfect Spill Kit. The water-tight UN approved 5 gallon pail is refillable with a standard Screw On/Off Lid. UN Markings 1H2/Y30/S.

This kit is the perfect size to strategically place every where required. Standard features make it one of the most cost effective spill kits on the market.



Contents

- 10 Pads Light Wt.
- 2 Socks 3"x8'
- 1 Bag Floor Dry
- 1 Pr Nitrile Gloves
- 1 Temp Disposal Bag
- 1 Plastic Tie Wrap Instruction Sheet

Part #KT-5OTYGSL	Oil Only
Part #KT-5OR	Oil Only Refill
Part #KT-5UTYGSL	Universal
Part #KT-5UR	Universal Refill
Weight-Kit	12 lbs
Weight-Refill	9 lbs
Measurements	13" Diam x 16.25"H
Absorbs Up To	6 Gal

Bracket for 5 Gallon Spill Kit

When storage is limited, this Bracket allows you to mount your spill kit on the wall or the frame of a truck or heavy equipment.

The Bracket for the 5 Gallon Spill Kit is constructed of corrosion resistant powder-coated steel and will securely hold the 5 Gallon Spill Kit. **It does NOT fit the 5 Gallon Spill Kit with Screw-Top Lid.



Part #KT-BRKT	Mounting Bracket
Weight	2.2 lbs
Measurements	11" x 13" x 16.5"H



WHITE OIL ONLY: Absorbs gasoline, diesel, ethanol, engine oil, hydraulic oil, grease, petroleum based solvents GRAY UNIVERSAL: Absorbs water, petroleum products, chemicals, cleaners, body fluids, anti-freeze, etc.



20 Gallon Spill Kit

Need a spill kit for your service truck or facility? This 20 Gallon Spill Kit holds a variety of absorbents to clean up many types of spills, leaks, or drips. Place this kit anywhere a spill is likely to occur.

Container is an Open Head Lab Pack Drum. Lever-locking lid allows easy removal in an emergency. High visibility yellow is easily identified as a spill kit. UN/DOT Rating 1H2/X75/S, 1H2/Y100/S. Drum is durable, lightweight, weather and chemical resistant

with UV inhibitors.



<u>Contents</u>
20 Pads Heavy Wt.
4 Socks 3"x48"
1 Sock 3"x8'
1 Pillow 18"x18"
1 Bag Floor Dry
3 Temp Disposal Bags
3 Plastic Zip Ties
1 Pr Nitrile Gloves
1 Pr Safety Goggles
Instruction Sheet

Oil Only Part #	KT-200
Refill Oil Only Part #	KT-20-OR
Universal Part #	KT-20U
Refill Universal Part #	KT-20-UR
Weight-Kit	24 lbs
Weight-Refill	16 lbs
Measurements	15.75" Top Diam 13.25" Bottom Diam 30.5" High
Absorbs Up To	16.5 Gal

30 Gallon Spill Kit

Use the 30 Gallon Spill Kit at a loading dock, construction site or fueling area, or anywhere liquids are stored. The perfect combination of absorbents to cover a wide range of spills, leaks, and drips.

Drum is a refillable open head drum with a DOT approved rating UN 1H2/X100/S, 1H2/Y100/S, DOT 49 CFR 173.12. Color is high visibility yellow with a easy on/off lever-lock lid. Drum is durable, lightweight, weather and chemical resistant with UV inhibitors.

Contents

- 40 Pads Heavy Wt
- 4 Socks 3"x48"
- 2 Socks 3"x8'
- 2 Pillows 18"x18"
- 2 Bags Floor Dry
- 4 Temp Disposal Bags
- 4 Plastic Zip Ties
- 2 Pr Nitrile Gloves
- 2 Pr Safety Goggles

Instruction Sheet



Part #KT-30EA-O	Oil Only
Part #KT-30-OR	Oil Only Refill
Part #KT-30EA-U	Universal
Part #KT-30-UR	Universal Refill
Weight-Kit	37 lbs
Weight-Refill	24 lbs
Measurements	21.125" Top Diam 16.625" Bottom Diam 28.5" High
Absorbs Up To	30 Gal

55 Gallon Drum Spill Kit

This large Spill Kit offers maximum value for your plant, construction site, fueling island or storage area. Be prepared for any spill with the variety of absorbent materials within this spill kit.

Drum is a refillable open head drum with a DOT approved rating (1H2/X100/S, 1H2Y100/S), Color is high visibility yellow with a



<u>Contents</u>
100 Pads Light W
10 Socks 3"x48"
2 Socks 3"x8'
3 Pillows 18"x18"

3 Bags Floor Dry

8 Temp Disposal Bags 8 Plastic Zip Ties 2 Pr Nitrile Gloves 2 Pr Safety Goggles Instruction Sheet

Part #KT-550	Oil Only
Part #KT-550R	Oil Only Refill
Part #KT-55U	Universal
Part #KT-55UR	Universal Refill
Weight-Kit	70 lbs
Weight-Refill	52 lbs
Measurements	23.75" Top Diam 39.13" Height 19.38" Bottom Diam
Absorbs Un To	55 Gal

<u>WHITE OIL ONLY:</u> Absorbs gasoline, diesel, ethanol, engine oil, hydraulic oil, grease, petroleum based solvents <u>GRAY UNIVERSAL:</u> Absorbs water, petroleum products, chemicals, cleaners, body fluids, anti-freeze, etc.



55 Gallon Drum General Water Permit Spill Kit

This Spill Kit is configured to meet the requirements of Washington State's General Storm Water Permit for on-site fueling areas,

High visibility Yellow Poly Drum with Snap Ring Lid is UN rated (1H2/X100/S, 1H2Y100/S), Lockable, water-tight and refillable.

Part # KT-55WA	Oil Only
Weight-Kit	70 lbs
Measurements	23.75" Top Diam 39.13" Height 19.38" Bottom Diam
Absorbs Up To	34 Gal

Contents
100 Oil Pads Light Wt
1 Oil Boom 8"x10"
1 Bag Granular 25 lbs
1 Rubber Drain Cover 3'x4'
1 Folding Non Sparking Shove

5 Temp Disposal Bags

5 Plastic Zip Ties 2 Pr Nitrile Gloves 2 Pr Safety Goggles 2 Buckets w/lids 5 Gal Instruction Sheet



95 Gallon OverPack Spill Kit

Quick response is essential to reducing the expense of a spill. The 95 Gallon Spill Kit is large enough to respond to most spills.

Spill kit is prepackaged in an approved DOT 49 CFR 173.3(c), 95-Gallon OverPack (UN 1H2/X295/S) Water tight-Twist Down

Lid. Bright Yellow color for maximum visibility.

<u>Contents</u>	
100 Pads Heavy Wt.	10 Temp Disposal Bags
18 Socks 3"x48"	10 Plastic Tie Wraps
6 Socks 3"x8'	2 Pr Nitrile Gloves
5 Pillows 18"x18"	2 Pr Safety Goggles
4 Bags Floor Dry	Instruction Sheet
Emergency Response Gui	debook



Part #KT-95O	Oil Only
Part #KT-95OR	Oil Only Refill
Part #KT-95U	Universal
Part #KT-95UR	Universal Refill
Weight-Kit	145 lbs
Weight-Refill	95 lbs
Measurements	31.5" Top Diam 25.88" Bottom Diam 40.5" Height
Absorbs Up To	80 Gal

Wheeled Overpack Drum Spill Kit

When you want to easily roll a spill kit to the exact location of the spill, then use a 50 or 95 Gallon Wheeled Overpack Drum Spill Kit. No need for a separate dolly. Both sizes have built-in handles for a firm grip and 6" polyolefin wheels that give you easy maneuverability through doorways and around obstacles.

You get high visibility with the bright yellow color. When time is essential, the water-tight lid is an easy-off/on screw top design.

Customize your Spill Kit or fill it with the contents from EnviroMet's 55 or 95 Gallon Spill Kits.

Meets regulations: 50 gal - UN 1H2/X125/S, 95 gal - UN 1H2/X113/S, 49 CFR 173.3, 29 CFR 1910.120, 40 CFR 112.7 40 CFR 122.26, EPA, SPCC and NPDES.

Part #KT-50W-O	50 Gal Wheeled Oil Only Spill Kit
Part #KT-50W-U	50 Gal Wheeled Universal Spill Kit
Part #KT-95W-O	95 Gal Wheeled Oil Only Spill Kit
Part #KT-95W-U	95 Gal Wheeled Universal Spill Kit
Weight-50 Gal Kit	99 lbs
Weight-95 Gal Kit	150 lbs
Measurements-50 Gal Measurements-95 Gal	24"Top Diam, 18.5" Bottom Diam, 45.38"H 31.38" Top Diam, 25.75 Bottom Diam, 47.5"H



WHITE OIL ONLY: Absorbs gasoline, diesel, ethanol, engine oil, hydraulic oil, grease, petroleum based solvents GRAY UNIVERSAL: Absorbs water, petroleum products, chemicals, cleaners, body fluids, anti-freeze, etc



2 Gallon Body Fluid Haz-Mat Spill Kit

This compact Body Fluid Haz-Mat Spill Kit is ideal for a laboratory, medical office, or public facility and offers maximum spill protection.

Spill Kit is contained in a 2.5 gallon UN approved pail with screw on/off lid.

Personal protection products included for Bio-Hazard spills. Polymer packet solidifies water-based liquids for safe & easy clean up.

Measurements	11.25"Diam x 10.25"H
Weight-Kit	5 lbs
Part #KT-2HM	2 Gal Haz-Mat Kit

Absorbs Up To 3 Gal

Contents

1 Universal Sock 3"x4'

3 Universal Pads Light Wt

2 Red Z Pouches

1 Germicidal Solution Spray 1 Scraper/Pan

1 Bio-Hazard Bag w/Zip Tie



5 Gallon Caustic Spill Kit

This Caustic Spill kit has the perfect combination of neutralizer, absorbents, and safety products to effectively clean up and contain small caustic spills. Choose a kit for either acids or bases. The neutralizer changes color as the caustic liquid is neutralized.

The Acid Spill Kit is designed to clean up spilled acid, including battery acid (electrolyte) or contain leaky batteries. The Spill Kit for Bases will neutralize, absorb and contain chemicals with a high Ph. Ideal for high alkaline cleaners. Great for garages and battery storage areas.

Water Tight 5 Gallon Pail with standard Lever-Latch Screw On/Off Lid. UN 1H2/Y30/S

Contents
15 Pads Light Wt
2 Socks 3"x48"
2 Qt Dry Neutralizer
1 Temp Disposal Bag
1 Plastic Zip Tie
1 Pr Nitrile Gloves
1 Pr Safety Goggles
1 Apron

Part #BK-5A	Acid Kit
Part #BK-5AR	Acid Kit Refill
Part #BK-5B	Base Kit
Part #BK-5BR	Base Kit Refill
Weight-Kit	15 lbs
Weight-Refill	12 lbs
Measurements	13"Diam x 16.25"H
Absorbs Up To	6 Gal



5 Gallon Pesticide Spill Kit

Be prepared for a spill if you use, transport or store pesticides or herbicides.

This Spill Kit provides materials to help comply with regulations for hazardous pesticide spills as required by the Dept of Agriculture, DOT, EPA and Board of Health.

The container is a refillable UN rated 5 Gallon Pail 1H2/Y30/S. The gasket sealed Screw On/Off Lid is water tight.

Part #KT-5PEST	Universal
Part #KT-5PESTR	Refill Kit
Weight-Kit	8 lbs
Weight-Refill	5 lbs
Measurements	13" Diam X 16.25" H
Absorbs Up To	5 Gal



Contents

10 Pads Light Wt 1 Mini Broom/Dust Pan 2 Socks 3"x48" 1 Temp Disposal Bag

1 Pillows 10"x10"
1 Set Labels
1 Ensorb 8 oz Bag
1 Plastic Zip Tie
1 Pr Nitrile Gloves
1 Tyvek Suit XL
1 Pr Safety Goggles
1 Roll Caution Tape

Instruction Sheet

Can't find what you're looking for? Call for more products or information.

Page 8 www.spill-kit.com 1-800-590-2436 contact@spill-kit.com



Universal Precaution Kit

Universal Precaution Kits provide personal protection and are a responsible method for the clean-up of infectious blood and body fluid spills. Contains items mandated by OSHA, CDC and state health departments.

Use alone or add to any Spill Kit for complete coverage.

Red Z™ Solidifiers provide state-of-the-art response for spill control and clean-up of potentially bio-hazardous fluids. Captures and retains up to 100 times its own weight.



Part #ST-17102	Universal Kit Plastic Box	Contents Red Z™
Part #ST-17100	Plastic Bag Refill	Safety S
Unit/Pkg	1	Antimicr Vinyl Glo
Measurements	8.5"Lx5.5"Hx2"D	Apron

Contents Red Z™ Pouch Safety Shield Antimicrobial Wipe Vinyl Gloves Apron	Germicidal Surface Disinfectant Wipe Pick-up Scoop/Scraper Biohazard Waste Bag Identification Tag Instructions
,	3

Chemotherapy Spill Kit

The Chemotherapy Spill Kit is designed to clean up spill involving cytotoxic drugs. This kit features Green-Z® solidifier to solidify and contain hazardous chemical spills for quick and easy clean up and disposal with minimal exposure.

Compliance *Nitrile gloves tested for use with Chemotherapy drugs using ASTM D6978. (They are powder free, latex free, DEHP free, and silicone free) **The Chemotherapy gown is compatible with OSHA recommendations, and ASHP and ONS guidelines for wearing a gown while preparing or administering chemotherapy drugs. The gown is disposable, lint-free, made of low permeability fabric, constructed with a solid front and back closure and is long sleeved with tight fitting cuffs.

Contents

Green Z® Solidifier (21 g Pouch) Open Back Gown Safety Shield Super Barrier Zorb Sheet (12"x12") Red Bio-hazard Waste Bag (33"x40") Identification Tag

2 Wiper Pads 2 Pr Nitrile Gloves Pick-up Scoop/Scraper Sharps Disposal Container (5 oz) Twist Tie Instructions



Part #		ST-48725
	Unit/Pkg	1
	Dimensions	8"x2"x13"

Formaldehyde Spill Kit

Reduce Exposure to Formaldehyde Gas. This kit is a convenient emergency response kit for medical personnel using formalin or other formaldehyde containing substances. It is ideal for containing small volume spills. Use only with proper training. (Where a significant volume of fluid must be contained, notify emergency response personnel in accordance with facility guidelines.)

Available in highly visible, durable, easy-to-share hard vinyl cast.



1 Pr Nitrile Gloves 3 Wiper Pads 1 Respirator

4 Pick-up Scoop/Scraper 3 PAWS Antimicrobial Wipes

1 FSC-1 Solidifier (11 oz) 4 Twist Ties

Instructions

1 Open Back Gown

1 Vented Goggles

Part # ST-48360 Unit/Pkg 1 **Dimensions** 13.5"x13"x5" 4 Clear Disposal Bags 30"x36"



Can't find what you're looking for? Call for more products or information.

Page 8 www.spill-kit.com 1-800-590-2436 contact@spill-kit.com



Melt-Blown Oil Pads

Our most popular pads! The industry standard for economy and rapid cleanup of oil on both land and water. Single layer, fibrous design increases surface area on spill. Flexible design conforms to varied surfaces.

Hydrocarbon-based fluids cling to the fibers while water is repelled. Floats even when fully saturated.

Available in 3 thicknesses: Heavy, Medium and Single. Color: White (Oil Only)



Melt Blown	Pads-Heavy	Pads-Medium	Pads-Single
Part #	US-MWH	US-MWM	US-MWS
Unit/Bale	100/Bale	100/Bale	200/Bale
Dimensions	15"x18"	15"x18"	15"x18"
Absorbs Up To	21 Gal	16.4 Gal	24 Gal



Bonded Pads

Bonded pads are an excellent choice when extra strength is needed along with quick absorbency. Constructed from a single layer of high quality polypropylene fibers. The dimples add durability and reduced linting. Perfect for general maintenance and wiping applications.

Perforated for ease of use, versatility and cost savings.

Available in 3 thicknesses: Heavy, Medium, Single. Colors: White (Oil Only) & Gray (Universal)



Bonded	Oil Pads Heavy	Oil Pads Medium	Universal Pads Heavy	Universal Pads Medium	Universal Pads Single
Part #	US-BWH	US-BWM	US-BGH	US-BGM	US-BGS
Unit/Bale	100/Bale	100/Bale	100/Bale	100/Bale	200/Bale
Dimensions	15"x18"	15"x18"	15"x18"	15"x18"	15"x18"
Absorbs Up To	21 Gal	16.4 Gal	21 Gal	16.4 Gal	24 Gal

Laminated Pads

Superior durability for use around machinery and workstations. Resists abrasions and tears.

Quality sorbent is ultrasonically bonded between two layers of lint-free spunbond fabric. Lint free pads will not contaminate equipment.

Available in Medium thickness. Perforated for ease of use and versatility.

Colors: White (Oil Only), Gray (Universal)



Laminated	Oil Only Pads Med	Universal Pads Med
Product #	US-LWM	US-LGM
Unit/Pkg	100/Bale	100/Bale
Dimensions	15"x18"	15"x18"
Absorbs Up To	16.4 Gal	16.4 Gal



WHITE OIL ONLY: Absorbs gasoline, diesel, ethanol, engine oil, hydraulic oil, grease, petroleum based solvents GRAY UNIVERSAL: Absorbs water, petroleum products, chemicals, cleaners, body fluids, anti-freeze, etc.



Laminated Rolls

Superior durability for use around machinery and workstations. Resists abrasions and tears.

Quality sorbent is ultrasonically bonded between two layers of lint-free spunbond fabric. Lint free rolls will not contaminate equipment.

Available in Medium thickness. Perforated for ease of use and maximum versatility. Colors: White (Oil Only), Gray (Universal). Full Roll and Split Rolls available.

Use a wall-mounted bracket for easy access and dispensing of absorbent rolls.



Laminated	Oil Only	Oil Only	Universal	Universal		
Product #	US-LWMR150	US-LWMSR150	US-LGMR150	US-LGMSR150	US-ROLLBRKT15	US-ROLLBRKT38
Unit/Pkg	1/Bale	1/Bale	1/Bale	2/Bale	1/Each	1/Each
Dimensions	30"x150'	15"x150'	30"x150'	15"x150'		
Absorbs Up To	28 Gal	28 Gal	28 Gal	28 Gal		

Drum Top Pads

Specialty products to service every spill and maintenance need. Absorb drips from leaking pumps to keep top of drum and work space clean and safe.

Drum top pads fit perfectly on drums with pre-cut bung holes. Made from top quality fine fiber mats.

Colors: Blue (Oil Only), Gray (Universal)

Drum Top Pads	Oil Only	Universal
Part #	ВТОР	GTOP
Unit/Pkg	25/Box	25/Box
Dimensions	23" Diam	23" Diam
Absorbs Up To	8.6 Gal	8.6 Gal



Pillows

One product for multiple uses. Use in place of a sock or absorbent pad to absorb large quantities quickly. Ideal for placement under leaky equipment or drums.

Tear resistant and durable construction. Quick wicking throughout pillows.

Net Bag Pillows are ideal for holding ponds, drains, and sumps (Available in Oil Only) Colors: White (Oil Only), Gray (Universal).

	Oil Only Pillows	Universal Pillows	Oil Only Net Bags
Part #	US-WPILLOW1818	US-GPILLOW1818	WPIL10
Unit/Pkg	10/Box	10/Box	10/Bale
Dimensions	18"x18"x2"	18"x18"x2"	21"x16"x6"
Absorbs Up To	23 Gal	23 Gal	37 Gal



Net Bag Pillows



WHITE & BLUE OIL ONLY: Absorbs gasoline, diesel, engine oil, hydraulic oil, grease, petroleum based solvents GRAY UNIVERSAL: Absorbs water, petroleum products, chemicals, cleaners, body fluids, anti-freeze, etc

Can't find what you're looking for? Call for more products or information.

Page 10 www.spill-kit.com 1-800-590-2436 contact@spill-kit.com



Socks

Excellent for both everyday use and emergency spill response.

Contain liquids before spreading to floors and walkways.

Conforms easily around equipment and between surfaces.

Durable sleeve withstands rough handling. Colors: White (Oil Only), Gray (Universal).

Socks	Oil Only 3x4	Oil Only 3x8	Universal 3x4	Universal 3x8
Part #	US-WSOCK430	US-WSOCK815	US-GSOCK430	US-GSOCK815
Unit/Pkg	30/Box	15/Box	30/Box	15/Box
Dimensions	3"x48"	3"x8'	3"x48"	3"x8'
Absorbs Up To	30 Gal	30 Gal	30 Gal	30 Gal





Oil Booms

Designed for rapid cleanup and containment of oil spills on water, but can also be used on land.

Extra durability supported by outer mesh and inner rope. Each boom end is outfitted with metal fasteners and washers to connect 10' pieces into longer sections.


Filler won't shed and Booms won't sink, even when saturated with oil.

Mini booms are perfect for sumps, drains, bilges and tanks. Color: White (Oil Only)



Mini-Booms

Booms	5"x10'	8"x10'	Mini 8"x18"	Mini 5"x15"
Part #	US-WBOOM510	US-WBOOM810	US-WBILGE818	US-WBILGE515
Unit/Pkg	4/Bale	4/Bale	10/Bale	20/Bale
Dimensions	5"x10'	8"x10'	8"x18"	5"x15"
Absorbs Up To	30 Gal	48 Gal	18 Gal	18 Gal





Truck Diapers

Truck Diapers hang securely underneath any size truck or heavy equipment to catch oil drips, hydraulic fluids, anti-freeze, and prevent hydrocarbons from falling to the ground.

Truck Diapers allow water to flow freely away while capturing oils. The Oil-Only Absorbent Pad is easy to install and replace, while the yellow outer diaper can be reused over and over saving your company time and money.

Go Green and be Ecologically proactive! Outfit your vehicles and equipment with Truck Diapers. Perfect for jobsites in sensitive areas.

Available in 2 sizes - Medium and Large. Pads are made from Laminated, heavy-weight polypropylene.

PVC with vinyl coated mesh insert and brass non-ferrous grommets. Replacement pads come 25 pads/Bale.



Truck Diaper	Medium	Large
Part #	ENV-TD36	ENV-TDLG
Measurements	36"x36"	46"x60"
Refill Pads 25/Bale Part #	US-TDP3636	US-TDP4351
Each Pad Absorbs Up To	.72 Gal	1.26 Gal



<u>WHITE OIL ONLY:</u> Absorbs gasoline, diesel, ethanol, engine oil, hydraulic oil, grease, petroleum based solvents <u>GRAY UNIVERSAL:</u> Absorbs water, petroleum products, chemicals, cleaners, body fluids, anti-freeze, etc



Antifreeze Plus Pads

Because all sorbents are NOT created equal!

When you want to clean up antifreeze, or other chemical spills safely and quickly, you can trust our new green antifreeze pad to outperform the rest.

The Antifreeze Plus Pad absorbs GLYCOL better than other Universal Absorbent Pads.

Green Antifreeze Pads-Heavy		
Product #	US-BGNH	
Unit/Pkg	100/Bale	
Dimensions	15"x18"	
Absorbs Up To	21 Gal	



HazMat Yellow Caution Pads

Prevent slips and falls with high visibility caution pads. Bright color and traditional caution symbol warn employees or customers of a potentially slippery floor.

Use as both a warning device and an effective absorbent to soak up leaks, drips and spills.

Absorbs most liquids including acids, bases, oils, and unknown solvents.

Pads are virtually lint-free and durable. They are printed on one side and perforated so you only what you need.



HazMat Yellow Caution Pads				
Product #	US-LYC156			
Unit/Pkg	100/Bale			
Dimensions	15"x18"			
Absorbs Up To	32 Gal			

Stay-In-Place Floor Safety Rolls

Ideal for high traffic areas, hallways and entrances, or where ever you need a durable, absorbent mat to "Stay-In-Place." For use where safety and/or cleanliness is a priority!

Adhesive backing sticks to the floor preventing falls by absorbing all liquids. Will not damage floor surfaces.

Durable top hides dirt and is slip-resistant.

Can be used on carpet to keep it clean.

SIP Stay-In-Place Roll

Product #	SIP100-NP
Unit/Pkg	1Bale
Dimensions	34"x100'
Weight	34 lbs





Can't find what you're looking for? Call for more products or information.

Page 12 www.spill-kit.com 1-800-590-2436 contact@spill-kit.com



OptiSorb

 $The \ industry \ standard \ for \ spill \ clean \ up, \ OptiSorb \ is \ a \ 100\% \ Diatomaceous \ Earth \ premium \ all-purpose \ absorbent.$

Coarse granules quickly clean up water, oil and grease.

You get optimum value for the money.

Create a clean and safe environment in garages, warehouses, workshops and machine shops.



OptiSorb	25# Bag
Part #	OP8925
Weight per bag	25 Lbs
Absorbs Up To	3 Gal/Bag
Qty/Pallet	80 Bags



Solid-A-Sorb

Solid-A-Sorb (formerly Selectsorb) is a fine granule, 100% Diatomaceous Earth premium all-purpose absorbent.

A bit more coarse than sand, the additional surface space allows it to quickly clean up water, oil and grease and provide gritty traction for slick surfaces.

Create a clean and safe environment in garages, warehouses, workshops and machine shops. Provides more absorption for the money.



Solid-A-Sorb	25# Bag
Part #	SAS9725
Weight per bag	25 Lbs
Absorbs Up To	3 Gal/Bag
Qty/Pallet	80 Bags



Throw & Go

When you are looking for a natural organic answer to industrial clean-up—Throw & Go, made with American peat—is your answer.

Simple to use—throw it down, let it soak, pick it up. Porous peat moss captures and holds contaminates.

Pumice is added to Throw & Go Super Absorbent to provide traction on slick surfaces. The pumice also helps hold the peat moss absorbent down in windy conditions.

Contains no chemicals that are harmful to the environment, people or animals.

Targets spills containing oils, diesel, gasoline, solvents, antifreeze, paint, etc.



Throw & Go	.75 Cu Ft Bag
Part #	AM-TGS100
Weight	25 Lbs
Absorbs Up To	5 Gal
Qty/Pallet	60 Bags





OverPack & Salvage Drums

Twist-down lid for safe closure. Closed cell gasket in lid help seal closure.

Patented castellations in lid allow for easy open and close.

Molded area allows for easy gripping and pick-up by material handling equipment. Patented ribbed design provides extra strength.

100% UV-protected polyethylene provides protection over a wide range of chemicals.



Drums	95 Gallo	n	65 Gallon		30 Gallon		20 Gallon	
Part # - Drum	1095-YE		1065-YE		1230-YE		1220-YE	
Dimensions	Exterior	Interior	Exterior	Interior	Exterior	Interior	Exterior	Interior
Top Diameter	31.5"	27.5"	27.75"	23.5"	22.25"	21.5"	22.25"	21.5"
Bottom Diameter	25.88"	24.5"	23"	22"	18"	17"	18"	17"
Height	40"	36.5"	37.5"	34.25"	30"	28.13"	19"	17.5"
Weight	46 Lbs		43 Lbs		13 Lbs		10 Lbs	
Handling Capacity	650 Lbs		440 Lbs		221 Lbs		166 Lbs	
Sump Capacity	95 Gal		65 Gal		30 Gal		20 Gal	
Regulations:	UN 1H2/	X295/S	UN 1H2/X	200/S	UN 1H2/X	100/S	UN 1H2/Y UN 1H2/X	

Poly-Tank Containment Unit 275

Designed for widely used 275-gallon obround tank. Protect against hazardous and costly spills. Provides easy access to tank and pumps.

Add Bulk Head fitting for outside drainage.

Part #	5275-BK 5276	Poly-Tank Cont Unit Bulk Head Fitting		
Dimensions	82.38"Lx4	82.38"Lx45"Wx35.38"H		
Weight	98 Lbs			
Sumn Canacity	275 Gal			



IBC 2000i™

ENPAC's® integrated IBC 2000i™ fits more than 99% of all IBC dispensing units and makes spill containment versatile for intermediate bulk containers. A large sump capacity of 385 gallons, exceeds EPA 40 CFR 264-175 regulations.

Dispensing is quick and easy with the integrated 5-gallon pail holder.

For convenient shipment and storage, the one-piece and lightweight unit is forkliftable (when empty) and nestable.

The 100% polyethylene unit will not rust or corrode or have adverse reactions with chemicals.

For outside use and easy cleaning, an optional drain is available.

Part #	IBC 2000i	5469-YE 5469-YE-D with drain
Exterior	Dimensions	73"Lx80.5"Wx29"H
Pedesta	I Dimensions	56.75"Lx56.75"Wx29.5"H
Weight		291.1 lbs.
Max Loa	ad Rating	8000 lbs.
Sump C	apacity	385 gal.



Page 14 www.spill-kit.com 1-800-590-2436 contact@spill-kit.com



Poly-SpillPallets™

The secondary containment system engineered to meet the rigors of today's regulatory environment.

100% polyethylene provides excellent chemical resistance.

Non-skid removable grates for easy cleaning.

Forkliftable when empty.

Drain hole with plug is optional.







Pallets	2 Drum Nestable Poly-SpillPallet™	In-Line Poly-SpillPallet ™ 3000 4 Drum	Poly-SlimLine™ 6000 4 Drum
Part #	5222-YE 5222-YE-D with drain	5102-YE 5102-YE-D with drain	5400-YE 5400-YE-D with drain
Dimensions	51"Lx26"Wx21"H	98"Lx25.25"Wx12"H	54"Lx54"Wx12"H
Weight	45 Lbs	80 Lbs	91 Lbs
Load Bearing Capacity UDL	2000 Lbs	3000 Lbs	6000 Lbs
Sump Capacity	66 Gal	66 Gal	66 Gal

Workstations™

Optimize warehouse space with these Low-profile Workstations that increase safety and efficiency.

Catch incidental spills with large sump capacity.

Easy cleaning with heavy-duty removable structural foam grates.

Forkliftable when empty.



1 Drum Modular Platform

This 1 Drum Modular Platform features high-performance engineered plastic construction for excellent chemical resistance and impact durability for long life.

Catch drips and leaks to provide a clean work space.

Easy cleaning with removable grating.

Available with and without drain.



1 Drum Modular Platform-Yellow

Part #	EA-1633 EA-1633D with Drain
Dimensions	26.25"Lx26"Wx6.5"H
Weight	16 Lbs
Load Bearing Capacity UDL	2000 Lbs
Sump Capacity	15 Gal



Drip Sentinel™ Maintenance Blanket™

Use this when you need something under vehicles or leaking equipment to protect the ground from contamination.

Perfect for field maintenance or repair. Roll or Fold for easy storage between uses.

Made of 8 oz, non-woven geo-textile material that is 100 mils thick, backed by 1 layer of 20-mil fuel/chemical resistant polyethylene.

Fabric backing provides an extra barrier to stop hydrocarbons from getting on the ground.

Maint Blankets	3'x12'	12'x6'	12'x9'	12'x12'
Product No.	4720-BK	4725-BK	4730-BK	4735-BK
Capacity	6 Gal	7 Gal	8 Gal	9 Gal
Weight	6 Lbs	7 Lbs	9 Lbs	10 Lbs



Prowler Pool™

The easiest, lightest spill containment pool available.

Ideal for incident response vehicles, trucks, and job sites

Portable pool quickly unfolds to become a self-supporting unit.

Resistant to a wide range of chemicals, acids, fuels and other hazardous materials.

Also resistant to cold temperatures to -65°F, abrasion, punctures and UV rays.

Compact for easy storage and easily fits in Spill Response Kits.



Prowler Pools™	20 Gallon	66 Gallon	100 Gallon	150 Gallon
Part #	5920-YE	5966-YE	5900-YE	5950-YE
Dimensions	28"Base x13"Hx18"Top	48"Base x14"Hx36"Top	48"Base x18"Hx32"Top	60"Base x18"Hx44"Top
Weight	2 Lbs	3 Lbs	5 Lbs	5 Lbs
Sump Capacity	20 Gal	66 Gal	100 Gal	150 Gal

SpillPal™

The most affordable, convenient temporary storage. Provides incidental spill control during temporary storage of drums, machine parts, tanks, generators. Can also be used as a wash down pad or pumping station.

Features 4" flexible foam sidewalls that spring back to form allowing easy drive in and out of hand trucks and forklifts.

Reusable! Fold up and store on a shelf when not in use.

Optional grates available.



Spillpals™	1-Drum	2-Drum	4-Drum	4-Drum In-Line	6-Drum	8-Drum
Part # With Grates	5750-YE 5750-YE-G	5755-YE 5755-YE-G	5760-YE 5760-YE-G	5765-YE 5765-YE-G	5770-YE 5770-YE-G	5775-YE 5775-YE-G
Dimensions	2'L x2'Wx3"H	2'Lx4'Wx3"H	4'Lx4'Wx3"H	2'Lx8'Wx3"H	4'Lx6'Wx3"H	4'Lx8'Wx3"H
Weight	2 Lbs	4 Lbs	5 Lbs	6 Lbs	7 Lbs	9 Lbs
Sump Capacity	10 Gal	15 Gal	30 Gal	30 Gal	45 Gal	60 Gal

Can't find what you're looking for? Call for more products or information.

Page 16 www.spill-kit.com 1-800-590-2436 contact@spill-kit.com



Quick Dam

Quick Dam Flood Bags are sandless sandbags that can be used just as a regular sandbag, but are easy to deploy and clean up after the flood event. Stack bags to increase wall height.

Quick Dam Flood Barriers divert water from doorways, garages & more.

Activates when wet, no sand needed. Grows to 3.5" high in minutes.

Compact & Lightweight. Minimal storage space needed.

Continuous protection for several months.

Not for salt water use.

Part #	Description	Qty/Pack	Pack Size
QD1224-6	Sandless Sandbags 12"x24"	6	8"x8"x4"
QD1224-120	Sandless Sandbags 12"x24"	120	20"x24"x13"
QD610-1	Flood Barrier 6"x10'	1	9"x8"x2"







Drain Covers

Block a drain immediately in the event of a spill to reduce the cost of clean up and contamination.

100% Chemically Resistant Polyurethane—these tough but easy to handle Drain Covers are made of solid polyurethane.

Reversible—they are tacky on both sides, so either side can be used to form a tight seal blocking contaminants.

Reusable-wash after use with mild soap and water.

The Neoprene Drain cover is an affordable option for quickly covering a drain to protect against accidental spills and should only be used where completely blocking the drain is not mandatory.

Drain covers	36"x36"	42"x42"	Neoprene 36"x48"
Part #	ADC36-R	ADC42-R	DM3X4
Dimensions	36"x36"x.25"	42"x42"x.25"	35"x48"x3/16"
Weight	15 Lbs	20 Lbs	12 Lbs





Plug N'Dike

Are you prepared to immediately plug and control a vehicle or truck fuel tank leak?

Reduce the cost of cleaning up a spill by stopping it immediately at its source.

PLUG N'DIKE is a non-toxic material which forms an immediate seal to control flammable and/or hazardous leaks and spills due to a punctured storage or transport container.

Seals off gasoline, diesel, solvents and other chemicals. Not recommended for some biofuels and some chemicals.

Available in Pre-Mix Ready-To-Use and Dry Granular.

Plug N'Dike	PreMix Patty	PreMix Jar	PreMix Jug	Dry Granular Jug	Dry Granular Pail
Part #	P2	1-PMP	8-PMP	10P	48P
Size	10 Ounce	14 Ounce	1 Gal	1 Gal	5 Gal
Weight	3/4 Lb	1 Lb	10 Lbs	10 Lbs	45 Lbs



Can't find what you're looking for? Call for more products or information.

Page 16 www.spill-kit.com 1-800-590-2436 contact@spill-kit.com



Below you will find brief summaries of the regulations that most often relate to the products offered by EnviroMet. For full information on specific compliance requirements, please refer to the Code Of Federal Regulations.

29 CFR-OSHA (Occupational Health & Safety Administration)

29 CFR 1910.22 (a)(2)

Floors in your workplace should be "maintained in a clean and, so far as possible, a dry condition."

29 CFR 1910.107(b)(3)

Combustible floors in a spray booth or work area "shall be covered with noncombustible material to facilitate the safe cleaning and removal of residues.

29 CFR 1910.107(g)(2)

OSHA requires spraying areas to be "kept as free from the accumulation of deposits of combustible residues as practical."

29 CFR 1910.120(j)(1)

Commonly known as HAZWOPER, requires DOT containers and proper absorbents to be kept available and used wherever spills, leaks, or ruptures may occur.

29 CFR 1910.1450(e)

OSHA requires containment and cleanup materials for spills in

laboratories to reduce occupational exposure to hazardous chemicals.

29 CFR 1910.1030(d)(4)(ii)

All equipment and environmental and working surfaces shall be cleaned and decontaminated after contact with blood or other potentially infectious materials.

29 CFR 1910.1030(d)(1)

General-Universal precautions shall be observed to prevent contact with blood or other potentially infectious materials. Under circumstances in which differentiation between body fluid types is difficult or impossible, all body fluids shall be considered potentially infectious materials.

29 CFR 1910.132(a)

Personal protective equipment must be provided, used and maintained whenever it is necessary to prevent hazards from coming in contact with any part of the body through absorption, inhalation or physical contact.

40 CFR-EPA (Environmental Protection Agency)

40 CFR 112.7(c)(1)

Spill Prevention, Control and Countermeasure (SPCC)

Facilities must have "appropriate containment and/or diversionary structures to prevent discharge oil from reaching a navigable water course."

The purpose of the SPCC regulation is prevention of oil discharge into navigable waters and related areas, rather than cleanup after a spill has occurred. The regulation generally affects all facilities with at least 1320 gallons above ground storage capacity, or 42,000+ gallons underground storage capacity. The SPCC requires affected facilities to prepare and file an action plan (the SPCC Plan)

40 CFR 264.175 Containment

A hazardous waste container must not sit in its own spill, and it must be able to hold 10% of total volume of liquid or 100% of largest container, whichever is greater.

40 CFR 122.26

Storm water Regulations,

National Pollutant Discharge Elimination System (NPDES)

The NPDES permit program control water pollution by regulating point sources and non-point sources that discharge pollutants into United States waters. These regulations are a key component of EPA's Clean Water Act. The goal is to protect the quality of waterways by reducing the discharge of sediment, oil and chemicals into storm drains, surface and ground waters.

40 CFR 263.30(a)

Requires immediate action, such as diking the discharge area, by transporter if hazardous waste is accidentally discharged during transportation.

49 CFR—DOT (Department of Transportation)

49 CFR 173.3(c)(1)

Summary: Packages of hazardous materials that are damaged, defective, or found leaking and hazardous materials that have spilled or leaked may be placed in a compatible salvage drum that meets UN criteria for shipping by air, highway, rail or water. Packaging must be marked "SALVAGE" or "SALVAGE DRUM."

UFC 79.406 (Universal Fire Code)

Summary: When used as a substitute for spill and damage control and secondary containment, pallets shall comply with: liquid-tight sump; sump capacity of at least 66 gallons; compatible substance; provide sump protection from rain water.

49 CFR 173.12(b)(2)(iv)

Summary: When labpacking, "Inner packagings...must be surrounded by a chemically compatible absorbent material in sufficient quantity to absorb the total liquid contents." Each drum shall be provided when necessary with sufficient cushioning and absorption material to prevent excessive movement of the damaged package and to eliminate the presence of any free liquid at the time the salvage drum is closed.

33 CFR-USCG (United States Coast Guard)

33 CFR 154.1047(c)(2)

Summary: Concerning navigation and navigable water, a facility which handles, stores or transports Group V petroleum oils must identify response plan resources such as containment booms or other methods.



Mail: PO Box 907 Vancouver, WA 98666

Plant: 1200 W 8th St Vancouver, WA 98660



We've Got It!

800-590-2436 360-944-6100 contact@spill-kit.com www.spill-kit.com



