

## **SAFETY DATA SHEET**

Page 1 of 4

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION						
PRODUCT IDENTIFIER	Floor–Dry™, Solid-A-Sorb®, Celatom® MP grades					
CHEMICAL NAME	Diatomaceous Earth, Natural					
CHEMICAL FAMILY	Silica					
MATERIAL USE	Industrial Absorbent					
RESTRICTION ON USE	None Known					
MANUFACTURER	EP Minerals, LLC., 9785 Gateway Dr., Reno, NV 89521					
TELEPHONE NO.	(775) 824 7600 (Monday – Friday 8:00 am PST – 5:00 pm PST)					
EMERGENCY TELEPHONE NO.	(775) 824 7600 (Monday – Friday 8:00 am PST – 5:00 pm PST)					
SDS DATE OF PREPARATION	January 2, 2018					
SECTION 2: HAZARDS IDENTIFICATION						
OSHA GHS HAZARD CLASSIFICATION	Not classified as hazardous					
HAZARDS NOT OTHERWISE CLASSIFIED	None					
LABEL ELEMENTS	No GHS labeling required					
SECTION 3: COMPOSIT	FION / IN	FORMATION ON INC	REDIENTS			
SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS  APPROXIMATE  APPROXIMATE  APPROXIMATE  APPROXIMATE  APPROXIMATE						
INGREDIENT IDENTIFICATION		CONCENTRATION (%)	C.A.S. NUMBERS	EINECS		
Diatomaceous Earth, Natural (kieselguhr)		100%	61790-53-2 or 7631-86-9	231-545-4		
SECTION 4: FIRST AID	MEASU	RES				
EYE	Flush eyes with generous quantities of water or eye rinse solution. Consult physician if irritation persists.					
SKIN	Use moisture renewing lotions if dryness occurs.					
INGESTION	Drink generous amounts of water to reduce bulk and drying effects.					
INHALATION	Remove to	fresh air. Blow nose to evacuate	dust.			
Most important symptoms/effects, acute and delayed	Dust may cause abrasive irritation to eyes. Prolonged skin contact may cause dryness. Dust may cause nose, throat and upper respiratory tract irritation. Prolonged inhalation of high concentration of dust may cause lung effects					
Indication of immediate medical attention and special treatment, if necessary	Immediate medical attention is not normally required. If dust irritates the eyes, seek medical attention.					

	1				<u> </u>		
MATERIAL NAME	Floor–Dry™, Solid-A-Sorb®, Celatom® MP grades Page 2 of 4				Page 2 of 4		
SECTION 5: FIRE FIGH	TING M	EASURES					
EXTINGUISHING MEDIA	Not appli	cable, the material is not	combustible.				
SPECIFIC HAZARDS ARISING FROM THE CHEMICAL	Not appli	Not applicable, the material is not combustible.					
SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE-FIGHTERS	Not applie	Not applicable, the material is not combustible.					
<b>SECTION 6: ACCIDENT</b>	AL REL	EASE MEASUF	RES				
PERSONAL PRECAUTIONS	If dust is	present, use respirator fit	tted with particulate fill	ter as specified in Section 8. Protect	ct eyes with goggles.		
ENVIRONMENTAL PRECAUTIONS	This mate	This material is not a significant environmental concern.					
METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP	Vacuum (	Vacuum clean spillage, wet sweep or wash away. Avoid creating dust. Place in a container for use or disposal.					
SECTION 7: HANDLING	AND S	TORAGE					
PRECAUTIONS FOR SAFE HANDLING	Minimize dust generation. Avoid contact with eyes. Avoid breathing dust. Repair or dispose of broken bags. Observe all label precautions and warnings.						
CONDITIONS FOR SAFE STORAGE		Store in a dry place to maintain packaging integrity and product quality. Do not store near hydrofluoric acid or strongly basic solutions.					
<b>SECTION 8: EXPOSUR</b>	E CONT	ROLS / PERSO	NAL PROTEC	TION			
EXPOSURE GUIDELINES:							
Component		OSHA PEL	ACGIH TLV	MSHA PEL	NIOSH REL		
Diatomaceous Earth, Natural (kieselguhr)		<u>80 mg/m³</u> % SiO₂ total dust	None Established	5 mg/m³	6 mg/m <sup>3</sup>		
ENGINEERING CONTROLS				within recommended exposure limits for design of ventilation systems.	s. Refer to ACGIH		
PERSONAL PROTECTIVE EQUIPMENT:							
EYE / FACE PROTECTION	Goggles to protect from dust						
SKIN PROTECTION	No special equipment is needed.						
RESPIRATORY PROTECTION	If the exposure limits are exceeded, a NIOSH approved respirator appropriate for the form and concentration of the contaminants should be used. For example, if the dust concentration is less than ten (10) times the Permissible Exposure Limit (PEL), use a quarter or half-mask respirator with an N95 dust filter or a single-use dust mask rated N95. Selection and use of respiratory equipment must be in accordance with OSHA 1910.134 and good industrial hygiene practice.						
GENERAL HYGIENE	Avoid breathing dust. Avoid contact with eyes. Wash hands after handling and before eating or drinking.						

MATERIAL NAME	Floor–Dry™, Solid-A-Sorb®, Cel	atom® MP grades	Page 3 of 4		
SECTION 9: PHYSICAL	AND CHEMICAL PRO	PERTIES			
APPEARANCE, COLOR	Buff to off white granules	ODOR	Odorless		
PHYSICAL STATE	Solid	ODOR THRESHOLD	Not applicable		
VAPOR PRESSURE	Not applicable	VAPOR DENSITY	Not applicable		
BOILING POINT	Not applicable	MELTING POINT	> 1300° C		
FLASH POINT	Not applicable	pH (10% SUSPENSION)	7		
FLAMMABILITY LIMITS	Not applicable	EVAPORATION RATE	Not applicable		
DECOMPOSITION TEMPERATURE	> 1300° C	SPEC. GRAVITY / RELATIVE DENSITY	2.2		
AUTOIGNITION TEMPERATURE	Not applicable	PARTITION COEFFICIENT – n- OCTANOL/WATER	Not applicable		
FLAMMABILITY (solid/gas)	Not applicable	SOLUBILITY – WATER	< 1%		
		VISCOSITY	Not applicable		
SECTION 10: STABILIT	Y AND REACTIVITY				
REACTIVITY	Material is not reactive.				
CHEMICAL STABILITY	Material is stable.				
POSSIBILITY OF HAZARDOUS REACTIONS	Material is not reactive.				
CONDITIONS TO AVOID	Not applicable				
INCOMPATIBLE MATERIALS	Products containing silica may react violently with hydrofluoric acid and strongly basic solutions.				
HAZARDOUS DECOMPOSITION PRODUCTS	Not applicable				
SECTION 11: TOXICOL	OGICAL INFORMATIO	N			
POTENTIAL HEALTH EFFECTS	See below and Section 11 for additional information				
Likely Routes of Exposure	See below				
EYE	May cause irritation (tear formation and redness) if dust gets in eyes.				
SKIN	Not absorbed by the skin, but may cause dryness if prolonged exposure.				
INGESTION	Ingestion of small to moderate quantities is not considered harmful, but may cause irritation of the mouth, throat and stomach.				
INHALATION	Acute inhalation can cause dryness of the nasal passage and lung congestion, coughing and general throat irritation. Chronic inhalation of dust should be avoided.				
CHRONIC EFFECTS	Chronic inhalation of dust in excess of the Permissible Exposure Limit (PEL) established by OSHA over a prolonged number of years may cause lung changes.				
NTP	Diatomaceous Earth, Natural is not classified as a carcinogen.				
IARC	Diatomaceous Earth, Natural is not classifiable as to carcinogenicity in humans (Group 3).				
NUMERICAL MEASURES OF TOXICITY	No data available				

MATERIAL NAME	Floor–Dry™, Solid-A-Sorb®, Celatom® MP grades	Page 4 of 4				
CORROSIVENESS, SENSITIZATION, IRRITANCY	Not applicable					
REPRODUCTIVE TOXICITY	Not available					
TERATOGENICITY, MUTAGENICITY	Not available					
SECTION 12: ECOLO	OGICAL INFORMATION					
ECOTOXICITY:	Diatomaceous earth products have shown some efficacy as a natural insecticide, but otherwise have no demonstrated toxicity in regards to aquatic or terrestrial life.					
PERSISTENCE AND DEGRADABILITY	Non-biodegradable, inert.					
BIOACCUMULATIVE POTENTI	Little potential for bioaccumulation					
MOBILITY IN SOIL	No mobility					
OTHER ADVERSE EFFECTS	None known					
SECTION 13: DISPO	SAL CONSIDERATIONS					
WASTE DISPOSAL	If this material as supplied becomes a waste, use solid waste disposal common to landfill ty sumps. Not considered a hazardous waste under RCRA (40CFR Part 261).	pe operations or in slurry to				
PACKAGING DISPOSAL		pose of in accordance with applicable laws and regulations, typically solid waste disposal common to landfill type				
SECTION 14: TRANS	SPORT INFORMATION					
BASIC SHIPPING INFORMATION	DOT shipping classification 55 (no restrictions). Technical name is "Diatomaceous E	DOT shipping classification 55 (no restrictions). Technical name is "Diatomaceous Earth".				
ADDITIONAL INFORMATION	No special requirements or placarding necessary.					
SECTION 15: REGUI	LATORY INFORMATION					
U.S. FEDERAL:						
TSCA	atomaceous Earth, Natural appears on the EPA TSCA inventory list.					
CERCLA	atomaceous Earth, Natural is not classified as a hazardous substance under regulations of the Comprehensive nvironmental Response Compensation and Liability Act (CERCLA), 40 CFR 302.					
SARA TITLE III	Not listed.					
SECTION 16: OTHER	RINFORMATION					
	4-Extreme 3-High 2-Moderate 1-Slight 0-Insignificant  0 Health 0 Flammability 0 Reactivity E Protective Equipment					
ORIGINAL ISSUE DATE	March 4, 1994	•				
REVISION DATE	January 2, 2018					
REVISION NO.	10					

**Disclaimer:** As of the date of the preparation of this document, the foregoing information is believed to be accurate and is provided in good faith to comply with applicable federal and state laws. No warranty, representation or guaranty of any kind, express or implied, is hereby provided or intended with respect to the completeness of the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by the purchase, resale, use or exposure to our product. Customer users of silica must comply with all applicable health and safety laws, regulations and orders, including OSHA Hazardous Communication Standard.